

# NOTICES

## DEPARTMENT OF AGRICULTURE

### Agricultural Product Promotion, Education and Export Promotion Matching Grant Program; 2024-2025 Application Period

The Department of Agriculture (Department) announces the program requirements and application period for grants under the Pennsylvania Agricultural Product Promotion, Education and Export Promotion Matching Grant Program (Program). The Program is authorized under a Fiscal Year (FY) 2024-2025 budgetary appropriation to the Department for agricultural product promotion, education and exports. The Department intends to make up to \$303,000 available for grants under the Program. The term “agricultural products” includes hardwoods and wood or fiber-based products such as bio-char or other soil amendments.

#### 1. *Program objectives.*

(a) *Purpose.* The Department will award grants to provide matching funds to nonprofit organizations engaged in market research, development or promotion to reimburse up to 50% of the cost of projects intended to:

(1) Research market opportunities for agricultural products grown, raised or produced within this Commonwealth;

(2) Educate producers and consumers with respect to market opportunities for agricultural products grown, raised or produced within this Commonwealth; or

(3) Otherwise promote the growth and development of export markets for agricultural products grown, raised or produced within this Commonwealth.

(b) *Applicants.* Grants will be awarded to nonprofit organizations that can demonstrate engagement in market research, product development or promotion of agricultural products grown, raised or produced within this Commonwealth. Priority will be given to applicants who can demonstrate experience in marketing agricultural products outside of the United States.

(c) *FY 2024-2025 project funding priorities.* The Department will prioritize eligible projects that:

(1) Facilitate the growth and development of export markets for agricultural products grown, raised or produced within this Commonwealth, with special priority for markets in western African or Caribbean Basin nations;

(2) Increase consumer awareness of hardwood lumber and value-added products, with special consideration given to projects emphasizing hardwood species for which the Commonwealth is particularly recognized including, but not limited to, black cherry, oaks and maples; or

(3) Promote the marketing of agricultural commodities produced within this Commonwealth through the PA Preferred® or PA Preferred Organic™ programs.

(d) *Competitive program.* The Program is competitive. Grant requests and related documentation will be reviewed by the Secretary, who will approve all grants awarded.

(e) *Funds available basis.* Grants will be awarded based on the appropriation; however, the Department

reserves the right to negotiate final grant amounts with awardees and need not expend all the funds that are available for the Program.

2. *Definitions.* The following words and terms have the following meanings:

*Applicant*—A nonprofit organization located in this Commonwealth whose mission includes research, development or promotion of market opportunities related to agricultural products.

*Bureau*—The Bureau of Market Development of the Department.

*Pennsylvania agricultural products*—The following agricultural commodities grown, processed or manufactured within this Commonwealth: agricultural, horticultural, aquacultural, viticulture and dairy products, including artisan cheese, livestock and the products thereof, ranch raised fur-bearing animals and the products thereof, the products of poultry and beef raising, forestry and wood products, and all products raised or produced on farms intended for human consumption, and the processed or manufactured products thereof intended for human consumption, transported or intended to be transported in commerce.

*Secretary*—The Secretary of Agriculture.

3. *Limitations on grants.* The minimum amount of a matching grant is \$1,000. A matching grant is a reimbursement grant, meaning no payment of grant funds will be made by the Department until the subject project is completed and the applicant documents the completion of the project to the Department in accordance with this notice.

#### 4. *Uses of matching grant moneys.*

(a) *Conformity to application.* Matching grant moneys awarded to an applicant shall be expended solely to reimburse up to 50% of the cost of the specific project described in the grant application.

(b) *Allowable expenditures of grant moneys.* Grant moneys shall be used for one or more of the following purposes described in the grant application:

(1) To pay the cost of the specific project described in the grant application.

(2) To pay the cost of a portion of the applicant organization’s contribution to a National or regional agricultural product promotion and marketing project.

(3) To pay travel costs associated with market research.

(4) To pay the cost of trade shows conducted or attended by an applicant, or other projects to facilitate the growth and development of export markets for agricultural products grown, raised or produced in this Commonwealth.

(c) *Prohibited expenditure of grant moneys.* Grant moneys may not be used to defray the costs of employing permanent personnel; however, funds may be used to defray the costs of consultants temporarily retained specifically for their expertise related to the project.

#### 5. *Applications.*

(a) *Application required.* Eligible applicants shall submit grant applications to the Department by means of electronic application to <https://grants.pa.gov>. An applica-

tion shall include a detailed work plan and project budget. Applications must be submitted by 5 p.m. on Friday, December 20, 2024.

(b) *Project start and completion dates.* An application shall designate July 1, 2024, or a later date, as the project start date and June 30, 2026, or earlier, as the project completion date. Program grant funds will not be awarded or paid for project activities that occur before the stated project start date or beyond the stated project completion date.

(c) *Additional documentation.* The Secretary may require that an applicant submit additional documentation to complete or verify an application. The additional documentation may include a letter, affidavit, board resolution or other documentation:

(1) Verifying that an applicant is a Commonwealth nonprofit agricultural product promotion and marketing organization.

(2) Verifying the activities and location of offices of an applicant.

(3) Confirming that the applicant for a matching grant has secured funds in an amount at least equal to the matching grant amount sought for the project.

#### 6. *Review of application.*

(a) *Transmittal of application to Bureau.* When the Bureau receives a complete and accurate grant application, it will forward this application, together with supporting documentation submitted therewith, to the Secretary for review. The Bureau may also forward a recommendation as to whether the application should be approved or rejected, whether the grant should be in an amount less than requested and whether special restrictions or limitations should be placed on the grant.

(b) *Factors.* The Secretary will review and evaluate the application and supporting documentation and may consider the following factors, among others, in deciding whether to approve or reject the grant request:

(1) The relevance of the project to the promotion or marketing of agricultural products in this Commonwealth.

(2) The innovativeness of the project described in the application.

(3) The scope of the project and the number of people who will be exposed to or affected by the project described in the application.

(4) The impact which the project will have upon the promotion and sales of the Commonwealth agricultural products to which the project is targeted.

(5) The availability of full funding for the project from the applicant or from any source other than the Grant Program. Projects that are joint efforts between two or more Commonwealth nonprofit agricultural product promotion and marketing organizations may be given preference over projects involving only one organization.

(6) The apparent ability of the applicant to complete the project as described in the application or, in the case of a grant to fund a National or regional agricultural product promotion or marketing project, the apparent ability of the entity with primary responsibility for the project to complete it.

(7) The overall performance of the project if the project had received funding through any other grant program administered by the Department in a previous fiscal year.

(8) Projects where reference to the Department as a source of funding can practicably be made in promotional materials or broadcasts, and that would make such a reference, may be given preference over projects that would not make such a reference.

(9) Whether the project has been assigned priority for funding in FY 2024-2025, as previously described in Paragraph No. 1(c).

(c) *Decisions.* The Secretary may approve a grant in an amount less than that requested in the grant application. In addition, the Secretary may impose restrictions or special conditions upon the issuance of a grant. The Secretary will review all recommendations of the Bureau but will have final authority to accept or reject these recommendations.

#### 7. *Notice of disposition of application.*

The Department will e-mail notice of the acceptance or rejection of a grant application. This notice will be by e-mail to the address provided by the applicant in the grant application.

#### 8. *Grant agreement.*

After the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant will execute a written or electronic grant agreement which establishes the terms and conditions subject to which the grant is made. The grant agreement will not be effective, and work should not begin, until all required signatures have been applied to the grant agreement. The grant agreement will contain and conform to the requirements of this notice and will also contain special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the address set forth in Section 11. Applicants who are unable to agree to the terms and conditions should not submit an application.

#### 9. *Verification of project completion.*

(a) *General.* Within 30 days of completion of the subject project, the applicant shall provide the Department with proof of the completion of the project and eligibility to receive reimbursement grant funds from the Department.

(b) *Required documentation.* The proof described in subsection (a) shall consist of:

(1) Copies of invoices for goods or services directly related to the project, confirming that the total billed amount is at least twice the amount of the grant, along with the written certification of the president or treasurer of the applicant that the goods or services that are the subject of the invoices have been delivered or provided to the applicant; and

(2) A certificate of completion, signed by its president or treasurer, verifying completion of the subject project and stating that the grant funds will reimburse the applicant for a portion of the costs incurred by the applicant in completing the subject project.

10. *Delivery of grant funds by the Department.* The Department will pay the grant amount to the applicant in a single payment within 45 days of receiving the proof of completion previously described in Paragraph No. 9.

11. *Questions and additional information.* Questions on this Program, including on the online application process, may be directed to Kristina Watson, Bureau of Market Development, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 712-4545.

RUSSELL REDDING,  
Secretary

[Pa.B. Doc. No. 24-1641. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Program Requirements for the Pennsylvania Agriculture Veteran Grant Program

The Department of Agriculture (Department) hereby provides notice of the standards and requirements for the Pennsylvania Veteran Grant Program (Program). This notice establishes the grant solicitation procedures by the Department to solicit and review applications to conduct one or more “mini-grant” programs for the benefit of military veterans entering or expanding farm operations or related businesses as part of its ongoing commitment to agricultural business and workforce development in Fiscal Year 2024-2025.

1. *Grant Solicitation.* The Department is soliciting applications to conduct one or more “mini-grant” programs for the benefit of military veterans entering or expanding farm operations or related businesses as part of its ongoing commitment to agricultural business and workforce development.

The Department may make awards of up to \$200,000 each to veteran organizations. Veteran organizations who receive grants may award mini-grants to individual veteran farmers, which may not exceed \$10,000 each. The proposed mini-grant program must allow for one or more of the following purposes (additional purposes may be proposed):

- Business planning.
- Feasibility studies.
- Food safety, including Hazard Analysis and Critical Control Points plans.
- Biosecurity planning.
- Cost-sharing implementation of natural resource conservation planning.
- Cost-sharing permitting fees.
- Cost-sharing equipment purchases.
- Working capital.
- Marketing and promotion of agricultural commodities and value-added products.

2. *Scoring of Applications.* The Department will evaluate each complete and timely filed project proposal and grant application it receives, using a 100-point scale assessing:

- a. Up to 10 points for the project needs statement.
- b. Up to 20 points for projected Program outcomes, including enhancement of diversity, equity and inclusion in farming.

c. Up to 30 points for the methodology of awarding mini-grants to individual veteran farmers and for ensuring those funds are used as intended.

d. Up to 20 points for the applicant’s project evaluation process.

e. Up to 20 points for support, including financial support, and participation in operating the mini-grant from veterans and the farming industry.

Upon completion of application scoring, the Department will prepare a record identifying each complete and timely filed project proposal and grant application received and the numerical score assigned to each. The Department will award up to three grants based upon its evaluation and scoring of applications.

3. *Grant Agreement.* After the Secretary of Agriculture (Secretary) approves a grant application, and as a precondition to the Department’s release of grant moneys to a successful applicant, the Department and the applicant shall execute a written or electronic grant agreement which establishes the terms and conditions subject to which the grant is made. The grant agreement will not be effective, and work should not begin, until all required signatures have been applied to the grant agreement. The grant agreement will contain and conform to the requirements of this notice and will also contain special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the phone number or e-mail address set forth in section 4. Applicants who are unable to agree to the terms and conditions should not submit an application.

4. *Application Delivery and Deadline.* Interested applicants must submit a complete electronic proposal and grant application using the Department of Community and Economic Development’s Electronic Single Application web site at <https://grants.pa.us> by Friday, December 20, 2024, at 5 p.m. Questions regarding this online application process may be directed to Corinne Elliott, at (717) 787-6041 or [corielliot@pa.gov](mailto:corielliot@pa.gov).

5. *Multiyear Projects or Extensions.* The Department may award grant funding for multiyear projects or extensions of an ongoing project, if the Department identifies that a multiyear term or an extension advances the grant’s objectives. Requests for extensions of ongoing projects shall be made, evaluated and processed in accordance with all the requirements of this notice.

6. *Notice of Award.* Applicants shall be notified by mail of the decision on their grant applications by the Department. Best efforts will be made to do so within 15 days of the application deadline.

7. *Nonmatching Cost-Reimbursable Grant.* Grants made hereunder do not require the applicant to provide matching funds; however, outside funding may be considered as an evaluation criterion under paragraph 2 of this solicitation. Payment of grant funds will occur on a reimbursement basis, with the possibility of a 50% advance payment option upon the written submission of justification and subsequent approval of the Department and Comptroller Operations. Applicants that require advance payment must indicate that in their proposal.

8. *Allowable Indirect Cost Reimbursement.* Grants made hereunder are subject to an indirect cost cap of 15%

of total direct project costs. For the purpose of this solicitation, indirect costs shall include administrative salaries and benefits, office supplies and equipment, facility-related cost including maintenance and repairs, telephones, memberships/dues, freight/postage cost and any consultant related costs associated with the administration of this grant.

9. *Reporting Requirements.* Within 60 days of completing a mini-grant program, grant recipients will submit a

final report to the Department detailing the program's results based upon the evaluation method proposed in the application.

RUSSELL REDDING,  
*Secretary*

[Pa.B. Doc. No. 24-1642. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending November 5, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

No activity.

#### CREDIT UNIONS

##### Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Status</i>
10-30-2024	Armco Credit Union Butler Butler County	Accepted
	Amendment to Article 8 of the institution's Articles of Incorporation provides for a change in Field of Membership.	

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
10-30-2024	SSB Bank Pittsburgh Allegheny County	4028 Beechwood Boulevard Pittsburgh Allegheny County	Accepted

#### CREDIT UNIONS

##### Branch Applications

##### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
10-31-2024	White Rose Credit Union York York County	555 Willow Springs Lane York York County	Closed

The Department's web site at [www.pa.gov/dobs](http://www.pa.gov/dobs) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-1643. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of December 2024

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of December 2024, is 6.75%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.31 to which was added 2.50 percentage points for a total of 6.81 that by law is rounded off to the nearest quarter at 6.75%.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-1644. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOS. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4324818	Joint DEP/PFBC Pesticides Permit	New	Dru Duffy 298 Latonka Drive Mercer, PA 16137-9363	Jackson Township Mercer County	NWRO

## NOTICES

7477

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4324819	Joint DEP/PFBC Pesticides Permit	New	Dru Duffy 298 Latonka Drive Mercer, PA 16137-9363	Lake Township Mercer County	NWRO
5814801	Joint DEP/PFBC Pesticides Permit	Amendment	Crescent Lake Assoc 3132 SR 267 Meshoppen, PA 18630	Auburn Township Susquehanna County	NERO
1509411	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976-1209	West Vincent Township Chester County	SERO
PA0057690	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Amendment Minor	Hanwha Philly Shipyard Inc. 2100 Kitty Hawk Avenue Philadelphia, PA 19112-1808	Philadelphia City Philadelphia County	SERO
NOEXSE039	No Exposure Certification	Renewal	Lavazza North America Inc. 1301 Wilson Drive West Chester, PA 19380-5954	East Goshen Township Chester County	SERO
NOEXSW240	No Exposure Certification	Renewal	Sensia LLC 1000 McClaren Woods Drive Coraopolis, PA 15108-7766	Findlay Township Allegheny County	SWRO
PAG041439	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Corinne & Jordan Briggs 2338 Priest Hollow Road Russell, PA 16345-5404	Pine Grove Township Warren County	NWRO
PAG042245	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Rathbun Linda 4261 Clover Hollow Road Slatington, PA 18080-3740	Washington Township Lehigh County	NERO
PAG134833	PAG-13 NPDES General Permit for MS4s	Renewal	Valley Township Montour County 29 Indian Run Road Danville, PA 17821-9566	Valley Township Montour County	NCRO
1017401	Pump Stations Individual WQM Permit	Amendment	Breakneck Creek Region Authority 1166 Mars Evans City Road Mars, PA 16046-2216	Adams Township Butler County	NWRO
0624205	Sewer Extensions Individual WQM Permit	Amendment	Wyomissing Borough Berks County 22 Reading Boulevard Wyomissing, PA 19610-2038	Wyomissing Borough Berks County	SCRO
1524410	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Cannon Martin L & Elizabeth H 4 Brook Lane Paolie, PA 19301	Willistown Township Chester County	SERO
2024401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Potosky Mike 13003 Wolf Road Guys Mills, PA 16327-4334	Townville Borough Crawford County	NWRO
WQG016132	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	PA DOT Eng Dist 11-0 45 Thoms Run Road Bridgeville, PA 15017-2834	Sewickley Heights Borough Allegheny County	SWRO
WQG01042402	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Boyd Jack W 904 Pine Run Road Freedom, PA 15042-2152	Rochester Township Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
WQG01652405	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Tiger Edward 311 Dug Hill Road Mount Pleasant, PA 15666-2394	Mount Pleasant Township Westmoreland County	SWRO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Northeast Regional Office*

**PA0033740**, Sewage, SIC Code 5271, **SPG, Inc., dba Whispering Hollow South**, 139 Country Club Road, Northampton, PA 18067-3028. Facility Name: Whispering Hollow South MHP WWTF. This existing facility is located in Allen Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Hokendauqua Creek (CWF, MF), is located in State Water Plan watershed 2-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD—Interim Limits.

(From Permit Effective Date to Three Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	3.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.25	XXX	0.84
Ammonia-Nitrogen	Report	XXX	XXX	20.0	Report Daily Max	40.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD—Final Limits.

(From Three Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.18	XXX	0.60
Ammonia-Nitrogen	Report	XXX	XXX	13.1	XXX	26.3
Nov 1 - Apr 30						
May 1 - Oct 31	Report	XXX	XXX	4.38	XXX	8.76

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	Report	XXX	XXX	25.0	Report	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	Report	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	Report	XXX	XXX	30.0	Report	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	Report	XXX
Nitrate as N	Report	XXX	XXX	Report	Report	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Nitrite an N	Report	XXX	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	Report	XXX
Total Phosphorus	Report	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	Report	XXX
E. Coli (No./100 ml)	Avg Qrtly XXX	XXX	XXX	Avg Qrtly XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

**PA0052591**, Sewage, SIC Code 6515, **Becker Carl D, dba Walnutport MHP**, 901 S Best Avenue, Walnutport, PA 18088-9121. Facility Name: Walnutport MHP Sewage Treatment Plant (STP). This existing facility is located in Lehigh Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal and transfer of an NPDES permit for an existing discharge of treated sewage. The WQM Permit No. 4885410-T1 will also be transferred with the Final NPDES permit action.

The receiving stream(s), Bertsch Creek (CWF), is located in State Water Plan watershed 2-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .050 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.20	XXX	2.80

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.94	XXX	2.80

The proposed effluent limits for Outfall 001 are based on a design flow of .050 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	Report	XXX
Total Nitrogen	Annl Avg	XXX	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	Report	XXX
Total Phosphorus	Annl Avg	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .050 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .050 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Dissolved Oxygen	XXX	XXX	3.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	Report	XXX	XXX	25.0	50.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	Report	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	Report	XXX	XXX	30.0	60.0	60.0
Total Dissolved Solids	Report	XXX	XXX	1,000.0	2,000.0	2,000.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				20.0	40.0	40.0
May 1 - Oct 31	Report	XXX	XXX	17.7	35.4	35.4

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residual management; Planning; Chlorine minimization; Solids management; and Requirements for total residual chlorine.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

**PA0060038**, Sewage, SIC Code 8051, **Julia Ribaldo Healthcare Group, LLC, dba Julia Ribaldo Extended Care Center, dba Saber Healthcare Group**, 1401 Golf Park Drive, Lake Ariel, PA 18436-4231. Facility Name: Julia Ribaldo Extended Care Center STP. This existing facility is located in Lake Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Ariel Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-C and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0125 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report Annl Avg	Report	XXX	Report Annl Avg	Report	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report Annl Avg	Report	XXX	Report Annl Avg	Report	XXX
Total Nitrogen (lbs/year)	Report Annl Avg	Report	XXX	Report Annl Avg	Report	XXX
Total Kjeldahl Nitrogen	Report Inst Min	Report	XXX	Report Annl Avg	Report	XXX
MBAS	Report Annl Avg	Report	XXX	Report Annl Avg	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0125 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	0.02
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	1.0	2.0	XXX	10.0	20.0	20.0

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	Report	XXX
Total Suspended Solids	3.1	6.2	XXX	30.0	60.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	0.9	1.8	XXX	5.01	10.02	10.02
May 1 - Oct 31	0.3	0.6	XXX	1.67	3.34	3.34
Total Phosphorus	0.05	0.10	XXX	0.50	1.00	1.00
Aluminum, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Manganese, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
MBAS (ug/L)	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Planning; Chlorine minimization; Notification of responsible certified operator; O&M Plan; High flow management plan; Changes in effluent/stream; Tertiary filtration and chemical treatment flash mix tank units; WQM permit transfer and corporate information; Chapter 94 report; and Solids management.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

**PA0061204**, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater, Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3402. Facility Name: Lake Harmony WWTP. This existing facility is located in Kidder Township, **Carbon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Shingle Mill Run (HQ-CWF, MF), is located in State Water Plan watershed 2-A and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.

(From Permit Effective Date to 4 Years After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.

(From 4 Years After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	0.04	XXX	XXX	0.012	XXX	0.018

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.09	XXX	0.20
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	33.4	XXX	XXX	10.0	XXX	20.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	60.0	XXX	XXX	18.0	XXX	36.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	20.0	XXX	XXX	6.0	XXX	12.0
Nov 1 - Apr 30						
May 1 - Oct 31	6.6	XXX	XXX	2.0	XXX	4.0
Total Phosphorus	3.3	XXX	XXX	1.0	XXX	2.0
Zinc, Total	0.4	XXX	XXX	0.12	XXX	0.15

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Dissolved Solids	Report	XXX	XXX	1,000	XXX	XXX
	Avg Qrtly			AvgQrtly		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Lead, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Water Quality-Based Effluent Limitations for Toxic Pollutants
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0061590**, Sewage, SIC Code 4939, 4952, **Aqua Pennsylvania Wastewater, Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3402. Facility Name: Eagle Rock WWTP. This existing facility is located in North Union Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Tomhicken Creek (CWF, MF), is located in State Water Plan watershed 5-E and is classified for Cold Water and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.35 MGD.

(From Permit Effective Date to Date 0.98 MGD WWTP Upgrade is Complete)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.35	XXX	0.82
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	73	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	87	XXX	XXX	30.0	XXX	60.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen Nov 1 - Apr 30	48	XXX	XXX	16.5	XXX	33.0
May 1 - Oct 31	16	XXX	XXX	5.5	XXX	11.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.98 MGD.

(From Date 0.98 MGD WWTP Upgrade is Complete to Date 1.318 MGD WWTP Upgrade is Complete)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.13	XXX	0.43
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	204	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	245	XXX	XXX	30.0	XXX	60.0
Ammonia-Nitrogen Nov 1 - Apr 30	85	XXX	XXX	10.5	XXX	21.0
May 1 - Oct 31	28	XXX	XXX	3.5	XXX	7.0

The proposed effluent limits for Outfall 001 are based on a design flow of 1.318 MGD.

(From Date 1.318 MGD WWTP Upgrade is Complete to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.10	XXX	0.33
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	270	XXX	XXX	25.0	XXX	50
Total Suspended Solids	330	XXX	XXX	30.0	XXX	60
Ammonia-Nitrogen Nov 1 - Apr 30	95	XXX	XXX	8.7	XXX	17.4
May 1 - Oct 31	31	XXX	XXX	2.9	XXX	5.8

The proposed effluent limits for Outfall 001 are based on design flows of 0.35 MGD, 0.98 MGD, and 1.318 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Annual					
Net Total Nitrogen (Total Load, lbs)	24,073	XXX	XXX	XXX	XXX	XXX
	Total Annual					
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Annual					
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Annual					
Net Total Phosphorus (Total Load, lbs)	3,210	XXX	XXX	XXX	XXX	XXX
	Total Annual					
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Maximum	
Iron, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Solids Management
- Whole Effluent Toxicity (WET)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

**PA0062367**, Sewage, SIC Code 8811, **Lakeview Estates Homeowners Association**, P.O. Box 687, Moscow, PA 18444-0687. Facility Name: Lakeview Estates Wastewater Treatment Plant (WWTP). This existing facility is located in Lehigh Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Lehigh River (EV, MF), is located in State Water Plan watershed 2-A and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .054 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instantaneous Minimum	Average Monthly	Daily Maximum	
Aluminum, Total (ug/L)	Report Annl Avg	XXX	XXX	Report Annl Avg	Report	XXX
Iron, Total (ug/L)	Report Annl Avg	XXX	XXX	Report Annl Avg	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .054 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instantaneous Minimum	Average Monthly	Daily Maximum	
Total Dissolved Solids	Report Avg Qrtly	Report	XXX	Report Avg Qrtly	Report	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .054 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instantaneous Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.63
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	Report	Report	XXX	25.0	50.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	Report	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	Report	Report	XXX	30.0	60.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Ultraviolet light intensity ( $\mu\text{w}/\text{cm}^2$ )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	Report	XXX
Ammonia-Nitrogen	Report	Report	XXX	9.0	18.0	18.0
Nov 1 - Apr 30						
May 1 - Oct 31	Report	Report	XXX	3.0	6.0	6.0
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	Report	Report	XXX	1.0	2.0	2.0

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Planning; Chlorine minimization; SBR batch discharges; Notification of responsible operator; Chapter 94 reporting; and Solids management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

**PA0063401**, Sewage, SIC Code 4952, 6514, **Monteforte Enterprises, Inc.**, 1491 Oliver Road, New Milford, PA 18834-7516. Facility Name: Monteforte Enterprises, Inc. Wastewater Treatment Facility. This existing facility is located in New Milford Township, **Susquehanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Nine Partners Creek, is located in State Water Plan watershed and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.06 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	0.43
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	3.9	XXX	7.8
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.3	XXX	2.6
Nitrate as N	XXX	XXX	XXX	10.0	XXX	20.0
Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0070491**, Sewage, SIC Code 8052, **Mahoning Valley Nursing and Rehabilitation Center**, 397 Hemlock Drive, Lehighton, PA 18235-9712. Facility Name: Mahoning Valley Nursing & Rehabilitation Center WWTF. This existing facility is located in Mahoning Township, **Carbon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Stewart Creek (EV (existing use)), is located in State Water Plan watershed 2-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD—Interim Limits.

(From Permit Effective Date to Three Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD—Final Limits.

(From Three Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	XXX
Nov 1 - Apr 30				Report		
May 1 - Oct 31	XXX	XXX	XXX	16.4	XXX	32.8
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg	XXX	XXX
				Report		
				Annl Avg		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0062138**, Industrial, SIC Code 5169, **Airgas Specialty Products, Inc.**, 2530 Sever Road, Suite 300, Lawrenceville, GA 30043. Facility Name: Airgas Specialty Products. This existing facility is located in Palmerton Borough, **Carbon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Aquashicola Creek (TSF, MF), is located in State Water Plan watershed 2-B and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
*pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
*Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
*Ammonia-Nitrogen	XXX	XXX	XXX	XXX	XXX	Report

\* Sampling required when site stormwater is pumped and discharged through this outfall.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.002 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
*pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
*Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
*Ammonia-Nitrogen	XXX	XXX	XXX	XXX	XXX	Report

\* Sampling required when site stormwater is pumped and discharged through this outfall.

The proposed effluent limits for Outfall 003 are based on a design flow of 0.025 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
*pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
*Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
*Ammonia-Nitrogen	XXX	XXX	XXX	XXX	XXX	Report

\* Sampling required when site stormwater is pumped and discharged through this outfall.

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0222976**, Sewage, SIC Code 4952, 8800, **Wayne Hindman**, 100 Foxcroft Drive, Butler, PA 16001-3422. Facility Name: Wayne Hindman SRSTP. This existing facility is located at 9756 Route 36, Sigel, PA 15860 in Barnett Township, **Jefferson County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Cathers Run (HQ-CWF), is located in State Water Plan watershed 17-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0272582**, Sewage, SIC Code 4952, 8800, **Janelle V Kerner & Timothy S Hoderny**, 8275 Williams Road, North East, PA 16428-4880. Facility Name: Janelle V Kerner & Timothy S Hoderny SRSTP. This existing facility is located in North East Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Twelvemile Creek (HQ-CWF, MF), is located in State Water Plan watershed 15-A and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0009458**, Industrial, SIC Code 3231, **Pittsburgh Glass Works LLC**, 4408 E Pleasant Valley Boulevard, Tyrone, PA 16686-7029. Facility Name: Pittsburgh Glass Works LLC. This existing facility is located in Antis Township, **Blair County**.

Description of Existing Activity: The application is for an NPDES permit for an existing discharge of treated industrial wastewater.

The receiving stream(s), Little Juniata River (TSF), is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .266 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	Report	XXX	Report
Temperature (deg F) (°F)	XXX	XXX	XXX	110	Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0294551**, Storm Water, SIC Code 4213, **XPO Inc.**, 2211 Old Earhart Road, Ann Arbor, MI 48105-2963. Facility Name: XPO Inc. BCA. This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for discharge of stormwater associated with industrial activity.

The receiving stream(s), Unnamed Tributary to Letort Spring Run (HQ-CWF, MF), is located in State Water Plan watershed 7-B and is classified for High Quality-Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), Including Applicable BMPs from Appendix L from the PAG-03 (effective 3/24/2023)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0013323**, Industrial, SIC Code 3721, **The Boeing Co.**, P.O. Box 16858, Philadelphia, PA 19142-0858. Facility Name: Boeing Helicopters Ridley Facility. This existing facility is located in Ridley Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving streams, Delaware River (WWF, MF), Crum Creek (WWF), and Darby Creek (TSF, MF), are located in State Water Plan watershed 3-G and is classified for Trout Stocking, Migratory Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.087 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.087 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Free Available Chlorine	XXX	XXX	Inst Min	0.5	XXX	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Dissolved Solids	XXX	XXX	XXX	2,000.0	2,500.0	5,000

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	15	XXX	30

The proposed effluent limits for Outfall 001 are based on a design flow of 0.087 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	Inst Min XXX	15	XXX	30

The proposed effluent limits for Outfall 008 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	Inst Min XXX	15	XXX	30

The proposed effluent limits for Outfall 008 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 012 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 016 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 016 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 025 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Industrial Influent	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Cadmium, Total	XXX	XXX	XXX	0.26	0.69	XXX
Chromium, Hexavalent	XXX	XXX	XXX	1.71	2.22	XXX
Copper, Total	XXX	XXX	XXX	2.07	3.38	XXX
Nickel, Total	XXX	XXX	XXX	2.38	3.98	XXX
Silver, Total	XXX	XXX	XXX	0.24	0.43	XXX
Zinc, Total	XXX	XXX	XXX	1.48	2.61	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Toxic Organics	XXX	XXX	XXX	XXX	2.13	XXX

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Permit Condition
- D. BAT/ELG Reopener
- E. TTO Definition
- F. TTO Monitoring
- G. Thermal Requirement
- H. Cooling Tower Maintenance Chemicals
- I. TMDL/WLA Data
- J. Non-Stormwater Discharges
- K. Monitoring Waiver Condition

- L. Chemical Additives Requirement
- M. Stormwater Requirement
- N. PCB PMP Requirement
- O. PFAS Reduction Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0023701**, Sewage, SIC Code 4952, **Midland Borough Municipal Authority, Beaver County**, 946 Railroad Avenue, Midland, PA 15059-1521. Facility Name: Midland STP. This existing facility is located in Midland Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Ohio River (WWF), is located in State Water Plan watershed 20-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Min Mo Avg XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	261	417	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	313	469	XXX	30	45	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Nov 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	400
May 1 - Oct 31	XXX	XXX	XXX	Geo Mean XXX	Report Daily Max	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	261	XXX	XXX	25.0	XXX	50
Aluminum, Total	Report	XXX	XXX	Report	Report Daily Max	XXX
Copper, Total	Report	XXX	XXX	Report	Report Daily Max	XXX
Iron, Dissolved	Report	XXX	XXX	Report	Report Daily Max	XXX
Mercury, Total	Report	Report	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
PFOA (ng/L)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
PFOS (ng/L)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
PFBS (ng/L)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Combined Sewers Overflow
- WET Testing and Evaluation
- Stormwater Outfalls Requirements
- Fecal Coliform
- New Part B condition related to PFAS (General Pretreatment Requirements)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0001198**, Industrial, SIC Code 2821, 2851, **PPG Industries Inc.**, 125 Colfax Street, Springdale, PA 15144-1506. Facility Name: PPG Industries Inc. Springdale. This existing facility is located in Springdale Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Allegheny River (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.442 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Instant Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	Report	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.442 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Instant Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.145 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	Report	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.145 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.137 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

**PA0098612**, Industrial, SIC Code 4911, **Ebensburg Power Company**, 2840 New Germany Road, Ebensburg, PA 15931-3505. Facility Name: Ebensburg Cogeneration Plant. This existing facility is located in Cambria Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for existing discharges of treated industrial waste and stormwater runoff.

The receiving streams, Unnamed Tributary to Howells Run (CWF) and South Branch Blacklick Creek (CWF), are located in State Water Plan watershed 18-D and 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 0.077 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant.	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	50.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.197 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant.	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.011	XXX	0.026
Free Available Chlorine	XXX	XXX	XXX	0.2	0.5	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	110.0	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	110.0	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	110.0	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	110.0	XXX
May 1 - 15	XXX	XXX	XXX	XXX	100.9	XXX
May 16 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	91.0	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	110.0	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	96.6	XXX
Aug 1 - 15	XXX	XXX	XXX	XXX	78.6	XXX
Aug 16 - 31	XXX	XXX	XXX	XXX	103.8	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	83.8	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	99.6	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	97.2	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	104.0	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	89.2	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	99.6	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Antimony, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	0.2	0.2	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	Report	Report	XXX
Manganese, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	1.0	1.0	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are for storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions: requirements for stormwater discharges associated with industrial activities; chemical additive use; Best Technology Available requirements for impingement and entrainment minimization pursuant to Section 316(b) of the Clean Water Act; and a prohibition on discharges of PCBs.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

#### *Northeast Regional Office*

Applicant: **Walmart Stores East, LP**

Applicant Address: 702 SW 8th Street, Bentonville, AR 72716-0505

Application Number: **PAD450217**

Application Type: New

Municipality/County: Coolbaugh Township, **Monroe County**

Project Site Name: Walmart Distribution Center No. 6080

Total Earth Disturbance Area (acres): 1.2 acres

Surface Waters Receiving Stormwater Discharges: Pully's Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Repair and replacement of sanitary sewer line, existing manhole repairs, and construction of new sewer lines and manholes.

Special Conditions: The permittee shall implement a non-discharge alternative and/or the ABACT E&S and PCSM BMPs identified in Antidegradation Analysis Module 3 (3800-PM-BCW0406c) and the approved E&S and PCSM Plans to satisfy antidegradation implementation requirements of 25 Pa. Code §§ 93.4c, 102.4(b)(6) and 102.8(h).

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

#### *Northeast Regional Office*

Applicant: **Tobyhanna Army Depot**

Applicant Address: 11 Hap Arnold Blvd., Tobyhanna, PA 18466

Application Number: **PAD450204**

Application Type: New

Municipality/County: Coolbaugh Township, **Monroe County**

Project Site Name: Tobyhanna Army Depot Building 230 Barracks Renovation

Total Earth Disturbance Area (acres): 4.90 acres

Surface Waters Receiving Stormwater Discharges: Tobyhanna Creek (HQ-CWF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** The project is for renovation to an army barracks. Work includes replacing concrete sidewalks with new; asphalt paving overlay, canopy construction and installing a new rubber running track.

**Special Conditions:** N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

**Applicant: Four Seasons at Camelback, LP**

**Applicant Address:** 700 South Henderson Street, Suite 202, King of Prussia, PA 19406-3530

**Application Number: PAD450195**

**Application Type:** New

**Municipality/County:** Pocono Township, **Monroe County**

**Project Site Name:** Northridge at Camelback Phases 11—16

**Total Earth Disturbance Area (acres):** 42.99 acres

**Surface Waters Receiving Stormwater Discharges:** UNT to Pocono Creek, Pocono Creek (HQ-CWF, MF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** Construction of Planned Residential Development consisting of 151 units, including deeded lots, single family homes, duplexes and multi-family homes. Project was previously approved under Permit PAD450049. Original permit expired on 6/10/23 without renewal and new Permit PAD450195 is now required to complete construction.

**Special Conditions:** N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southeast Regional Office*

**Applicant: Marcus Hook Refinery Operations, a series of Evergreen Resources Group, LLC (c/o Fiona Livingston and Tiffani Doerr)**

**Applicant Address:** 2 Righter Parkway, Suite 120, Wilmington, DE 19803

**Application Number: PAD230085**

**Application Type:** New

**Municipality/County:** Marcus Hook Borough, **Delaware County**

**Project Site Name:** 12 Plant Area Cleanup—Marcus Hook Terminal Facility

**Total Earth Disturbance Area (acres):** 4.5 acres

**Surface Waters Receiving Stormwater Discharges:** Delaware River (WWF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** A portion of the unlined sludge basin within 12 Plant area at the Marcus Hook. The remediated sludge area will be capped with a gravel cover system. This project is being performed under an approved Pennsylvania Department of Environmental Protection (PA DEP) Cleanup Plan under the Act 2 Program. The result of the project is to stabilize and isolate the sludge materials.

**Special Conditions:** N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southcentral Regional Office*

Applicant: **PPL Electric Utilities Corporation**

Applicant Address: 827 Hausman Road, Allentown, PA 18104

Application Number: **PAD670113**

Application Type: New

Municipality/County: Chanceford, East Hopewell and Hopewell Townships, **York County**

Project Site Name: Chanceford 500 kV Line Rebuild Project

Total Earth Disturbance Area (acres): 164 acres

Surface Waters Receiving Stormwater Discharges: Deer Creek (CWF, MF), Leibs Creek (HQ-CWF, MF), UNTs to Leibs Creek (HQ-CWF, MF), North Branch Muddy Creek (CWF, MF), UNTs to North Branch Muddy Creek (CWF, MF), South Branch Muddy Creek (HQ-CWF, MF), UNTs to South Branch Muddy Creek (HQ-CWF, MF), South Fork Otter Creek (WWF, MF), West Branch Toms Run (TSF, MF), UNTs to West Branch Toms Run (TSF, MF), and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Reconstruction of approximately 12.7 miles of an existing overhead electric line.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northcentral Regional Office*

Applicant: **Pine Valley Associates, LP**

Applicant Address: 215 W. Church Rd, King of Prussia, PA 19406

Application Number: **PAD600016**

Application Type: New

Municipality/County: West Buffalo Township, **Union County**

Project Site Name: Pine Valley Mobile Home Park

Total Earth Disturbance Area (acres): 1.2 acres

Surface Waters Receiving Stormwater Discharges: North Branch Buffalo Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project is located in West Buffalo Township, Union County, PA. This proposed project is for the construction of a 40-foot by 152-foot building, access drive, parking area, and stormwater management facilities including an infiltration basin, culvert and conveyance channels. Increases in stormwater runoff generated by these improvements will be mitigated by an infiltration basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Southcentral Regional Office*

Applicant: **Lancaster Area Sewer Authority (LASA)**

Applicant Address: 130 Centerville Road, Lancaster, PA 17603

Application Number: **PAD360130**

Application Type: New

Municipality/County: Manor Township, **Lancaster County**

Project Site Name: Blue Rock Water Resource Recovery Facility (BRWRRF)

Total Earth Disturbance Area (acres): 16.4 acres

Surface Waters Receiving Stormwater Discharges: Susquehanna River (WWF, MF) and Dry Run (WWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Upgrade of an existing sewage treatment facility to improve nutrient removal.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southwest Regional Office*

Applicant: **Center for Organ Recovery & Education**

Applicant Address: 260 Kappa Drive, Pittsburgh, PA 15238

Application Number: **PAD020083**

Application Type: New

Municipality/County: Ohara Township, **Allegheny County**

Project Site Name: Center for Organ Recovery & Education New Building

Total Earth Disturbance Area (acres): 12.30 acres

Surface Waters Receiving Stormwater Discharges: Powers Run (WWF) and Tributary 42226 to Sycamore Run

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Center for Organ Recovery and Education (CORE) will use the site to expand into a new two (2) story building, which is immediately adjacent to CORE's current property.

Special Conditions: Special Conditions: 1. As property rights are not conveyed by the issuance of this permit, any property rights for construction or discharges which will not be on property owned by the applicant shall be considered and obtained prior to conducting any earth disturbance. Any changes due to not obtaining property rights will be subject to the permit amendment process.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

*Southwest Regional Office*

Applicant: **Parking Partners XXIII Block E LLC**

Applicant Address: 1000 N. West Street, Wilmington, DE 19801

Application Number: **PAD020064A-1**

Application Type: Major Amendment

Municipality/County: City of Pittsburgh, **Allegheny County**

Project Site Name: Lower Hill Block E

Total Earth Disturbance Area (acres): 4.37 acres

Surface Waters Receiving Stormwater Discharges: Allegheny River (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Live Entertainment Venue with Tenant spaces.

Special Conditions: Special Conditions: 1. Earth disturbance may not commence until all authorizations necessary to complete construction have been obtained including, but not limited to Act 537 Sanitary Planning approval. 2. Groundwater shall not be extracted from the site unless otherwise approved by the Department's Environmental Cleanup Section, per the site's Environmental Covenant dated December 27, 2018. Prior to any pumping and discharging of encountered groundwater on-site, the groundwater shall be tested against the Chapter 250 MSC limits and coordinated with the Department's Clean Water Section for any discharge which will enter a receiving resource.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

**STATE CONSERVATION COMMISSION  
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS  
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
David Kauffman 12050 Greenwood Road Huntingdon, PA 16652	Huntingdon County	198.9	789.15	Swine Beef	NA	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**SAFE DRINKING WATER**

**Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Joseph Cherinko, P.E., Environmental Engineer, 570-826-2090.*

**Application No. 4524503**, Construction, Public Water Supply.

Applicant	<b>210 Mt Nebo LLC</b>
Address	210 Mt Nebo Road East Stroudsburg, PA 18301
Municipality	Smithfield Township
County	<b>Monroe County</b>
Responsible Official	Chetan Patel 210 Mt Nebo Road East Stroudsburg, PA 18301
Consulting Engineer	Matthew Evans, P.E. P.O. Box 639 Kresgeville, PA 18333

Application Received March 5, 2024  
 Description Application for the installation of a treatment system to attain 4-Log Inactivation of Viruses.

*Contact: Paul Barnes, P.E. at 570-826-2274 or paulbarnes@pa.gov.*

**Application No. 1124234**, General, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**

Address 1 Aqua Way  
White Haven, PA 18661

Municipality Moore Township

County **Northampton County**

Responsible Official Michael J. Fili  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Consulting Engineer GHD, Inc.  
4068 Mount Royal Blvd.  
Suite 201  
Allison Park, PA 15101

Application Received October 22, 2024

Description Aqua plans to place a new groundwater well source into service as a permanent mechanical backup to the existing well. The new well and existing well will not operate concurrently. The new well will operate when needed. This will improve the reliability of the water system's source of supply.

**Application No. 1124231**, General, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**

Address 1 Aqua Way  
White Haven, PA 18661

Municipality Moore Township

County **Northampton County**

Responsible Official Michael J. Fili  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Consulting Engineer GHD, Inc.  
4068 Mount Royal Blvd.  
Suite 201  
Allison Park, PA 15101

Application Received October 22, 2024

Description Aqua plans to place a new groundwater well source into service as a permanent mechanical backup to the existing well. The new well and the existing well will not operate concurrently. The new well will operate only when needed. This will improve the reliability of the water system's source of supply.

*Contact: Victoria Frederick, Clerical Assistant 2, 570-826-2502.*

**Application No. 5224506**, Construction, Public Water Supply.

Applicant

Address

Municipality

County

Responsible Official

Consulting Engineer

Application Received

Description

**Aqua Pennsylvania, Inc.**

1775 North Main Street  
Honesdale, PA 18431

Lackawaxen Township

**Pike County**

Alan Cerep  
Aqua Pennsylvania, Inc.  
1775 North Main Street  
Honesdale, PA 18431

Jonathan Morris, P.E.  
GHD, Inc.  
298 East 5th Street  
Suite 1  
Bloomsburg, PA 17815

October 9, 2024

Description of Action: Aqua PA Proposes to replace two existing booster pumps with two smaller, more efficient booster pumps at their Fawn Lake Forest water system. This includes any pipe changes to connect the new pumps to the existing piping, a new variable frequency drive (VFD) per pump, and associated controls.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.*

**Application No. 4424501**, Construction, Public Water Supply.

Applicant

Address

Municipality

County

Responsible Official

Consulting Engineer

Application Received

Description

**Mifflin County Municipal Authority**

70 Chestnut Street  
Lewistown, PA 17044

Juniata Terrace Borough and  
Granville Township

**Mifflin County**

Craig Bubb  
Executive Director  
70 Chestnut Street  
Lewistown, PA 17044

Garrett Stoy, P.E.  
2568 Park Center Boulevard  
State College, PA 16801

October 23, 2024

This application is for the construction of a new pump station at the Tower Hill water storage tank and 2,800 linear feet of water main pipe.

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Application No. 0124521**, Construction, Public Water Supply.

Applicant

Address

**Vail Resorts, Inc.**

78 Country Club Trail  
Fairfield, PA 17320

Municipality Carroll Valley Borough  
 County **Adams County**  
 Responsible Official Chris Blackwell  
 78 Country Club Trail  
 Fairfield, PA 17320  
 Consulting Engineer Herbert, Rowland & Grubic, Inc.  
 369 East Park Drive  
 Harrisburg, PA 17111  
 Application Received October 25, 2024  
 Description Replacement of UV lights and  
 booster pumps at Entry point  
 Nos. 101 and 103.

**Application No. 3824509**, Construction, Public Water  
 Supply.

Applicant **Cornwall Borough**  
 Address 44 Rexmont Road  
 Lebanon, PA 17042  
 Municipality Cornwall Borough  
 County **Lebanon County**  
 Responsible Official Barbara Henry  
 44 Rexmont Road  
 Lebanon, PA 17042  
 Consulting Engineer Entech Engineering, Inc.  
 201 Penn Street  
 Reading, PA 19603  
 Application Received September 6, 2024  
 Description Installation of a chloramine  
 booster station.

**Application No. 0124519**, Construction, Public Water  
 Supply.

Applicant **Gettysburg Municipal  
 Authority**  
 Address 601 East Middle Street  
 Gettysburg, PA 17325  
 Municipality Cumberland Township  
 County **Adams County**  
 Responsible Official Mark Guise  
 601 East Middle Street  
 Gettysburg, PA 17325  
 Consulting Engineer Buchart Horn, Inc.  
 445 W Philadelphia Street  
 York, PA 17401  
 Application Received September 20, 2024  
 Description Installation of Well No. 11 as a  
 new source of supply with  
 associated treatment.

*Southeast Region: Safe Drinking Water Program, 2 East  
 Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers.*

**Application No. 4624519**, Construction, Public Water  
 Supply.

Applicant **Horsham Water & Sewer  
 Authority**  
 Address 617 Horsham Road  
 Horsham, PA 19044  
 Municipality Horsham Township  
 County **Montgomery County**

Responsible Official Tina M. O'Rourke  
 617 Horsham Road  
 Horsham, PA 19044  
 Consulting Engineer Gilmore & Associates, Inc.  
 65 East Burler Avenue  
 New Britain, PA 18901  
 Application Received October 10, 2024  
 Description Installation of ION exchange  
 treatment system at Wells 9 for  
 removal of PFAS.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notice(s) of Intent to Remedi- ate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environ-  
 mental Remediation Standards Act (Act) require the  
 Department of Environmental Protection (DEP) to pub-  
 lish in the *Pennsylvania Bulletin* an acknowledgment  
 noting receipt of any Notices of Intent (NOI) to Remedi-  
 ate. An acknowledgment of the receipt of a NOI to  
 Remediate is used to identify a site where an individual  
 proposes to, or has been required to, respond to a release  
 of a regulated substance at a site. Individuals intending  
 to use the background standard, Statewide health stan-  
 dard, the site-specific standard, or who intend to remedi-  
 ate a site as a special industrial area, must file a NOI to  
 Remediate with DEP. A NOI to Remediate filed with DEP  
 provides a brief description of the location of the site, a  
 list of known or suspected contaminants at the site, the  
 proposed remediation measures for the site, and a de-  
 scription of the intended future use of the site. An  
 individual who demonstrates attainment of one, or a  
 combination of the cleanup standards, or who receives  
 approval of a special industrial area remediation identi-  
 fied under the Act, will be relieved of further liability for  
 the remediation of the site for any contamination identi-  
 fied in reports submitted to and approved by DEP.  
 Furthermore, an individual shall not be subject to citizen  
 suits or other contribution actions brought by responsible  
 individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act,  
 there is a 30-day public and municipal comment period  
 for sites proposed for remediation using a site-specific  
 standard, in whole or in part, and for sites remediated as  
 a special industrial area. This period begins when a  
 summary of the NOI to Remediate is published in a  
 newspaper of general circulation in the area of the site.  
 For the following identified site(s), proposed for remedi-  
 ation to a site-specific standard or as a special industrial  
 area, the municipality, within which the site is located,  
 may request to be involved in the development of the  
 remediation and reuse plans for the site if the request is  
 made within 30-days of the following specified date.  
 During this comment period the municipality may re-  
 quest that the following identified individual, as the  
 remediator of the site, develop and implement a public  
 involvement plan. Requests to be involved, and com-  
 ments, should be directed to the remediator of the site.

For further information concerning plans or reports,  
 please contact the Regional Office Program Manager  
 previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**K. Millard Pad 1**, Primary Facility ID # **874319**, 1120 Warner Road, Montrose, PA 18801, Jessup Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of production fluid (brine). Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on October 23, 2024. Application received: October 30, 2024.

**Xpress Natural Gas-Forest Lake**, Primary Facility ID # **879391**, 3814 North Road, Montrose, PA 18801, Forest Lake Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Xpress Natural Gas, LLC, 3814 North Road, Montrose, PA 18801, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated by a release of used motor oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on October 30, 2024. Application received: October 30, 2024.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Barry, 814-332-6195.*

**Former Halliburton Energy Services**, Primary Facility ID # **879225**, 84 and 101 Lucerne Road, Homer City, PA 15748, Center Township, **Indiana County**. AECOM, Gulf Tower, Fifth Floor, 707 Grant Street, Pittsburgh, PA 15219 on behalf of Halliburton Energy Services, Inc., 3000 North Sam Houston Parkway East, Houston, TX 77032, submitted a Notice of Intent to Remediate. The Site is a former natural gas well development support facility. Soil and groundwater impacts were discovered in 2008 during preparation for removal of a concrete sump. The sump was used to contain acidified produced water and spilled fluids draining from the acid loading pad (including stormwater) and was decommissioned in March 2009. The soil and groundwater near the sump was acidic when it was removed (pH approx. 2) and elevated volatile/semi-volatile organic compounds and metals were present. Since removal of the sump and impacted soil, the pH has returned to natural conditions and organic compound concentrations meet the Statewide health standard. Halliburton ceased operation at the property in 2016 and later sold the entire facility. A Remedial Investigation determined that, currently, arsenic, cobalt, and manganese are present in soil or groundwater above the Statewide health standard, with the other detected constituents now meeting the Statewide health standard. The Notice of Intent to Remediate was published in *Indiana Gazette* on October 25, 2024. Application received: October 23, 2024.

*Contact: Jordan, 814-332-6172.*

**Stackpole Benzinger Twp Site**, Primary Facility ID # **625437**, 1032 Trout Run Road, Saint Marys, PA 15857, City of Saint Marys, **Elk County**. Civil & Environmental Consultants Inc., 700 Cherrington Parkway, Moon Township, PA 15108 on behalf of Mersen USA GS Corp., 1032 Trout Run Road, Saint Marys, PA 15857, submitted a Notice of Intent to Remediate. The approximately 8.1-acre parcel (Site) has been used for industrial purposes since the early 1900s. Initial use of the Site and adjoining properties was for the manufacture of clay pipe. In the 1940s, the Site and vicinity became owned by the Stackpole Corporation for the manufacture of carbon and carbon-graphite products. Available information indicates that manufacturing operations occurred within the main Stackpole Corporation parcels to the east of the Site, now occupied by Mersen USA GS Corp—St. Marys (Mersen), and that activities on the Site were primarily warehousing. Mersen acquired the Site parcel in 2012 and continues to use the Site structure and land for storage. Site investigations conducted during 2009 and 2011 identified impacts to soil by trichloroethene (TCE) and impacts to shallow groundwater by TCE, vinyl chloride, cis- and trans-1,2-dichloroethene (DCE), 1,1-dichloroethene (1,1-DCE), and 1,2-dichloroethane (1,2-DCA). The source of these impacts is unknown. Impacts to deeper groundwater at the Site were identified in 2004 and are known to originate from the Mersen property to the east. Investigations initiated in the 1990s at the then Stackpole Corporation (now Mersen) parcels to the east identified groundwater impacts by TCE, 1,2-DCA, and cis-1,2-DCE originating from the vicinity of Building 62. During subsequent investigations, it was determined that the contaminants had migrated into the bedrock aquifer and were subsequently transported northwestward beneath the Site. The intended future use of the Site is industrial. The Notice of Intent to Remediate was published in *The Daily Press* on October 19, 2024. Application received: October 28, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**Delaware Valley Recycling, Inc.**, Primary Facility ID # **879346**, 3107 South 61st Street and 2710, 2730, and 2760 South 58th Street, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Walter H. Hungarter, III, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Scott Drumbore, H & K Group, Inc., 2052 Lucon Road, Skippack, PA 19474, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with inorganics, lead, other organics, PAHs, and PCBs. The future use of the property is nonresidential. The proposed cleanup standards for the site are the Statewide health and site-specific standards. The Notice of Intent to Remediate was published in *Metro Philadelphia* on October 9, 2024. Application received: October 15, 2024.

**518 E South St**, Primary Facility ID # **879375**, 518 East South Street, Kennett Square, PA 19348, Kennett Square Borough, **Chester County**. Stephen Huxta, Huxta Environmental, 461 Merlin Road, Phoenixville, PA 19460 on behalf of Glenn White, Oak Knoll, LLC, 4 Zachary Drive, West Chester, PA 19382, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with No. 2 fuel oil. The

future use of the property is residential. The proposed cleanup standards are the background and Statewide health standards. The Notice of Intent to Remediate was published in *the Daily Local News* on October 3, 2024. Application received: October 15, 2024.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chap-

ters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### PLAN APPROVALS

#### Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**63-01072A: Community Cremations LLC**, 24 North Cherry Avenue, Houston, PA 15342, Houston Borough, **Washington County**. Application received: May 23, 2024.

In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-63-01072A) to Community Cremations, LLC ("CCL") to authorize installation and temporary operation of one (1) American Crematory Equipment ("American") A-350 HT natural gas-fired human crematory incinerator rated at 150 lbs/hr and maximum charge capacity of 1,000 lbs. including container at its facility located in Houston Borough, Washington County.

Emissions from crematory will be controlled by operating and maintaining the proposed American A-350 HT according to the manufacturer's specifications and instructions. The plan approval requires that the proposed crematory incinerator shall always be operated and maintained in a manner consistent with good operating, maintenance, and air pollution control practices.

Upon authorization of this plan approval the facility's potential to emit will not exceed 1.5 tons VOC, 1.5 tons NO<sub>x</sub>, 3.8 tons CO, 1.3 tons SO<sub>x</sub>, 3.2 tons PM<sub>10</sub>, and 0.5 ton HAPs. The CCL facility is subject to the best available technology (BAT). The emission limit restrictions, monitoring, recordkeeping, reporting, and work standards practice conditions of the proposed plan approval have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145.

CCL's Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at [jparihar@pa.gov](mailto:jparihar@pa.gov) or 412.442.4030.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through

Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to jparihar@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-63-01072A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

### OPERATING PERMITS

#### Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**30-00072, Consol Pennsylvania Coal Company, LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**, and East Finley Township, **Washington County**. Application received: December 21, 2023.

Notice of Proposed Revision to the State Implementation Plan for Volatile Organic Chemicals, Notice of Public Hearing, and Notice of Intent to Issue Renewal Title V Air Quality Operating Permit TV-30-00072.

Approval of a Title V Operating Permit Renewal and Reasonably Available Control Technology (RACT III) plan for Consol Pennsylvania Coal Company, LLC Bailey Prep Plant located in Richhill Township, Greene County, and East Finley Township, Washington County.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Title V operating permit (TV-30-00072) to Consol Pennsylvania Coal Company, LLC which also incorporates RACT III requirements.

The following sources and control devices at this facility are addressed in this RACT III proposal:

- Source 107 FROTH FLOTATION 1—FROTHER
- Source 108 FROTH FLOTATION 1—DIESEL
- Source 109 FROTH FLOTATION 2—FROTHER
- Source 110 FROTH FLOTATION 2—DIESEL
- Source 117 THICKENER 1—FROTHER
- Source 118 THICKENER 1—DIESEL
- Source 119 THICKENER 2—FROTHER
- Source 120 THICKENER 2—DIESEL
- Source 121 THICKENER 1—FLOCCULANT
- Source 122 THICKENER 2—FLOCCULANT
- Source 124 FROTH FLOTATION 3—FROTHER
- Source 125 FROTH FLOTATION 3—DIESEL
- Source 128 WASH PLANT 2C—DIESEL/FROTHER
- Multiple Source ID's NINE (9) RAW COAL STORAGE SILOS

The facility has potential emissions of 298.11 TPY PM; 122.82 TPY PM<sub>10</sub>; 13.98 TPY PM<sub>2.5</sub>; 295.78 TPY VOC; 26.39 TPY NO<sub>x</sub>; 7.41 TPY CO; 0.61 TPY SO<sub>2</sub>; 0.03 TPY TOTAL HAPS; and 1,399.87 TPY GHG as CO<sub>2</sub>e. Emission limitations, operating requirements, and work practice standards along with monitoring, recordkeeping, and reporting requirements have been included in this proposed revision to the Title V operating permit to ensure that the facility complies with applicable Federal and State air quality regulations.

Furthermore, in accordance with 25 Pa. Code §§ 129.111—129.115, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the aforementioned facility. The facility is not subject to any RACT III requirements for NO<sub>x</sub>.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT III determination, if finally approved, will be incorporated into a revised renewal operating permit TV-30-00072 for the facility. The relevant RACT III requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT III determination for this operation that will be submitted to the EPA as a SIP revision:

#### Source ID or Description

#### Regulatory Citation

#### RACT III

107, 108, 109, 110, 117, 118, 119, 120, 121, 122, 124, 125, 128

(These sources are collectively known as the "Wash Plants" sources.)

#### § 129.114(i)

#### (RACT II = RACT III)

- The owner and operator shall install, maintain, and operate the source in accordance with manufacturer's specifications and with good operating practices.

- The owner and operator will monitor usage of VOC containing frothing agents, diesel fuel (collector), anti-freeze, and flocculants used in the coal cleaning plants each calendar month for each calendar year.

- The owner and operator will maintain monthly records of VOC emissions from chemical usage at the Wash Plants sources.

#### Nine (9) Raw Coal Storage Silos

#### § 129.114(c)

- The owner and operator shall install, maintain, and operate the source in accordance with manufacturer's specifications and with good operating practices.

- The owner and operator will maintain monthly records of VOC emissions from operation of the raw coal storage silos.

Additional testing, monitoring, and recordkeeping requirements are included in the proposed modification to the Title V operating permit.

**Public hearing.** A public hearing will be held on December 17, 2024, from 9:30—10:00 a.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at the hearing will be December 10, 2024. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/default.aspx>. We ask that you contact Thomas Joseph at 412-442-4336 or monitor our website to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Thomas Joseph at 412-442-4336 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons wishing to file a written protest or provide comments or additional information may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from November 16, 2024, will exist for the submission of comments, protests, and information. Each submission must contain the name, address, and telephone number of the person submitting the comments, identification of the RACT III Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to the RACT III Plan or the operating permit modification.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or [tjoseph@pa.gov](mailto:tjoseph@pa.gov).

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

## OPERATING PERMITS

### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, 570-826-2409.*

**45-00019, Haines & Kibblehouse, Inc., Locust Ridge Quarry**, P.O. Box 196, 2052 Lucon Rd, Skippack, PA 19474-0196, Tobyhanna Township, **Monroe County**. Application received: July 5, 2024. The Department intends to issue a renewal State-Only (Natural Minor) Permit for the quarry operations in Tobyhanna Township, Monroe County. The primary sources consist of crushers, screens, and conveyors. The control devices consist of a baghouse and water sprays. The sources are considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**48-00063, Columbia Gas Transmission/Hellertown Compressor Station**, 455 Racetrack Rd, Washington, PA 15301-8910, Williams Township, **Northampton County**. Application received: June 27, 2024. The Department intends to issue a renewal of the State-Only (Natural) Minor Operating Permit for a natural gas transmission facility located in Williams Township, Northampton County. The sources consist of reciprocating engines and an auxiliary generator. The control devices are Oxidation Catalysts. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**39-00093, Lyondellbasell Advanced Polymers Inc.**, 6355 Farm Bureau Road, Allentown, PA 18106-5900, Upper Macungie Township, **Lehigh County**. Application received: July 12, 2024. The Department intends to issue a renewal (Natural Minor) permit for the unlaminated plastics products profile shape manufacturing facility in Upper Macungie Township, Lehigh County. The sources consist of Air Mills, Cryogenic Systems, and Silos. The sources are controlled by fabric collectors. The sources are considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**48-00110, Lehigh Valley Animal Crematory Svc Inc./Hellertown**, 415 Front St., Hellertown, PA 18055-1707, Hellertown Borough, **Northampton County**. Application received: October 2, 2024. The Department intends to issue a renewal State-Only (Natural Minor) Operating Permit for operation of sources at the funeral services and animal crematories facility located in Hellertown Borough, Northampton County. The facility operates two (2) animal cremation systems. The sources are

considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-05096, Tower Health System—Reading Hospital**, P.O. Box 16052, Reading, PA 19612, West Reading Borough, **Berks County**. Application received: October 30, 2024. For the operation of their medical and surgical hospital. The facility's actual emissions for 2023 were reported to be 7.19 tons CO, 6.32 tons NO<sub>x</sub>, 4.28 tons PM<sub>10</sub>/PM<sub>2.5</sub>, 0.61 ton SO<sub>x</sub>, 3.01 tons VOC, 0.11 ton of a single HAP (hexane), and 0.15 ton of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, 40 CFR 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines, and 40 CFR 63, Subpart CCCCCC—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities.

**COAL & NONCOAL MINING ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and

Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

*Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 17813024. NPDES No. PA0608777. Enercorp, Inc.,** 1310 Allport Cutoff, Morrisdale, PA 16858, Bradford Township, **Clearfield County**. Modification of an NPDES permit for a coal surface mining site affecting 10.2 acres. Modification request to extend the current NPDES point 001 manganese limit for an additional 12 months. Receiving stream(s): Unnamed Tributary to the West Branch of Susquehanna River classified for the following use(s): WWF. Application received: October 28, 2024. Accepted: October 30, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 49080101. Last Time Coal Co.,** 119 Greenwood Street, Trevorton, PA 17881, Zerbe Township, **Northumberland County**. Correction to add biosolids as a soil amendment for land reclamation on an anthracite surface mine operation affecting 111 acres. Receiving stream: Zerbe Run, classified for the following uses: CWF, MF. Application received: October 21, 2024.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed

necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana.*

**E6505224-006. Latrobe Municipal Authority,** 104 Guerrier Road, P.O. Box 88, Latrobe, PA 15650, Latrobe Borough, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 12, 2024.

The applicant proposes to:

1. Construct and maintain a Pump Station, Valve Vault, and Treatment System Outfall Structure in the floodway of the Loyalhanna Creek (WWF).
2. Construct and maintain 48 LF of 12" DIP conveyance pipe with an inline Valve Vault, and an outfall structure with an apron of R-7 riprap choked with R-3 riprap in the floodway of the Loyalhanna Creek.
3. Construct and maintain 36 LF of 12" C900 conveyance pipe within the floodway of the Loyalhanna Creek.
4. Abandon in place 44 LF of 12" RCP sanitary line within the floodway of the Loyalhanna Creek.

For the purpose of installing a combined sewer outflow treatment system to minimize the amount of overflow going to Loyalhanna Creek during runoff events. Cumulatively, this project will permanently impact 0.22 acre of floodway.

The project site is located E 1st Ave and Toner St, Latrobe, PA 15650, (Latrobe, PA USGS topographic quadrangle; N: 40°, 19', 20"; W: -79°, 23', 8"; Sub-basin 18C; USACE Pittsburgh District), in Latrobe Borough, Westmoreland County.

## ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code

Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t. of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t. of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t. of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

#### **I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD210112	Chapter 102 Individual NPDES Permit	Issued	Gettysburg Road Investors LLC 4732 Gettysburg Road Mechanicsburg, PA 17055-4325	Lower Allen Township Cumberland County	SCRO
PAD210115	Chapter 102 Individual NPDES Permit	Issued	JCC Investment Properties LLC 21 Derbyshire Drive Carlisle, PA 17015-9260	South Middleton Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD210119	Chapter 102 Individual NPDES Permit	Issued	Davis Aime 235 Pipeline Road Newville, PA 17241-9762	Lower Mifflin Township Cumberland County	SCRO
PAD380042	Chapter 102 Individual NPDES Permit	Issued	Cornwall Properties LLC 118 Springwood Drive Suite 300 Lebanon, PA 17042-7524	Cornwall Borough Lebanon County	SCRO
PAD450092	Chapter 102 Individual NPDES Permit	Issued	Slater Holdings LLC 221 Skyline Drive East Stroudsburg, PA 18301-1352	Smithfield Township Monroe County	NERO
PAD540013	Chapter 102 Individual NPDES Permit	Issued	Northpoint Development 12977 North Outer Forty Drive Suite 203 St. Louis, MO 63141	Mahanoy Township Schuylkill County	NERO
3524803	Joint DEP/PFBC Pesticides Permit	Issued	Lackawanna County 1 Bald Mountain Road Scranton, PA 18504-9789	Scranton City Lackawanna County	NERO
4024803	Joint DEP/PFBC Pesticides Permit	Issued	Indian Lakes Sports Club Inc. 408 Indian Lake Trail White Haven, PA 18661-2015	Buck Township Luzerne County	NERO
4024807	Joint DEP/PFBC Pesticides Permit	Issued	Rushinski Felix 1725 Henry Drive Mountain Top, PA 18707-9020	Rice Township Luzerne County	NERO
4024808	Joint DEP/PFBC Pesticides Permit	Issued	Burry Paul 1725 Henry Drive Mountain Top, PA 18707-9020	Rice Township Luzerne County	NERO
5513803	Joint DEP/PFBC Pesticides Permit	Issued	Mill Run Boat Club P.O. Box 8 McClure, PA 17841-0008	Spring Township Snyder County	NCRO
5824802	Joint DEP/PFBC Pesticides Permit	Issued	Enos Michael 52 Claire Drive Bridgewater, NJ 08807-1856	Gibson Township Susquehanna County	NERO
1504412	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Oxford Borough Area Sewer Authority Chester County P.O. Box 380 Oxford, PA 19363	Oxford Borough Chester County	SERO
PAI133546	MS4 Individual NPDES Permit	Issued	Maidencreek Township Berks County P.O. Box 319 Blandon, PA 19510-0319	Maidencreek Township Berks County	SCRO
PAI136140	MS4 Individual NPDES Permit	Issued	Conemaugh Township Somerset County 1120 Tire Hill Road Johnstown, PA 15905-7707	Conemaugh Township Somerset County	SWRO
PA0008486	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Ahlstrom Filtration LLC 122 W Butler Street Mount Holly Springs, PA 17065-1218	Mount Holly Springs Borough Cumberland County	SCRO
PA0096971	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	West Carroll Township Water & Sewer Authority P.O. Box 328 Elmora, PA 15737-0328	West Carroll Township Cambria County	SWRO
PA0288993	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Express 80 Service LLC 3035 Lynnwood Drive Hermitage, PA 16148-2104	Hermitage City Mercer County	NWRO

## NOTICES

7513

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0083038	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	GSC 1685 Baltimore LLC 73 Shirley Trail Fairfield, PA 17320-8321	Mount Joy Township Adams County	SCRO
PA0087696	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	GSP Management Co. P.O. Box 677 Morgantown, PA 19543-0677	East Hanover Township Dauphin County	SCRO
PA0024139	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Cumberland Township Authority Adams County 1370 Fairfield Road Gettysburg, PA 17325-7267	Cumberland Township Adams County	SCRO
PA0024147	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Cumberland Township Authority Adams County 1370 Fairfield Road Gettysburg, PA 17325-7267	Cumberland Township Adams County	SCRO
PA0052663	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Knights Bridge Corp 112 Chesley Drive Suite 200 Media, PA 19063-1762	Chadds Ford Township Delaware County	SERO
PA0088749	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Gettysburg Borough Municipal Authority Adams County P.O. Box 3307 601 East Middle Street Gettysburg, PA 17325-0307	Straban Township Adams County	SCRO
0186410	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	GSC 1685 Baltimore LLC 73 Shirley Trail Fairfield, PA 17320-8321	Mount Joy Township Adams County	SCRO
4399416	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Forrest Brooke MHC LLC 9140 Sandpiper Drive Streetsboro, OH 44241-4599	Lackawannock Township Mercer County	NWRO
6377404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	CP Portfolio I LP 75 Penn Adamsburg Road Jeannette, PA 15644-2900	North Strabane Township Washington County	SWRO
6598407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Westmoreland County Municipal Authority 124 Park and Pool Road New Stanton, PA 15672	East Huntingdon Township Westmoreland County	SWRO
NOEXSC433	No Exposure Certification	Issued	United Parcel Service Inc. 1821 S 19th Street Harrisburg, PA 17104-3206	West Hanover Township Dauphin County	SCRO
NOEXSC434	No Exposure Certification	Issued	Cobra Anchors Corp 504 Mount Laurel Avenue Temple, PA 19560-1410	Muhlenberg Township Berks County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033882	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Murrays Inc. 1501 Willow Street Lebanon, PA 17046-4578	Lebanon City Lebanon County	SCRO
PAG038416	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lindy Paving Products Inc. P.O. Box 282 Hillsville, PA 16132-0282	Mahoning Township Lawrence County	NWRO
PAG041378	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Bryan Larry 441 State Rte 18 New Wilmington, PA 16142	Wilmington Township Lawrence County	NWRO
PAG041379	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Root Bradley 172 Shenango Park Road Transfer, PA 16154-2148	Pymatuning Township Mercer County	NWRO
PAG041380	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Smith Keith W 612 North Street Ellwood City, PA 16117-1064	West Shenango Township Crawford County	NWRO
PAG041425	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Malinowski Turk Robin 11904 Route 19 N Waterford, PA 16441-7784	Waterford Township Erie County	NWRO
PAG041433	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Munterich James 2639 Mercer Pike Cochranton, PA 16314-4007	Greenwood Township Crawford County	NWRO
PAG042243	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Bendel Daniel and Mary 6917 Old Grange Road Slatington, PA 18080-3816	Washington Township Lehigh County	NERO
PAG043993	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Schaeffer Joseph J 101 Shatto Drive Carlisle, PA 17013-2120	North Middleton Township Cumberland County	SCRO
PAG044012	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Stoltzfus Jonathan L and Elizabeth Ruth 6350 McClays Mill Road Newburg, PA 17240-9656	Lurgan Township Franklin County	SCRO
PAG046491	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Dains Abby 2785 N Main Street Washington, PA 15301-6176	Luzerne Township Fayette County	SWRO
PAG048761	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	James Randy 6821 Route 6N Edinboro, PA 16412-1234	Washington Township Erie County	NWRO
PAG049183	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Jeremy and John Hensberger 5059 Meadowridge Lane Gibsonia, PA 15044-8235	Mineral Township Venango County	NWRO
PAG123531	PAG-12 NPDES General Permit for CAFOs	Issued	Zeager Herman L 159 Yoder Road Bainbridge, PA 17502-9597	Conoy Township Lancaster County	SCRO
PAG123543	PAG-12 NPDES General Permit for CAFOs	Issued	Harnish Alan 3421 Blue Rock Road Lancaster, PA 17603-9775	Manor Township Lancaster County	SCRO

## NOTICES

7515

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123663	PAG-12 NPDES General Permit for CAFOs	Issued	Gretna VW Farms LLC 3709 N Colebrook Road Manheim, PA 17545-9594	Mount Joy Township Lancaster County	SCRO
PAG123679	PAG-12 NPDES General Permit for CAFOs	Issued	Terry L Hershey Farm 573 Strasburg Road Paradise, PA 17562-9703	Paradise Township Lancaster County	SCRO
PAG123718	PAG-12 NPDES General Permit for CAFOs	Issued	Buser Kieran R 665 Woodshead Ter Wrightsville, PA 17368-9330	Lower Windsor Township York County	SCRO
PAG123783	PAG-12 NPDES General Permit for CAFOs	Issued	Meadow Vista Farms LLC 166 Risser Road Bainbridge, PA 17502-9407	Conoy Township Lancaster County	SCRO
PAG123799	PAG-12 NPDES General Permit for CAFOs	Issued	Bauman Tyler C 1277 Bridgeton Road Airville, PA 17302-9210	Lower Chanceford Township York County	SCRO
PAG123902	PAG-12 NPDES General Permit for CAFOs	Issued	Shadow Ridge Farm 2418 Bachman Road Lancaster, PA 17602-1802	Strasburg Township Lancaster County	SCRO
PAG136400	PAG-13 NPDES General Permit for MS4s	Waived	Vandergrift Borough Westmoreland County 109 Grant Avenue Vandergrift, PA 15690	Vandergrift Borough Westmoreland County	SWRO
2224403	Pump Stations Individual WQM Permit	Issued	Susquehanna Township Authority Dauphin County 1900 Linglestown Road Harrisburg, PA 17110-3302	Susquehanna Township Dauphin County	SCRO
3623405	Pump Stations Individual WQM Permit	Issued	PA American Water Co. 7182 White Oak Road Christiana, PA 17509-9528	Sadsbury Township Lancaster County	SCRO
3623406	Pump Stations Individual WQM Permit	Issued	PA American Water Co. 7182 White Oak Road Christiana, PA 17509-9528	Sadsbury Township Lancaster County	SCRO
4078401	Pump Stations Individual WQM Permit	Issued	Hazle Township Municipal Authority Luzerne County P.O. Box 502 Harleigh, PA 18225-0502	Hazle Township Luzerne County	NERO
PA0087530	Single Residence STP Individual NPDES Permit	Issued	Bonney Ann E 3651 Waggoners Gap Road Carlisle, PA 17015-9540	North Middleton Township Cumberland County	SCRO
PA0233056	Single Residence STP Individual NPDES Permit	Issued	Jack G Wentz and Madigan J Miller 46 Meadowood Road Linden, PA 17744-8094	Woodward Township Lycoming County	NCRO
PA0267171	Single Residence STP Individual NPDES Permit	Issued	Herman Clay P 110 Clover Lane Carlisle, PA 17015-7711	Lower Frankford Township Cumberland County	SCRO
PA0296015	Single Residence STP Individual NPDES Permit	Issued	Barnes Traci 162 Jackson Road Saint Marys, PA 15857-3230	Saint Marys City Elk County	NWRO
2106401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Schaeffer Joseph J 101 Shatto Drive Carlisle, PA 17013-2120	North Middleton Township Cumberland County	SCRO
2120401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Herman Clay P 110 Clover Lane Carlisle, PA 17015-7711	Lower Frankford Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2197405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Bonney Ann E 3651 Waggoners Gap Road Carlisle, PA 17015-9540	North Middleton Township Cumberland County	SCRO
2424402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Barnes Traci 162 Jackson Road Saint Marys, PA 15857-3230	Saint Marys City Elk County	NWRO
2501419	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	James Randy 6821 Route 6N Edinboro, PA 16412-1234	Washington Township Erie County	NWRO
4120401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jack G Wentz and Madigan J Miller 46 Meadowood Road Linden, PA 17744-8094	Woodward Township Lycoming County	NCRO
PA0285331	Small Flow Treatment Facility Individual NPDES Permit	Issued	Stainbrook Rachel 210 E George Street Carmichaels, PA 15320-1204	Morris Township Greene County	SWRO
2895405	Small Flow Treatment Facility Individual WQM Permit	Issued	Stoltzfus Jonathan L and Elizabeth Ruth 6350 McClays Mill Road Newburg, PA 17240-9656	Lurgan Township Franklin County	SCRO

## II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390224	PAG-02 General Permit	Issued	2nd and Front Street, LLC Matthew Sorrentino 6616 Ruppssville Road Allentown, PA 18106	Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@pa.gov
PAC540033 Renewal	PAG-02 General Permit	Issued	Grande Land LP Laura Grande 2213 Quarry Drive West Lawn, PA 19609	Norwegian Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@pa.gov
PAC540155 Renewal	PAG-02 General Permit	Issued	Berks Homes Gary McEwen 3335 Morgantown Road Mohnton, PA 19540-7931	West Brunswick Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@pa.gov
PA210006C	PAG-02 General Permit	Issued	PPL Electric Utilities Corp 1639 Church Rd Allentown, PA 18104	Silver Spring Township Cumberland County	Cumberland County Conservation District 310 Allen Rd Carlisle, PA 17013 717-240-7812 RA-EPWW-SCRO@pa.gov

## NOTICES

7517

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC540145 Renewal	PAG-02 General Permit	Issued	Blythe Recycling & Demolition Site Holding, Inc. David Pannucci 1786 Salcman Road Waterloo, NY 13165	Blythe Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC540095 Renewal	PAG-02 General Permit	Issued	Wayne Township Board of Supervisors Ralph Fidler P.O. Box 97 Friedensburg, PA 17933	Wayne Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC200094	PAG-02 General Permit	Issued	Department of General Services 1800 Herr Street Harrisburg, PA 17125	Pine Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC100333	PAG-02 General Permit	Issued	Western Butler County Authority 607 Market Street Zelienople, PA 16063	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC420019	PAG-02 General Permit	Issued	Eldred Borough 3 Bennett Street Eldred, PA 16731	Eldred Borough McKean County	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PA420001C	PAG-02 General Permit	Issued	Eldred Borough 3 Bennett Street Eldred, PA 16731	Eldred Borough McKean County	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PAC230307	PAG-02 General Permit	Issued	Thomas Pereira 3111 Sawmill Road Newtown Square, PA 19073	Newton Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC100212	PAG-02 General Permit	Issued	Little Creek Holdings LLC 125 Pflugh Road Butler, PA 16001	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100237	PAG-02 General Permit	Issued	McTighe Self Storage LLC 4010 Dragon Rouge Drive Gibsonia, PA 15044	Mercer Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100245	PAG-02 General Permit	Issued	Whitestown Holdings LLC 125 Pflugh Road Butler, PA 16001	Lancaster Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230297	PAG-02 General Permit	Issued	Extra Space Management, Inc. 2785 E. Cottonwood Parkway # 400 Salt Lake City, UT 84121	Concord Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC100323	PAG-02 General Permit	Issued	Penn Partners Development LLC 109 Gateway Avenue Suite 202 Wexford, PA 15090	Penn Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC010263	PAG-02 General Permit	Issued	Michael D. and Nancy J. Bross 1147 Eichelberger Street Hanover, PA 17331	Berwick Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC670491	PAG-02 General Permit	Issued	Kinsley Equities II LP 6259 Reynolds Mill Road Seven Valleys, PA 17360	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670617	PAG-02 General Permit	Issued	Kinsley Equities II LP 6259 Reynolds Mill Road Seven Valleys, PA 17360	Conewago Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670061	PAG-02 General Permit	Issued	KV Springettsbury Partners LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670525	PAG-02 General Permit	Issued	DPIF 3 PA 6 Boundary Avenue LLC c/o Dermody Properties 99 South Wood Ave Suite 302 Iselin, NJ 08830	Spring Garden Township City of York York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670732	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430

NOTICES

7519

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670640A-1	PAG-02 General Permit	Issued	Wellspan Health 2500 South George St York, PA 17403-5204	City of York Spring Garden Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670717	PAG-02 General Permit	Issued	CCR Holdings LLC 2420 Oakmont Road Dover, PA 17315	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670431	PAG-02 General Permit	Issued	CCR Holdings LLC 2420 Oakmont Road Dover, PA 17315	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670604	PAG-02 General Permit	Issued	Cindy Garbrick and Brandi Lambert 6170 Souvenir Drive Enola, PA 17025	Franklin Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC650404	PAG-02 General Permit	Issued	Richard Cross Carrols, LLC 968 James Street P.O. Box 6969 Syracuse, NY 13217	Unity Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650379	PAG-02 General Permit	Issued	Penn Township Sewage Authority 1032 Nike Site Road Irwin, PA 15642	Penn Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650407	PAG-02 General Permit	Issued	Coen Markets, Inc. 1000 Philadelphia Street Canonsburg, PA 15317	Rostraver Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650288	PAG-02 General Permit	Issued	Penn Township 2001 Municipal Court Harrison City, PA 15636	Penn Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650397	PAG-02 General Permit	Issued	365 Properties, LLC 3875 Old William Penn Highway Murrysville, PA 15668	Washington Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC650414	PAG-02 General Permit	Issued	Salem Township 244 Congruity Road Greensburg, PA 15601	Salem Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650416	PAG-02 General Permit	Issued	Derry Township Municipal Authority P.O. Box 250 New Derry, PA 15671	Derry Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC630326	PAG-02 General Permit	Issued	Atlas TJT Properties, LLC 1086 Woodlawn Drive Canonsburg, PA 15317	Amwell Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630327	PAG-02 General Permit	Issued	East Washington Borough 15 Thayer Street Washington, PA 15301	East Washington Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC110100	PAG-02 General Permit	Issued	CPV Rogue's Wind, LLC 50 Braintree Hill Office Park Suite 300 Braintree, ME 02184	East Carroll Township Elder Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15001 724-378-1701 SWRO
PAC110103	PAG-02 General Permit	Issued	Cambria County Association for the Blind & Handicapped 211 Central Avenue Johnstown, PA 15902	Cambria Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15001 724-378-1701 SWRO
PAC110070A-1	PAG-02 General Permit	Issued	Greater Johnstown Water Authority P.O. Box 1407 Johnstown, PA 15907	City of Johnstown Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15001 724-378-1701 SWRO
PAC630319	PAG-02 General Permit	Issued	PennWest California University 250 University Avenue California, PA 15419	California Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO

## NOTICES

7521

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC630065	PAG-02 General Permit	Issued	Castlewood Fields, LP 375 Golfside Drive Wexford, PA 15090	Nottingham Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630036	PAG-02 General Permit	Issued	Summerfield Woods, LP 375 Golfside Drive Wexford, PA 15090	Chartiers Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630247	PAG-02 General Permit	Issued	Trinity Area School District 231 Park Avenue Washington, PA 15301	North Franklin Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630026	PAG-02 General Permit	Issued	Greenwood Village LP 375 Golfside Drive Wexford, PA 15090	North Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630258	PAG-02 General Permit	Issued	Foxlane Homes at Camden Village 9401 McKnight Road Suite 204 Pittsburgh, PA 15237	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630322	PAG-02 General Permit	Issued	Coen Markets, Inc. 1000 Philadelphia Street Canonsburg, PA 15317	Carroll Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC360669	PAG-02 General Permit	Issued	Highview Commercial MA1, LLC 6235 Hamilton Boulevard Suite 201 Allentown, PA 18106	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360332	PAG-02 General Permit	Issued	WellSpan Properties, Inc. 2500 South George Street York, PA 17403	West Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360559	PAG-02 General Permit	Issued	GRH-3, LLC 120 North Point Blvd Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360835	PAG-02 General Permit	Issued	RNJ Washes, LLC 1331 Stony Lane Lititz, PA 17543	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360270	PAG-02 General Permit	Issued	Sharp Properties, LP 1100 Sharp Ave Ephrata, PA 17522	Clay Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360833	PAG-02 General Permit	Issued	Emerald Power Solutions 474 North Shirk Road New Holland, PA 17557	Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360944	PAG-02 General Permit	Issued	Evercor Facility Management 902 Wyoming Avenue Wyoming, PA 18644	East Hanover Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360826	PAG-02 General Permit	Issued	Owl Hill Properties, LLC 24 Windsor Lane Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360808	PAG-02 General Permit	Issued	Christopher Poje 513 Deer Run Road Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360907	PAG-02 General Permit	Issued	Beiler Properties, LLC 10 Weaver Road Lancaster, PA 17603	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360927	PAG-02 General Permit	Issued	Lititz Borough 7 South Broad Street Lititz, PA 17543	Lititz Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360859	PAG-02 General Permit	Issued	Samuel Brothers Realty LP 53 Cooper Avenue Landisville, PA 17538	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

Permit Number	Permit Type	Action Taken	Applicant Name & Address	Municipality, County	Office
PAC360513	PAG-02 General Permit	Issued	BHWV Associates, LLC 600 Olde Hickory Road Suite 100 Lancaster, PA 17601	Pequea Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360289	PAG-02 General Permit	Issued	KSL Partners, LLC 255 Butler Avenue Suite 203 Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360595	PAG-02 General Permit	Issued	KW Cornerstone W-1, LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360241	PAG-02 General Permit	Issued	GRH Development, Inc. 120 North Pointe Blvd Suite 101 Lancaster, PA 17601	Ephrata Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

## SAFE DRINKING WATER

### Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.*

**NCWSA Operation Permit 7670389.** PWSID No. **7670389.** **Gruver's Tree Farm**, 255 Stetler Rd, New Cumberland, PA 17070, Fairview Township, **York County**. Application received: October 15, 2024. Permit Issued: October 29, 2024. This action authorizes the operation of a new public water supply at Gruver's Tree Farm, including one well, pressure tank, cartridge filtration, and ultraviolet light disinfection.

**Operation Permit 6723511 MA.** PWSID No. **7670100.** **The York Water Company**, 130 East Market Street, York, PA 17401, Jackson Township, **York County**. Application received: October 24, 2024. Permit Issued: October 29, 2024. This action authorizes operation of a tank mixer in the Spring Grove standpipe.

**NCWSA Operation Permit 4050348.** PWSID No. **4050348.** **Screaming Goat, Inc., dba New Frontier**, 404 Wild Cherry Tree Rd, Martinsburg, PA 16662, Hope-well Township, **Bedford County**. Application received: October 24, 2024. Permit Issued: October 30, 2024. This action authorizes the operation of a new well and water treatment facilities at New Frontier Restaurant.

**Operation Permit 3060356.** PWSID No. **3060356.** **The King's Academy**, 1562 Main St, Mohrsville, PA 19541, Centre Township, **Berks County**. Application received: October 15, 2024. Permit Issued: October 30, 2024. This action authorizes the operation of new cartridge filtration, nitrate removal, and soda ash addition systems at The King's Academy.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

**Operation Permit 2222521.** PWSID No. **7220036.** **Pennsylvania American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, Steelton Borough, **Dauphin County**. Application received: October 16, 2024. Permit Issued: October 30, 2024. Partial Operation Permit for sodium hypochlorite storage & feed system and a softener at the Steelton WTP.

**Operation Permit 2222524.** PWSID No. **7220036.** **Pennsylvania American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, Steelton Borough, **Dauphin County**. Application received: October 16, 2024. Permit Issued: October 31, 2024. Operation of the Kelker Street booster pumping station.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

**Pilot Study Permit 7210002.** PWSID No. **7210002.** **Carlisle Borough Municipal Authority**, 165 Longs Gap Road, Carlisle, PA 17013, North Middleton Township, **Cumberland County**. Application received: May 15, 2024. Permit Issued: October 30, 2024. Approval to conduct a pilot study at the Carlisle Water Treatment Plant to compare the performance of selected treatment media for use in removing perfluoroalkyl and polyfluoroalkyl substances (PFAS).

**Operation Permit 2124519 MA.** PWSID No. **7210002.** **Carlisle Borough Municipal Authority**, 53 W South Street, Carlisle, PA 17013, North Middleton Township, **Cumberland County**. Application received: August 28, 2024. Permit Issued: October 30, 2024. Operation permit for an existing, permanent interconnection with South Middleton Township Municipal Authority (PWSID 7210050).

**Operation Permit 2124518 MA.** PWSID No. **7210050.** **South Middleton Township Municipal Authority**, 345 Lear Lane, Boiling Springs, PA 17007-0008, Carlisle Borough, South Middleton Township, **Cumberland County**. Application received: August 28, 2024. Permit Issued: October 30, 2024. Operation permit for an existing, permanent interconnection with Carlisle Borough Municipal Authority (PWSID 7210002).

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling

analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

Contact: Eric Supey, Environmental Program Manager.

**K. Millard Pad 1**, Primary Facility ID # **874319**, 1120 Warner Road, Montrose, PA 18801, Jessup Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

**2430 Old Welsh Road and 1745 Park Avenue**, Primary Facility ID # **867832**, 2430 Old Welsh Road and 1745 Park Avenue, Willow Grove, PA 19090, Abington Township, **Montgomery County**. Joshua Ostrow, EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Michael Valentine, Park Auto Repair, 2430 Old Welsh Road, Willow Grove, PA 19090, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**West Union Boulevard Tanker Accident**, Primary Facility ID # **862528**, West Union Boulevard at Raymond Avenue, Bethlehem, PA 18015, City of Bethlehem, **Lehigh County**. EnviroSure, 1 North Bacton Hill Road, Suite 208, Malvern, PA 19335, on behalf of Dalton Delivery Services, 4458 Commerce Drive, Whitehall, PA 18052, submitted a Final Report concerning remediation of soil contaminated with gasoline and diesel. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 30, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Stumpf Field Properties**, Primary Facility ID # **840231**, 1350 Fruitville Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of MacLand Company, LLC, 1350 Fruitville Pike, Lancaster, PA 17601, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with VOCs, SVOCs and Metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: October 29, 2024.

**Schneider National, Inc.**, Primary Facility ID # **794002**, 1 Schneider Drive, Middlesex, PA 17015, Middlesex Township, **Cumberland County**. GEI Consultants, Inc., 18000 Horizon Way, Suite 200, Mount Laurel, NJ 08054, on behalf of Schneider National, Inc., 3101 Packerland Drive, Green Bay, WI 54313, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with lead, arsenic, nickel and possible SVOCs. The Plan did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: November 1, 2024.

**Schneider National, Inc.**, Primary Facility ID # **794002**, 1 Schneider Drive, Middlesex, PA 17015, Middlesex Township, **Cumberland County**. GEI Consultants, Inc., 18000 Horizon Way, Suite 200, Mount Laurel, NJ 08054, on behalf of Realterm Logistics, 201 West Street, Annapolis, MD 21401, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with lead, arsenic, nickel and possible SVOCs. The Plan did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: November 1, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**Colonial Heritage MHP Evergreen—Comcast Releasement Area**, Primary Facility ID # **777387**, 295 and 298 Evergreen Drive, New Britain, PA 18901, New Britain Township, **Bucks County**. Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440, on behalf of GSP Management Company, P.O. Box 677, Morgantown, PA 19543, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, cumene, ethylbenzene, methyl tert-butyl ether (MTBE), naphthalene, toluene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 25, 2024.

**2351 E. Sergeant Street Site**, Primary Facility ID # **878818**, 2351 East Sergeant Street, Philadelphia, PA 19125, City of Philadelphia, **Philadelphia County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Oil Patch Fuel Corp., 7421 Glenmore Avenue, Philadelphia, PA 19153, submitted a Final Report concerning remediation of soil contaminated with benzene, toluene, ethylbenzene, cumene, MTBE, naphthalene, 1,2,4-TMB, and 1,3,5-TMB. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 28, 2024.

**1801-1807 N 19th St & 1857 W Montgomery Ave Site**, Primary Facility ID # **803427**, 1801-1807 North 19th Street and 1857 West Montgomery Avenue, Philadelphia, PA 19121, City of Philadelphia, **Philadelphia County**. Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406, on

behalf of Habitat for Humanity Philadelphia, 1829 North 19th Street, Philadelphia, PA 19121, submitted a Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with No. 2 Fuel Oil. The Report was not acceptable to meet site-specific standards. Issued a technical deficiency letter: October 31, 2024.

**OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Carrie Fleming, Program Manager, 717-705-6638.*

**101611. Berks Transfer, Inc.**, 59 Willow Creek Road, Reading, PA 19605, Ontelaunee Township, **Berks County**. Major permit modification for Berks Transfer Inc.'s municipal waste transfer station (Permit # 101611) for an increase in maximum daily volume from 1,000 tons per day to 1,500 tons per day. Application received: December 13, 2023. Deemed administratively complete: December 27, 2023. Issued: October 29, 2024.

Persons interested in reviewing the permit may contact Carrie Fleming, Program Manager, (717-705-6638), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**AIR QUALITY**

**Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**AG5-08-00005C: Blackhill Energy, LLC**, 4600 J Barry Court, Suite 320, Canonsburg, PA 15317, Springfield Township, **Bradford County**. The Department approved authorization to continue operating one (1) 1,340 bhp Caterpillar model G3516LE four-stroke lean-burn natural-gas fired compressor engine equipped with an oxidation catalyst, two (2) 1,380 bhp Caterpillar model G3516ULB four-stroke lean-burn natural-gas fired compressor engines each equipped with an oxidation catalyst, two (2) 12 MMscf/day dehydrators equipped with flash tank and 0.200 MMBtu/hr reboiler, one (1) 4,200-gallon/100 bbl produced fluids tank, one (1) 8,820-gallon/210 bbl slop tank, one (1) 300-gallon methanol tank, one (1) pigging launcher/receiver, various pneumatic controllers and fugitive emissions from miscellaneous venting and piping, fitting and connector leaks and authorization to construct and operate one (1) 80 MMscf/day dehydrator

equipped with flash tank and a 0.50 MMBtu/hr reboiler with still vent and flash tank emissions controlled by a J.W. Williams mini-combustor pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Bradford Compressor Station. Application received: July 29, 2024. Authorized: 1, 2024. Expiration date: October 31, 2029.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, New Source Review Manager, 570-826-2341.*

**GP11-40-034: Amazon Data Services, Inc.**, 2570 Beech Rd NW, New Albany, OH 43054-7377, Salem Township, **Luzerne County**. For the installation and operation of fourteen (14) nonroad engines for no more than 12 consecutive months at the site in Salem Township, Luzerne County. Application received: October 10, 2024. Issued: October 24, 2024.

**Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**08-00010T: Global Tungsten & Powders LLC**, 1 Hawes Street, Towanda, PA 18848, North Towanda Township, **Bradford County**. The Department authorized the construction of a natural gas/propane-fired Harper 30" diameter tungsten scrap calciner designated as Calciner # 9, to be controlled by a dust collector followed by a HEPA filter in series at their Towanda Facility. Application received: September 13, 2024. Issued: October 31, 2024. Expiration date: April 30, 2025.

**8-00010U: Global Tungsten & Powders LLC**, 1 Hawes Street, Towanda, PA 18848, North Towanda Township, **Bradford County**. The Department authorized the construction of a natural gas/propane-fired Harper 30" diameter tungsten scrap calciner designated as Calciner # 10, to be controlled by a dust collector followed by a HEPA filter in series at the Towanda Facility. Application received: September 13, 2024. Issued: October 31, 2024. Expiration date: April 30, 2025.

**AIR QUALITY**

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.*

**67-05083F: Calpine Mid-Merit LLC**, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the upgrade of the Block 2 Electricity Generation Project's nominally rated power output capac-

ity from 760 MW to 830 MW. The plan approval was extended. Application received: October 23, 2024. Issued: October 28, 2024.

**67-05083G: Calpine Mid-Merit, LLC**, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the modification of the York Energy Center Block 2 Electricity Generation Project's turbine BACT emission limits. These limits are imposed on each combined cycle (CC) combustion turbine (CT) associated with the project. The modification consists of the following changes to the requirements of PA No. 67-05083F (issued on August 1, 2016): 1.) Remove provisional status of any emission limits previously so specified except CO; 2.) Remove requirement for second stack test related to provisional emission limits, and 3) Revise the CO BACT emission limit for the CTs firing ULSD without duct burners from 3.5 ppmvd at 15% O<sub>2</sub> (3-hour block average; average of 3 test runs) to a bifurcated limit as follows: Load > = 90% = 2.0 ppmvd at 15% O<sub>2</sub> (3-hour block average; average of 3 test runs); Load < 90% = 3.5 ppmvd at 15% O<sub>2</sub> (3-hour block average; average of 3 test runs). The plan approval was extended. Application received: October 23, 2024. Issued: October 28, 2024.

**28-05011D: Waste Management Disposal Services of PA, Inc.**, 9446 Letzburg Road, Greencastle, PA 17225-9317, Antrim Township and Montgomery Township, **Franklin County**. For the construction of an enclosed ground flare to replace Enclosed Ground Flare No. 2 (Control ID C102). The flare will replace the existing main flare (Flare No. 2) at the facility. The plan approval was extended. Application received: October 29, 2024. Issued: October 31, 2024.

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, 570-826-2409.*

**54-00085: Ringtown Wilbert Vault Co/Ringtown**, 710 W Main St, Ringtown, PA 17967-9449, Ringtown Borough, **Schuylkill County**. The Department issued a renewal State-Only (Natural Minor) Operating Permit for operation of sources at the pet and human crematory located in Ringtown Borough, Schuylkill County. The facility operates two cremation systems. The sources are considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: May 16, 2024. Renewal issued: October 29, 2024.

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**48-00122: II-VI Advanced Materials LLC**, 5000 Ericsson Dr., Suite 300, Warrendale, PA 15086, Palmer Township, **Northampton County**. The Department has issued an initial State-Only (Synthetic Minor) Operating Permit for the Palmer Township facility. Sources at this facility include their reactors and HCl tanks. Sources at this facility also include EPI reactor scrubbers and an emergency HCl scrubber as control devices. The Operating Permit contains all applicable requirements for emis-

sion limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: July 19, 2024. Accepted: July 19, 2024. Issued: October 30, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**46-00301: PECO Energy Co/Flint Hill Road**, SW Side of Flint Hill Rd, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. This action is for the renewal of a Natural Minor Operating Permit for a portable non-metallic processing plant and supporting engine. Application received: February 28, 2024. Issued: October 29, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**04-00723: McDanel Advanced Ceramic Technologies, LLC, d/b/a McDanel Advanced Material Technologies**, 510 9th Avenue, Beaver Falls, PA 15010, City of Beaver Falls, **Beaver County**. On October 17, 2024, the Department issued a Natural Minor Operating Permit to the McDanel Advanced Ceramic Technologies, LLC, d/b/a McDanel Advanced Material Technologies in Beaver Falls, Beaver County. Sources of emissions and control devices consist of the following equipment and control devices: twenty-one (21) Kilns; five (5) Afterburners; five (5) Natural Gas Dryers; twelve (12) Electric Dryers and Ovens; two (2) Emergency generators; twenty (20) dust collectors; a Hydro Thrift Chiller and numerous miscellaneous small process and material handling sources, including dryers, ball mills, saws, mixers, tanks, and lathes. The air quality Operating Permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, testing, reporting, and recordkeeping requirements for the site. Application received: February 2, 2024. Deemed administratively complete: February 14, 2024.

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**20-00194: Lord Corporation Saegertown**, 601 South Street, Saegertown, PA 16433-5050, Saegertown Borough, **Crawford County**. The Title V Permit was amended to incorporate the change of the responsible official. Application received: September 16, 2024. Revised: October 23, 2024.

*Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.*

**OP24-000016: Rhoads Industries Inc., LLC**, 5195 South 19th Street, Philadelphia, PA 19112, City of Phila-

delphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) administratively amended Operating Permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices for Rhoads Industries Inc., LLC to incorporate a change of ownership from Philadelphia Ship Repair, LLC to Rhoads Industries Inc., LLC. The Title V Operating Permit (No. OP18-000003) was originally issued on October 18, 2019. Application received: August 7, 2024. Issued: October 29, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**56-00047: PA Potato Chip Manufacturing, LLC**, 1313 Stadium St., Berlin, PA 15530, Berlin Borough, **Somerset County**. On October 30, 2024, the Department issued an administrative amendment of the natural minor State Only Operating Permit for the Our Home Berlin plant located in Berlin Borough, Somerset County. The facility has changed ownership from Kennedy Endeavors, LLC to PA Potato Chip Manufacturing, LLC. The Operating Permit was modified to change the owner's name and to update the responsible official and permit contact person information. Application received: October 4, 2024. Deemed administratively complete: October 8, 2024.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).**

### *Noncoal Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 11190801. NPDES No. PA0279579. Hite Coal & Stone Supply, LLC**, P.O. Box 350, Carrolltown, PA 15722, East Carroll Township, **Cambria County**. NPDES renewal of a small noncoal (industrial minerals) operation affecting 5.0 acres. Receiv-

ing stream: Laurel Lick Run classified for the following use: HQ-CWF. Application received: July 25, 2024. Permit issued: October 30, 2024.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

### *Blasting Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 46244112. American Rock Mechanics, Inc.**, 731 Chestnut Street, Zionsville, PA 18092, Upper Hanover Township, **Montgomery County**. Construction blasting for Stauffer Glove & Safety Warehouse. Application received: October 23, 2024. Permit issued: October 30, 2024. Expiration date: October 20, 2025.

**Permit No. 52244103. Holbert Explosives, Inc.**, 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Milford Township, **Pike County**. Construction blasting for 238 Skyline Drive foundation. Application received: October 22, 2024. Permit issued: October 30, 2024. Expiration date: October 22, 2025.

**Permit No. 54244106. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, North Manheim Township, **Schuylkill County**. Construction blasting for Diamond Fields. Application received: October 18, 2024. Permit issued: October 31, 2024. Expiration date: October 18, 2025.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This

paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E5329224-002. Greylock Production LLC**, 500 Corporate Landing, Charleston, WV 25311, Ulysses Township, **Potter County**. U.S. Army Corps of Engineers Baltimore District.

Application received: February 16, 2024. Issued: October 31, 2024.

To construct, operate and maintain the Pine Creek Surface Water Withdrawal Project, which consists of a floating intake structure and one 8-inch diameter above ground waterline, with the following impacts:

1. 29.0 linear feet of direct temporary stream impacts to Pine Creek (HQ-CWF) via the installation of a floating intake structure and temporary 8-inch diameter above ground waterline ( West Pike, PA Quadrangle, Latitude: N 41°, 46', 56.40", Longitude: W 77°, 44', 16.57"); and

2. 50.0 linear feet of temporary floodway impacts to Pine Creek (HQ-CWF) via the installation of a temporary 8-inch diameter above ground waterline (West Pike, PA Quadrangle, Latitude: N 41°, 46', 56.40", Longitude: W 77°, 44', 16.57").

The project will result in 29.0 linear feet of temporary stream impacts, and 50.0 linear feet of temporary floodway impacts, all for the purpose of installing a temporary floating intake structure and temporary waterline for Marcellus shale development.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**E4206224-002. WB McKean LLC**, 150 Monument Road, # 300, Bala Cynwyd, PA 19004, Sergeant Township, **McKean County**. U.S. Army Corps of Engineers Pittsburgh District.

To impact 0.13 acre of Palustrine Emergent Wetlands and 150 linear feet of ephemeral stream with a drainage area of less than 100 acres for construction of a natural gas recycling plant, roadways, stormwater management

facilities, utility lines and other ancillary structures located at 2500 Campbelltown Road, Kane, PA (Mount Jewett and Hazel Hurst, PA Quadrangle N: 41.653889°; W: -78.364°) in Sergeant Township, McKean County. Mitigation for project impacts is via payment into the PA ILF fund. Latitude: 41.653889°, Longitude: -78.364°. Application received: June 20, 2024. Issued: October 31, 2024.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager.*

**E6305224-008. Mid Mon Valley Water Pollution Authority**, P.O. Box 197, 1 Anderson Street, Route 88, Allenport, PA 15412, Roscoe Borough & Stockdale Borough, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: June 28, 2024. Issued: October 30, 2024.

The applicant has been given consent to:

Remove the existing buildings housing Pump Stations Nos. 2—4 with associated equipment and construct and maintain replacement buildings and pump stations with upgraded equipment that are part of an existing gravity fed sanitary line system in the floodplain of the Monongahela River (WWF).

For the purpose of site improvements to treat wastewater. The project will cumulatively and permanently impact 0.216 acre of floodplain.

Pump Station No. 2 is located at 501 Coal Street, Roscoe Borough 15423 (Fayette City, PA USGS topographic quadrangle; N: 40°, 4', 36.29"; W: -79°, 52', 0.08"; Sub-basin 19C; USACE Pittsburgh District), in Roscoe Borough, Washington County.

Pump Station No. 3 is located at 215 River Street, Roscoe Borough 15477 (Fayette City, PA USGS topographic quadrangle; N: 40°, 4', 42.38"; W: -79°, 51', 37.26"; Sub-basin 19C; USACE Pittsburgh District), in Roscoe Borough, Washington County.

Pump Station No. 4 is located at 246 Hickory Street, Stockdale Borough 15483 (Fayette City, PA USGS topographic quadrangle; N: 40°, 4', 50.66"; W: -79°, 50', 58.50"; Sub-basin 19C; USACE Pittsburgh District), in Stockdale Borough, Washington County.

#### ENVIRONMENTAL ASSESSMENTS

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**EA2506224-001. Nick Brace**, 1131 PA-97, Waterford, PA 16441, Waterford Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District.

To permanently disable a network of agricultural drain tile and fill in two agricultural ditches that drain to Elk Creek that will result in approximately 1.03 acres of temporary wetland impact and 150 linear feet of ditches to satisfy an Environmental Protection Agency consent decree (EPA). Latitude: 41.97752°, Longitude: -80.039920°. Application received: June 12, 2024. Issued: November 1, 2024.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG294124005-00**  
 Applicant Name **Beech Resources LLC**  
 Contact Person Donald Stevenson  
 Address 343 Pine Street, Suite 1  
 City, State, Zip Williamsport, PA 17701-6209  
 Township(s) Lycoming Township  
 County **Lycoming County**  
 Receiving Stream(s) and Classification(s) Beauty's Run (EV, MF)  
 Application received: September 19, 2024  
 Issued: October 30, 2024

ESCGP # 3 **ESG295821018-01**  
 Applicant Name **Coterra Energy Inc.**  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane, Suite 300  
 City, State, Zip Pittsburgh, PA 15275  
 Township(s) Rush Township  
 County **Susquehanna County**  
 Receiving Stream(s) and Classification(s) Terry Creek (WWF, MF)  
 Application received: October 9, 2024  
 Issued: October 30, 2024

ESCGP # 3 **ESX29081180022(1)**  
 Applicant Name **EXCO Resources PA LLC**  
 Contact Person Philip Points  
 Address 12377 Merit Dr., Suite 1700  
 City, State, Zip Dallas, TX 75251  
 Township(s) Mifflin Township  
 County **Lycoming County**  
 Receiving Stream(s) and Classification(s) Beaver Run (CWF), UNT to Marsh Run (CWF)  
 Secondary Receiving Waters: Little Muncy Creek (CWF)  
 Application received: October 11, 2024  
 Issued: November 1, 2024

*Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG076324002-02**  
 Applicant Name Markwest Liberty Midstream & Resources LLC—Vankirk to Franklin Lakeview Pipeline  
 Contact Person Brian Elliott, (724) 873-2893  
 bmelliott@marathonpetroleum.com  
 Address 0.14 mile east of Park Ave and Timberline Drive  
 City, State, Zip Washington, PA 15301  
 Township(s) North Franklin Township, South Franklin Township  
 County **Washington County**  
 Receiving Stream(s) and Classification(s) 001 Lat 40.13825, Long -80.27979, UNTs to Chartiers Creek and Chartiers Creek, Ch 93 class WWF  
 Application received: October 11, 2024  
 Permit modification issued: October 30, 2024

ESCGP # 3 **ESG076523003-02**  
 Applicant Name **Hyperion Midstream LLC—Poseidon to Denmark Loop Pipeline**  
 Contact Person Brian Dillemath, (724) 754-0110  
 bdillemath@olympusenergy.com  
 Address 2128 Denmark Manor Road  
 City, State, Zip Export, PA 15632  
 Township(s) Penn Township  
 County **Westmoreland County**  
 Classification(s) 001. Lat 40.38160, Long -79.62514, Tributary 37295 to Bushy Run, Ch 93 class TSF 002. Lat 40.37988, Long -79.63209, Tributary 37299 to Bushy Run, Ch 93 class TSF 003. Lat 40.38112, Long -79.64002, Tributary 37297 to Bushy Run, Ch 93 class TSF 004. Lat 40.38086, Long -79.65062, Tributary 37296 to Bushy Run, Ch 93 class TSF 005. Lat 40.38479, Long -79.66243, Byers Run, Ch 93 class TSF 006. Lat 40.39707, Long -79.66899, Lyons Run, Ch 93 class TSF  
 Application received: October 7, 2024  
 Permit modification issued: October 31, 2024

## CORRECTIVE ACTION UNDER ACT 32, 1989 PREAMBLE 2

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and

summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**PA0028 Scranton (former Joe's Kwik Mart 200)**, Storage Tank Facility ID # **35-20606**, 1327 Providence Road, Scranton, PA 18509, City of Scranton, **Lackawanna County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of Joseph Gentile Jr., 1031B Reeves Street, Dunmore, PA 18512, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting site-specific standards.

**PA0491 (Former Speedway 6751/7-Eleven 45780)**, Storage Tank Facility ID # **39-22662**, 4002 Chestnut Street, Emmaus, PA 18049, Upper Milford Township, **Lehigh County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Speedway, LLC, P.O. Box 1500, Springfield, OH 44501, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with kerosene. The report is intended to document the remedial actions for meeting Statewide health standards.

*Contact: Eric Supey, Environmental Program Manager.*

**Super Service Gas Mart (former Crane's Landing)**, Storage Tank Facility ID # **40-39395**, 2 Manor Drive, Shavertown, PA 18708, Kingston Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Manor Realty, LLC, 115 Wakefield Road, Shavertown, PA 18708, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health standards.

**4260 West Tilghman Realty**, Storage Tank Facility ID # **39-41532**, 4260 West Tilghman Street, Allentown, PA 18104, South Whitehall Township, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of 4260 West Tilghman Realty, LLC, 4101 River Road, Allentown, PA 18104, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**BFS Grove City W Main**, Storage Tank Facility ID # **43-14158**, 201 West Main Street, Grove City, PA 16127, Grove City Borough, **Mercer County**. Antea USA, Inc., 10320 Little Patuxent Parkway, Suite 200, Columbia, MD 21044, on behalf of BP Products North America, Inc., P.O.

Box 101925, Arlington, VA 22210, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Crawfords Auto Ctr**, Storage Tank Facility ID # **15-37637**, 302 W Uwchlan Ave, Downingtown, PA 19335, East Caln Township, **Chester County**. ARM Group, LLC, 515 South Franklin Street, West Chester, PA 19382, on behalf of Crawfords Auto Center, Inc., 302 W. Uchlawn Avenue, Downingtown, PA 19335, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting residential Statewide health standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Jordan, 814-332-6172.*

**Red Paprika Foods**, Storage Tank Facility ID # **03-06500**, 10243 State Route 85, Kittanning, PA 16201, Cowanshannock Township, **Armstrong County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Valley Village, 10243 State Route 85, Kittanning, PA 16201, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on October 30, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**MMM 1920**, Storage Tank Facility ID # **46-41868**, 1920 Jenkintown Road, Jenkintown, PA 19046, Abington Township, **Montgomery County**. EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Mr. Waqar Malik, 1920 Jenkintown Road, Jenkintown, PA 19046, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The plan was acceptable to meet the nonresidential Statewide health and site-specific standards and was approved by DEP on October 29, 2024.

---

## SPECIAL NOTICES

---

### WATER PROGRAMS

---

**The Department will hold a public hearing to accept additional comments on the documentation and plans associated with the Water Obstruction and Encroachment Joint Permit Application No. E4502224-007.**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Colleen Connolly.*

On July 26, 2024, the Department of Environmental Protection (PA DEP/Department) received a Water Obstruction and Encroachment Joint Permit application for the Pocono Mountains Corporate Center North Warehouse, Tobyhanna, PA, in Coolbaugh Township, Monroe County. The application was deemed administratively complete on August 9, 2024. Written public comments were received during the public comment period.

The Department will hold a public hearing to accept additional comments on the documentation and plans associated with the Water Obstruction and Encroachment Joint Permit Application No. E4502224-007 for the following receiving watercourses:

Hawkey Run (HQ-CWF, MF)

Duck Puddle Run (HQ-CWF, MF)

EV wetlands

The applicant is as follows:

- Orchard BJK Company, LLC 925 Berkshire Boulevard, Wyomissing, PA 19610. Contact: John Herman, Orchard BJK Company, LLC

The public hearing will be conducted on Tuesday, December 17, 2024 from 6:00 p.m.—9:00 p.m. at the Tobyhanna Elementary Center, 398 Old Rte. 940, Pocono Pines, PA 18350. This event is not associated with the Pocono Mountain School District. Representatives from the Department's Waterways & Wetlands Program, the Monroe County Conservation District and Orchard BJK Company, LLC will be in attendance.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator at: [coconnolly@pa.gov](mailto:coconnolly@pa.gov). The Department will accept requests up to the day of the hearing. The Department requests that individuals limit their testimony to 5 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the Water Obstruction and Encroachment Joint Permit Application No. E4502224-007 documentation and plans. Written copies of oral testimony are requested. All comments, whether delivered orally during the hearing or submitted in writing will carry equal weight and consideration with DEP. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly at [coconnolly@pa.gov](mailto:coconnolly@pa.gov) or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The Water Obstruction and Encroachment Joint permit application documentation and conceptual plans are available for review at the Monroe County Conservation District Office, 8050 Running Valley Road, Stroudsburg, PA at (570) 629-3060 and/or the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA (570) 826-2511. For further information, contact Colleen Connolly, Community Relations Coordinator of the Department's Northeast Regional Office at (570) 826-2035.

---

### ACTIVE AND ABANDONED MINE OPERATIONS

---

#### Received—Water Obstruction and Encroachment Permit.

*California District Mining Office: California District Mining Office, 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**CDO-018 Major Amendment. Iron Cumberland, LLC** (200 Evergreene Drive, P.O. Box 1020, Waynesburg, PA 15370). Stream Restoration Areas along Pursley Creek (40592), Center Township, **Greene County**, Pittsburgh ACOE District (Oak Forest, PA Quadrangle, Centroid Latitude 39°, 50', 26.75" N, Longitude 80°, 14', 18.76" W). The applicant proposes to perform Chapter 105 activities for the restoration of Pursley Creek (40592), overlying Panels 73, 74 and 75 of the Cumberland Mine Oak Forest District. The project is being conducted to eliminate pooling of three (3) stream reaches (LW-73RA, LW-74 RA, and LW-75 RA) of Pursley Creek (40592) located in Center Township, Greene County that resulted from subsidence due to longwall mining activities within the

approved area of the Cumberland Mine (CMAP No. 30831303). The stream mitigation project consisting of gate cuts at a designed excavated slope to eliminate the stream pooling to the pre-mining flow conditions. The proposed Area of Potential Effect (APE) for this project is 8.15 acres.

This is a Chapter 105 Water Obstruction and Encroachment permit application and 401 Water Quality Certification request.

Written comments or objections on the request for Section 401 Water Quality Certification to the issuance of the Water Obstruction and Encroachment Permit may be submitted to the Department within 30 days of the date of this notice to the California District Office, 25 Technology Park, Coal Center, PA 15423, Phone: 724.769.1100. Comments should contain the name, address, and telephone number of the person commenting. Identification of the request for 401 Water quality Certification and Chapter 105 permit application, to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including relevant facts upon which they are based.

The Water Obstruction and Encroachment permit application is available for review at the California District Office, by appointment, at the previously listed address.

Application Received: October 15, 2024.

[Pa.B. Doc. No. 24-1645. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Technical Guidance

The Department of Environmental Protection (Department) announces the availability of the technical guidance documents (TGD) listed in this notice. TGDs are available on the Department web site at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/). The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

#### *Ordering Paper Copies of Department Technical Guidance*

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### *Changes to TGDs*

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

#### *Final TGD: Substantive Revision*

*DEP ID:* 391-0400-001. *Title:* Pennsylvania's Capability Enhancement Strategy. *Description:* This TGD provides

guidance to all community, nontransient noncommunity and transient noncommunity drinking water systems, as well as Department staff on the guidelines and implementation of the Commonwealth's Capability Enhancement Program. The purpose of this TGD is to establish a rational methodology to implement, track and allocate appropriate resources needed to meet the Federal requirements for a state capacity development strategy for all public water systems. Substantive revisions to the Commonwealth's Capability Enhancement Strategy were made to satisfy the requirements of America's Water Infrastructure Act (AWIA) of 2018 (Pub.L. No. 115-270) related to asset management. AWIA amended the Federal Safe Drinking Water Act (42 U.S.C. §§ 300f—300j-27) to require each state to include in their capacity development strategy a description of how the state will encourage water systems to develop and implement asset management plans. A draft of this TGD was published for public comment at 52 Pa.B. 4043 (July 16, 2022). No comments were received on the draft TGD. In addition to several small typographical changes, the only substantive change from the draft TGD to the final TGD is the updated link to the United States Environmental Protection Agency's Asset Management webpage.

*Contact:* Questions regarding this action should be directed to Kevin Anderson at (717) 783-9764 or [keanderson@pa.gov](mailto:keanderson@pa.gov).

*Effective Date:* November 16, 2024

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1646. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Extension of Erosion and Sediment Control General Permit (ESCGP-3) for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities

Under 25 Pa. Code § 102.5(m) (relating to permit requirements), The Clean Streams Law (35 P.S. §§ 691.1—691.1001), 58 Pa.C.S. §§ 3201—3274 (relating to development), and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is, by this notice, extending for 2 months the availability of the current Erosion and Sediment Control General Permit (ESCGP-3) for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities for notices of intent (NOI) that were submitted to the Department on or before October 11, 2024.

The existing ESCGP-3 will expire on January 6, 2025. By this notice, the Department is administratively extending ESCGP-3 to March 7, 2025, for NOIs that were submitted to the Department on or before October 11, 2024. This notice does not impact persons that are currently operating under an ESCGP-3. Persons that are operating under a current ESCGP-3 may continue to operate until January 6, 2025, or the expiration date of coverage identified on the permit coverage approval page, whichever is later. Persons may not continue to seek coverage under the ESCGP-3 during this administrative

extension except for NOIs submitted on or before October 11, 2024. The Department is extending the availability of this permit to adequately complete technical reviews of ESCGP-3 NOIs submitted to the Department on or prior to October 11, 2024.

To access the ESCGP-3 Permit and related documents, visit <http://www.depgreenport.state.pa.us/elibrary/GetFolder?FolderID=106> (select “Permit and Authorization Packages,” then “Oil and Gas,” then “AUTHORIZATION OF COVERAGE UNDER THE EROSION AND SEDIMENT CONTROL GENERAL PERMIT (ESCGP-3 8000-PM-OOGM0006”).

Questions regarding ESCGP-3 should be directed to Joseph Kelly, Chief, Division of Well Development and Surface Activities at (717) 772-5991 or josephkel@pa.gov.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1647. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Extension of General Permit for the Beneficial Use of Biosolids by Land Application (PAG-08)

Under the authority of the Federal Clean Water Act (33 U.S.C. §§ 1251–1389), The Clean Streams Law (35 P.S. §§ 691.1–691.1001), sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904), the Department of Environmental Protection (Department) is, by this notice, extending the availability of the current General Permit for the Beneficial Use of Biosolids by Land Application (PAG-08).

The existing PAG-08 General Permit in effect at this time will expire on November 30, 2024. By this notice, the Department is administratively extending the PAG-08 General Permit until the General Permit can be reissued in final form. Persons that are operating under the PAG-08 General Permit may continue to operate under its terms until the date final renewal is published. Persons that have coverage beyond the final renewal publication date as identified on their coverage approval page may continue to operate under the terms of the renewed PAG-08. Persons whose coverage expires or persons seeking new coverage during the extension period may submit a Notice of Intent for the Department’s review in accordance with the procedures set forth in PAG-08 to obtain renewed or new coverage under the permit.

To access the General Permit and related documents, visit the Department’s eLibrary web site at <https://greenport.pa.gov/elibrary/> (select “Permit and Authorization Packages,” then “Point and Non-Point Source Management”).

Questions regarding the PAG-08 General Permit for Beneficial Use of Biosolids by Land Application can be directed to Kevin McLeary at [kmcleary@pa.gov](mailto:kmcleary@pa.gov) or (717) 705-5017.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1648. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Extension of General Permit for the Beneficial Use of Exceptional Quality Biosolids by Land Application (PAG-07)

Under the authority of the Federal Clean Water Act (33 U.S.C. §§ 1251–1389), The Clean Streams Law (35 P.S. §§ 691.1–691.1001), sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904), the Department of Environmental Protection (Department) is, by this notice, extending the availability of the current General Permit for the Beneficial Use of Exceptional Quality Biosolids by Land Application (PAG-07).

The existing PAG-07 General Permit in effect at this time will expire on November 30, 2024. By this notice, the Department is administratively extending the PAG-07 General Permit until the General Permit can be reissued in final form. Persons that are operating under the existing PAG-07 General Permit may continue to operate under its terms until the date final renewal is published. Persons that have coverage beyond the final renewal publication date as identified on their coverage approval page may continue to operate under the terms of the renewed PAG-07. Persons whose coverage expires or persons seeking new coverage during the extension period may submit a Notice of Intent for the Department’s review in accordance with the procedures set forth in PAG-07 to obtain renewed or new coverage under the permit.

To access the General Permit and related documents, visit the Department’s eLibrary web site at <https://greenport.pa.gov/elibrary/> (select “Permit and Authorization Packages,” then “Point and Non-Point Source Management”).

Questions regarding the PAG-07 General Permit for Beneficial Use of Exceptional Quality Biosolids by Land Application can be directed to Kevin McLeary at [kmcleary@pa.gov](mailto:kmcleary@pa.gov) or (717) 705-5017.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1649. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Extension of General Permit for the Beneficial Use of Residential Septage by Land Application (PAG-09)

Under the authority of the Federal Clean Water Act (33 U.S.C. §§ 1251–1389), The Clean Streams Law (35 P.S. §§ 691.1–691.1001), sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904), the Department of

Environmental Protection (Department) is, by this notice, extending the availability of the current General Permit for the Beneficial Use of Residential Septage by Land Application (PAG-09).

The existing PAG-09 General Permit in effect at this time will expire on November 30, 2024. By this notice, the Department is administratively extending the PAG-09 General Permit until the General Permit can be reissued in final form. Persons that are operating under the PAG-09 General Permit may continue to operate under its terms until the date final renewal is published. Persons that have coverage beyond the final renewal publication date as identified on their coverage approval page may continue to operate under the terms of the renewed PAG-09. Persons whose coverage expires or persons seeking new coverage during the extension period may submit a Notice of Intent for the Department's review in accord-

ance with the procedures set forth in PAG-09 to obtain renewed or new coverage under the permit.

To access the General Permit and related documents, visit the Department's eLibrary web site at <https://greenport.pa.gov/elibrary/> (select "Permit and Authorization Packages," then "Point and Non-Point Source Management").

Questions regarding the PAG-09 General Permit for Beneficial Use of Residential Septage by Land Application can be directed to Kevin McLeary at [kmcleary@pa.gov](mailto:kmcleary@pa.gov) or (717) 705-5017.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1650. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Azura Valley Access ASC	28 Pa. Code § 567.53(1) (relating to sterilization control)
Azura Valley Access Center	28 Pa. Code § 567.53(1)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov). Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-1651. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
AHN Wexford Hospital	28 Pa. Code § 107.26(b)(2) (relating to additional committees)
UPMC Kane	28 Pa. Code § 107.5(a) (relating to membership appointment and reappointment)
UPMC Williamsport	28 Pa. Code § 107.62(a) and (b) (relating to oral orders)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the Guidelines for Design and Construction of Hospitals—2018 Edition, Guidelines for Design and Construction of Outpatient Facilities—2018 Edition or the Guidelines for Design and Construction of Hospitals—2022 Edition, Guidelines for Design and Construction of Outpatient Facilities—2022 Edition. The following list includes the citation to the section under the Guidelines that the hospital is seeking an exception.

Facility Name	FGI Guidelines Section and relating to	Yr <sup>1,2</sup>
Kindred Hospital—Philadelphia	2.6-2.2.2.1(1) capacity	22
Lankenau Medical Center	2.1-3.2.2.2(2)(a)(i) and (ii) single-patient exam/observation room	22-O
	2.6-3.1.2.2(1)(b) space requirements	22-O
	2.6-3.8.2.2 nurse station	22-O
	2.6-3.8.11 clean workroom or clean supply room	22-O
	2.6-3.8.12 soiled workroom or soiled holding room	22-O
Wellspan York Hospital	2.1-7.2.2.5(1) windows in patient rooms	18

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

<sup>2</sup> 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-1652. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Smart Chip Play™ Lottery Game and Program Amended Notice; Change to Program Rules

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of changes to the Smart Chip Play™ Card and Program rules that were published at 54 Pa.B. 1161 (March 2, 2024).

The Pennsylvania Lottery has decided to extend the Smart Chip Play™ Program until March 6, 2025. These changes will be effective upon publication.

The correct version of this document is as follows, with ellipses referring to the existing text as it appeared at 54 Pa.B. 1161—1164:

\* \* \* \* \*

The Smart Chip Play™ (hereinafter “Smart Chip Play”) card and program will be implemented and effective beginning on or after March 6, 2024 and will be effective for one year, unless extended by public notice or unless terminated earlier through the Lottery’s standard communication methods.

\* \* \* \* \*

18. *Termination of the Smart Chip Play program:* The Smart Chip Play program will last until March 6, 2025, unless extended further by the Secretary through public

notice or terminated earlier through the Lottery’s standard communication methods. Unclaimed prizes may still be claimed for one year from the end of the Smart Chip Play program, as further detailed in section 10 (relating to unclaimed prizes).

\* \* \* \* \*

PATRICK BROWNE,  
*Secretary*

[Pa.B. Doc. No. 24-1653. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

State Route 0477-A02, Lamar Township, Clinton County. This parcel contains approximately 18,310 square

feet of unimproved land with 2,914 square feet of existing drainage easement.

The property will be sold in as-is condition. The estimated fair market value of the parcel is \$10,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Pamela Washell, Right-of-Way Administrator, Engineering District 2-0, 70 PennDOT Drive, Clearfield, PA 16830, (814) 765-0565, pwashell@pa.gov.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-1654. Filed for public inspection November 15, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Public-Private Partnerships Board Meeting

The Public-Private Partnerships Board will hold a meeting on Tuesday, December 17, 2024, at 1 p.m. in the Forest Room, Plaza Level, Keystone Building, Harrisburg, PA. For more information, contact Maddie Vergos, (717) 214-2264, mvergos@pa.gov.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-1655. Filed for public inspection November 15, 2024, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Classification of Wild Trout Streams; Proposed Additions; January 2025

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on January 27, 2025, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Clearfield	Unknown tributary (UNT) to Cole Run (RM 1.73)	Headwaters to Mouth	Cole Run	41.153459 78.171158
Lackawanna	Willow Creek	Headwaters to Mouth	Leggetts Creek	41.483830 78.680210
Lycoming	Coal Run	Headwaters to Mouth	Little Pine Creek	41.425316 77.314911
Lycoming	Rock Hollow Run	Headwaters to Mouth	Bonnell Run	41.468037 77.280884
Tioga	East Branch Stony Fork	Headwaters to Mouth	Stony Fork	41.620556 77.368611
Tioga	UNT (RM 0.72) to UNT to East Branch Stony Fork (RM 3.50)	Headwaters to Mouth	UNT to East Branch Stony Fork (RM 3.50)	41.661720 77.350850

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments, objections or suggestions may also be submitted electronically to RA-pfbcregulations@pa.gov.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 24-1656. Filed for public inspection November 15, 2024, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Changes to List of Class A Wild Trout Waters; January 2025

The Fish and Boat Commission (Commission) is considering changes to its list of Class A wild trout streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout

streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

(1) Criteria developed for Class A Wild Trout fisheries are species specific.

(2) Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild brook trout fisheries.*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild brown trout fisheries.*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed wild brook and brown trout fisheries.*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild rainbow trout fisheries.* Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed wild brook and rainbow trout fisheries.*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed wild brown and rainbow trout fisheries.*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A wild trout streams at its meeting on January 27, 2025.

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>	<i>Brook Trout (kg/ha)</i>	<i>Brown Trout (kg/ha)</i>	<i>Rainbow Trout (kg/ha)</i>	<i>Length (miles)</i>	<i>Survey year</i>
Blair/Cambria	Shaw Run	1	Headwaters to Mouth	Bells Gap Run	40.637589 78.395538	17.78	24.57	—	4.11	2024
Centre	Standing Stone Creek	1	Headwaters to Penn Roosevelt Dam	Juniata River	40.480556 78.004722	38.00	—	—	1.75	2024
Centre/Huntingdon	Laurel Run	1	Headwaters to Owl Gap Trail	Standing Stone Creek	40.638889 77.837222	42.90	—	—	3.76	2024
Huntingdon	Roaring Run	1	Headwaters to Mouth	Shaver Creek	40.699753 77.889313	33.63	—	—	1.11	2024
Juniata	Spigelmyer Run	1	Headwaters to Mouth	Horning Run	40.623266 77.390715	46.86	—	—	2.29	2024
Lycoming	Dam Run	1	Headwaters to Mouth	Little Pine Creek	41.326389 77.357778	79.45	1.53	—	2.33	2024

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments, objections or

suggestions may also be submitted electronically to RA-pfbcregulations@pa.gov.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 24-1657. Filed for public inspection November 15, 2024, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (IRRC) received the following regulations. They are scheduled to be considered on the date noted. IRRC's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, IRRC will provide a copy or individuals can obtain a copy from IRRC's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Final-Omitted Reg. No.</i>	<i>Agency / Title</i>	<i>Received</i>	<i>Public Meeting</i>
8-28	Department of General Services Commonwealth Parking Facilities	10/29/24	12/05/24

<i>Final Form Reg. No.</i>	<i>Agency / Title</i>	<i>Received</i>	<i>Public Meeting</i>
99-13	Office of Administration Civil Service Reform	10/28/24	12/05/24
12-117	Department of Labor and Industry Impairment Rating	10/31/24	12/05/24

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 24-1658. Filed for public inspection November 15, 2024, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

*Governor's Office*

Management Directive No. 310.09—Purpose and Use of Restricted Receipt and Restricted Revenue Accounts, Amended October 9, 2024.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 24-1659. Filed for public inspection November 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 2, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by December 2, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the docket number as follows or by searching the applicant's web site.

**Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under each application.**

**A-2024-3051900. White Robin Hauling, LLC** (15 Golf View Drive, Quarryville, Lancaster County, PA 17566) for the discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in paratransit service, whose personal convictions prevent them from owning or operating a motor vehicle, from points in Lancaster County, to points in Pennsylvania, and return.

**A-2024-3051920. Euphrates Trans, LLC** (6201 Hamilton Boulevard, Suite 209, Allentown, Lehigh County, PA 18106) for the cancellation and discontinuance of its right to transport, persons, by motor vehicle, as a contract carrier, for Medical Transportation Management, Inc., from points in the County of Lehigh, to points in Pennsylvania, and return, as originally Docketed at A-2021-3023989.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-1660. Filed for public inspection November 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due December 2, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Raiser—PA, LLC; Docket No. C-2024-3051058

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Raiser—PA, LLC, Respondent, maintains its principal place of business at Uber 3 World Trade Center, 175 Greenwich Street, Floors 43—47, New York, New York, 10007.
2. That Respondent was issued a license by this Commission on January 26, 2017, at Application Docket No.

A-2016-2580821, authorizing transportation of persons for compensation in Transportation Network Company service.

3. That Respondent, on September 7, 2024, permitted a certain 2017 Toyota Passenger Vehicle bearing Pa. registration number LYN8950 and having Vehicle Identification No. ending in the last 4 digits 1081 to be operated by driver Mahmoud Ali Oma Mahmoud.

4. That the vehicle described in paragraph 3 was inspected on that date by PUC Motor Carrier Enforcement Supervisor Ernest Snyder on University Drive, College Township, Centre County, Pennsylvania. The vehicle did not have the company placard displayed on the windshield.

5. That Respondent, by allowing a vehicle to operate while not having the proper company placard displayed on the vehicle as specified by the Commission, violated 66 Pa.C.S. § 2605(b)(8). The fine for this violation is \$50.00.

*Wherefore*, the Bureau of Investigation and Enforcement hereby requests that the Commission fine Raiser—PA, LLC, the sum of fifty dollars (\$50.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,  
Brian B. Mehus, Acting Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 20 September 2024

Brian B. Mehus, Acting Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street, 2nd Floor  
Harrisburg, PA 17120

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement  
Pennsylvania Public Utility Commission  
400 North Street, 3rd Floor  
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 400 North Street, 2nd Floor  
 Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement V. Raiser—PA, LLC;  
 Docket No. C-2024-3051067**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Raiser—PA, LLC, Respondent, maintains its principal place of business at Uber 3 World Trade Center, 175 Greenwich Street, Floors 43—47, New York, New York, 10007.

2. That Respondent was issued a license by this Commission on January 26, 2017, at Application Docket No. A-2016-2580821, authorizing transportation of persons for compensation in Transportation Network Company service.

3. That Respondent, on September 7, 2024, permitted a certain 2018 Nissan Rogue bearing Pa. registration number JYE2472 and having Vehicle Identification No. ending in the last 4 digits 3509 to be operated by driver Kathleen Hill.

4. That the vehicle described in paragraph 3 was inspected on that date by PUC Motor Carrier Enforcement Officer Joshua Corney on University Drive, College Township, Centre County, Pennsylvania. The vehicle did not have the company placard displayed on the wind-

shield and was transporting a greater number of individuals (6), including the driver, than the number of seat belts installed in the vehicle (5).

5. That Respondent, by allowing a vehicle to operate while not having the proper company placard displayed on the vehicle as specified by the Commission, violated 66 Pa.C.S. § 2605(b)(8). The penalty for this violation is \$50.00.

6. That Respondent, by allowing a vehicle to operate with a greater number of passengers (6), including the driver, than the number of seat belts installed in the vehicle (5), has violated 66 Pa.C.S. 2606(a). The penalty for this violation is \$100.00.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine Raiser—PA, LLC, the sum of dollars (\$150.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,  
 Brian B. Mehus, Acting Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement  
 400 North Street  
 Harrisburg, PA 17120

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 20 September 2024

Brian B. Mehus, Acting Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 400 North Street, 2nd Floor  
 Harrisburg, PA 17120

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement  
 Pennsylvania Public Utility Commission  
 400 North Street, 3rd Floor  
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a

fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street, 2nd Floor  
Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-1661. Filed for public inspection November 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2024-3051942. Pennsylvania Telephone Company and Level 3 Communications, LLC.** Joint petition of Pennsylvania Telephone Company and Level 3 Communications, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Pennsylvania Telephone Company and Level 3 Communications, LLC, by their counsel, filed on November 1, 2024, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Pennsylvania Telephone Company and Level 3 Communications, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

The contact person is Kim Hafner, Director, Office of Special Assistants, (717) 705-3822.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-1662. Filed for public inspection November 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer of Control

**A-2024-3051925, A-2024-3051926, A-2024-3051927, A-2024-3051929, A-2024-3051931, A-2024-3051932, A-2024-3051933, A-2024-3051934, A-2024-3051935 and A-2024-3051936. Frontier Communications Parent, Inc., Commonwealth Telephone Enterprises, LLC, Commonwealth Telephone Company, LLC, d/b/a Frontier Communications Commonwealth Telephone Company, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC, Citizens Telecommunications Company of New York, Inc., CTSI, LLC, d/b/a Frontier Communications CTSI, LLC, CTE Telecom, LLC, d/b/a Frontier Communications CTE Telecom Company, Frontier Communications of America, Inc. and Verizon Communications, Inc., France Merger Sub, Inc.** Joint application of Frontier Communications Parent, Inc., Commonwealth Telephone Enterprises, LLC, Commonwealth Telephone Company, LLC, d/b/a Frontier Communications Commonwealth Telephone Company, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC, Citizens Telecommunications Company of New York, Inc., CTSI, LLC, d/b/a Frontier Communications CTSI, LLC, CTE Telecom, LLC, d/b/a Frontier Communications CTE Telecom Company, Frontier Communications of America, Inc. and Verizon Communications, Inc., France Merger Sub, Inc. for any approvals required under the Public Utility Code for a transfer of control of Frontier Communications Parent, Inc. and subsidiaries in this Commonwealth to Verizon Communications, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, December 2, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission by means of eService on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) or at 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

*Joint Applicants:* Commonwealth Telephone Company LLC, d/b/a Frontier Communications Commonwealth Telephone Company; Frontier Communications of Breezewood, LLC; Frontier Communications of Canton, LLC; Frontier Communications of Lakewood, LLC; Frontier Communications of Oswayo River, LLC; Frontier Communications of Pennsylvania, LLC; Citizens Telecommunications Company of New York, Inc.; CTSI, LLC, d/b/a Frontier Communications CTSI, LLC; CTE Telecom, LLC,

d/b/a Frontier Communications CTE Telecom Company;  
Frontier Communications of America, Inc.

*Through and By Counsel:* Suzan D. Paiva, Esquire,  
Verizon, 900 Race Street, 6th Floor, Philadelphia, PA  
19107, (267) 768-6184, Suzan.d.paiva@verizon.com; Nancy  
J. Victory, Esquire, Michael B. Hazzard, Esquire, DLA  
Piper, LLP (US), 500 Eighth Street NW, Washington, DC  
20004, (202) 799-4216, Nancy.Victory@us.dlapiper.com,  
Mike.Hazzard@us.dlapiper.com; Norman J. Kennard, Es-

quire, Bryce R. Beard, Esquire, Eckert Seamans Cherin &  
Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg,  
PA 17101, (717) 237-6024, Nkennard@eckertseamans.com,  
Bbeard@eckertseamans.com

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-1663. Filed for public inspection November 15, 2024, 9:00 a.m.]

END OF ISSUE















