

PENNSYLVANIA BULLETIN

Volume 54
Saturday, December 7, 2024 • Harrisburg, PA

Number 49

Part II

This part contains the
Notices



NOTICES

DEPARTMENT OF AGING

Pharmaceutical Assistance Advisory Board Meeting

The Pharmaceutical Assistance Advisory Board will hold a meeting by means of Microsoft Teams on Monday, December 16, 2024, from 2 p.m. to 3:30 p.m. For connection information or any questions, contact Megan McDaniel, memcdaniel@pa.gov, (717) 787-7313.

JASON KAVULICH,
Secretary

[Pa.B. Doc. No. 24-1728. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

General Quarantine Order; Influenza A Viruses in Ruminants; Mandatory Testing of Milk from Pennsylvania Dairy Farms

Recitals:

The following recitals set forth and describe the dangerous transmissible disease for which this General Quarantine Order; Influenza A Viruses in Ruminants, Mandatory Testing of Milk from Dairy Cattle Farms (General Quarantine Order) is instituted, specify the species of domestic animals affected by and subject to this General Quarantine Order, and provides the authority under which this General Quarantine Order is established.

A. Influenza A viruses have the potential to mutate and transfer into different host species.

B. The Highly Pathogenic Avian Influenza (HPAI) Eurasian lineage goose/Guangdong H5 clade 2.3.4.4 virus has been confirmed in wild birds and in poultry flocks across the United States in 2024.

C. HPAI has caused substantial loss in the past to the Pennsylvania poultry industry and has caused widespread losses to the poultry industry in states in which poultry have been infected.

D. Certain influenza A viruses, including H5 and H7 viruses, can cause severe disease in poultry and other avian species and have also been identified as a cause of clinical disease in other animals, including dairy cattle. In March 2024, an H5 influenza A virus was identified as a cause of a multistate outbreak of disease in dairy cattle. Clinical signs in dairy cattle include a decrease in feed consumption, with a simultaneous decrease in rumination and rumen motility; respiratory signs including clear nasal discharge; and subsequent acute drop in milk production. Additional clinical signs may include abnormal tacky or loose feces, lethargy, dehydration, and fever. Severely affected cattle may have thicker, concentrated, colostrum-like milk or produce no milk at all.

E. The ability of the H5 influenza A virus to be transmitted between poultry and cattle poses a threat to both the poultry and the cattle industries in Pennsylvania by threatening the economic wellbeing of the domestic animal and allied industries. In addition, H5 and H7 influenza A viruses in poultry and ruminants may pose a risk to farm workers due to their zoonotic potential.

F. Section 2321(a) of the Domestic Animal Law (relating to specific dangerous transmissible diseases) (3 Pa.C.S. § 2321(a)) establishes specific transmissible diseases as dangerous transmissible diseases within the meaning of the Domestic Animal Law.

G. Section 2321(d) of the Domestic Animal Law (relating to designation of additional dangerous transmissible disease through temporary order) provides, "Upon the determination that a transmissible disease not listed in subsection (a) and not designated a dangerous transmissible disease through regulation under subsection (b) presents a danger to public health, to domestic animal health, to the safety or quality of the food supply or to the economic wellbeing of the domestic animal industries, the Department shall issue a temporary order proclaiming that transmissible disease to be a dangerous transmissible disease within the meaning of this chapter. . ." (3 Pa.C.S. § 2321(d)).

H. The Department amended a previous Temporary Order Designating Dangerous Transmissible Diseases published in the *Pennsylvania Bulletin* on December 2, 2023 (53 Pa.B. 7373) to include "Influenza A Viruses in Ruminants" as a dangerous transmissible disease. The amended Temporary Order was published in the April 20, 2024, edition of the *Pennsylvania Bulletin* (54 Pa.B. 2098) and such designation was effective immediately upon publication of that edition.

I. Section 2329(a) of the Domestic Animal Law (relating to power to establish and enforce), authorizes the Department to establish a Quarantine Order "Whenever a dangerous transmissible disease. . .exists anywhere within or outside of this Commonwealth, or whenever it is deemed advisable to test or treat any domestic animal upon the reasonable suspicion that it has contracted or been exposed to a dangerous transmissible disease. . .or whenever the testing or treatment of a domestic animal indicates that the domestic animal has been exposed to a dangerous transmissible disease. . .so as to render future accurate testing for recent exposure of that domestic animal to that dangerous transmissible disease. . .impractical or impossible, the Department shall have the power to establish and enforce quarantines of any such infected, exposed, contaminated, suspected or susceptible domestic animal. In addition to the aforescribed domestic animals, a quarantine may apply to any goods, products, facilities, containers, vehicles or materials that may carry dangerous transmissible disease. . .and may be applied on or in or against any premises, area or locality as defined in this chapter." (3 Pa.C.S. § 2329(a)).

J. Section 2329 (related to quarantine) of the Domestic Animal Law (3 Pa.C.S. § 2329) establishes three different types of quarantine orders—Interstate and International (3 Pa.C.S. § 2329(c)), General (3 Pa.C.S. § 2329(d)) and Special (3 Pa.C.S. § 2329(e))—the Department may impose.

K. Section 2329(d) of the Domestic Animal Law provides specific authority to establish and enforce a general quarantine order ". . .against any area or locality within this Commonwealth for any of the reasons set forth in subsection (a) to prevent a dangerous transmissible disease. . .from being carried into, within, from or out of the area or locality that is subject to the quarantine. A general quarantine order may include any domestic animals, conveyances, containers, goods, products or materials that may carry dangerous transmissible disease. . .and

may include any area or locality, including all buildings, structures, premises and equipment located therein.” (3 Pa.C.S. § 2329(d)).

L. Section 2327(a) of the Domestic Animal Law provides, “The department shall have the authority to regularly monitor the domestic animal population of this Commonwealth to determine the prevalence, incidence and location of transmissible diseases. . .” (3 Pa.C.S. § 2327(a)).

M. Surveillance of Pennsylvania dairy cattle herds through milk testing is necessary to determine if influenza A is circulating in dairy cattle due to the risk posed to other dairy cattle herds, poultry flocks, and farm workers.

Order:

With the foregoing recitals incorporated into this General Quarantine Order by reference, the Department hereby establishes a General Quarantine Order related to mandatory testing requirements for Pennsylvania dairy cattle herds. This General Quarantine Order is established under authority of the Domestic Animal Law, at 3 Pa.C.S. § 2329(d). The terms of this General Quarantine Order are as follows:

1. *Definitions*

Approved inspector. A person who has been licensed by the Department to perform dairy farm inspections.

Approved sampler. A persons certified by the Department to obtain sample of milk or milk products for analysis by a Pennsylvania-approved dairy laboratory. Certified industry inspector. An approved inspector who has been licensed by the Department to inspect dairy farms on which milk is produces for an interstate milk shipper.

Bulk milk hauler/sampler. As defined in the Grade “A” PMO.

Dairy cattle. Cattle belonging to breeds raised for milk production purposes, or crosses thereof, included in the Genus *Bos*.

Grade “A” PMO. The 2023 revision of the Grade “A” Pasteurized Milk Ordinance and its appendices, as published by the Food and Drug Administration of the United States Department of Health and Human Services.

Industry milk sampler. As defined in the Grade “A” PMO.

Infected Premises. Premises where a presumptive positive case or confirmed positive case of influenza A in ruminants or poultry exists based on laboratory results, compatible clinical signs, HPAI case definition, and international standards.

Infected Zone. The 3-kilometer radius surrounding an infected premises. Milk tanker. Bulk delivery truck that delivers raw milk from a dairy farm to a processor.

NVSL. National Veterinary Services Laboratories.

Pennsylvania dairy farm. A farm located within the Commonwealth wherein dairy cattle are producing milk for sale.

Poultry. All birds reared or kept in captivity for the production of any commercial animal products or for breeding for this purpose, fighting cocks used for any purpose, and all birds used for restocking supplies of game or for breeding for this purpose, until they are released from captivity.

USDA. United States Department of Agriculture.

2. *Quarantine Area.* The area covered by this General Quarantine Order is the entire Commonwealth of Pennsylvania.

3. *Mandatory Milk testing requirements.*

(a) No later than November 26, 2024, any milk processor in Pennsylvania that is purchasing or receiving bulk raw milk directly from a Pennsylvania dairy farm or milk cooperative, and any individual Pennsylvania dairy farm or milk cooperative that is delivering bulk raw milk from a Pennsylvania dairy farm to an out-of-state milk processor, shall begin collecting and submitting samples of raw milk taken from each compartment of each milk tanker to the Department for testing in the following manner:

(i) Milk tanker samples must be collected on a schedule and at a frequency that ensures that at least one sample of milk from every Pennsylvania dairy farm in every pickup route is collected at least once every 14 days.

(ii) Collection of initial samples may be staggered so that samples from each Pennsylvania dairy farm in every pickup route are collected within the first 14 days after November 26, 2024. A staggered schedule of sample collection should be maintained so that approximately the same number of samples are collected and submitted each day during each 14-day period.

(iii) For milk purchased or received directly from a Pennsylvania dairy farm or milk cooperative by a milk processing plant in Pennsylvania, samples must be collected at the milk processing plant by an industry milk sampler.

(iv) For milk being delivered to an out of state processing plant by an individual Pennsylvania dairy farmer or a milk cooperative handling or marketing milk on behalf of individual dairy farmers, the sample must be collected by a bulk milk hauler/sampler.

(v) Samples must be submitted within 48 hours of collection in tubes provided by the Department. If hand delivering, samples must be delivered to the nearest Pennsylvania Animal Diagnostic Laboratory System lab. If mailing, samples must be submitted to: The Animal Diagnostic Laboratory, 131 Pastureview Rd. University Park, PA 16802.

(vi) Samples shall be accompanied by a PADLS submission form that indicates the number of farms contributing to each sample, the USDA-issued premises ID of the processing plant, individual farm, or cooperative submitting the sample, number of samples included in the submission, date of collection for each sample and the name of the sampler for each sample. Multiple samples may be included on a single submission form.

(vii) All purchasers, receivers, or handlers of raw bulk milk from a Pennsylvania farm shall keep records adequate to assure compliance with subsection 3(a) and to assure a sample of milk that tests positive or non-negative for Influenza A virus may be traced back to the Pennsylvania dairy farm from which that milk originated.

(b) If a milk tanker sample tests positive or non-negative for Influenza A virus, the following shall apply:

(i) The purchaser shall provide the Department access to the identification of all Pennsylvania dairy farms from which milk was collected on that tanker within 12 hours of the request.

(ii) The Department will collect and test milk samples from each dairy farm identified under subsection (i).

(iii) If test results confirm a positive or non-negative finding for Influenza A virus on a dairy farm, the

Department will establish and post an order of special quarantine upon that farm, identify that farm as an infected premises and establish an Infected Zone surrounding that farm. The requirements established in section (c) of this General Quarantine Order will become applicable and will be implemented.

(c) Additional requirements will apply if infected premises are present in the Commonwealth.

i. All dairy cattle herds located within the Infected Zone shall submit bulk tank or in-line milk samples for the purpose of surveillance for influenza A. Each herd must have a USDA issued federal premises identification number registered with the Department.

ii. Testing and sampling on each premises with dairy cattle within the Infected Zone will continue at a frequency and duration set by the Department based upon epidemiological analyses until the Infected Zone is closed by the Department.

iii. The Department possesses the authority to perform additional surveillance and testing outside the Infected Zone and may assert and utilize that authority as deemed necessary.

iv. The Department will continue surveillance testing under section 3 of this General Quarantine Order to determine prevalence of disease in other parts of the Commonwealth.

(d) The Department reserves the ability to do additional testing as deemed appropriate from any milk quality testing laboratory, milk processor, or individual farm.

4. *Milk sample requirements upon finding of positive or non-negative sample.*

(a) Milk samples shall be collected and submitted by any of the following:

(i) An approved inspector, approved sampler or certified industry inspector,

(ii) Federal or State officials or alternative samplers selected and approved by USDA and the Department.

(iii) Category II Accredited Veterinarians.

(b) The sampling schedule will be determined by the Department and will be conveyed in writing to milk processors and individual farms.

5. *Testing procedure.* Samples shall be submitted to a Pennsylvania Animal Diagnostic Laboratory System (PADLS) laboratory according to sample submission guidelines provided by the laboratory and available at <http://padls.agriculture.pa.gov>. Each sample collected and submitted shall be tested for influenza A virus using polymerase chain reaction (PCR) testing under protocols approved by NVSL.

6. *Reporting of premises information.*

(a) The milk processor or milk quality laboratory shall submit samples to PADLS under their own USDA issued federal premises identification number and shall report within 24 hours the source location(s) of individual samples to the Department upon request.

(b) Individual farms submitting bulk tank or in-line samples shall report their USDA issued federal premises identification number on the PADLS submission form.

7. *Violations and Penalties.*

Any person violating the requirements of this Order shall be subject to enforcement and penalties as are allowed under the provisions of the Domestic Animal Law (3 Pa.C.S. § 2301 et seq.), which include criminal prosecution, civil penalties of up to \$10,000 per violation, injunctive relief, or any combination of those penalties.

8. *No Restriction on Further Action by the Department.*

This General Quarantine Order shall not be construed as limiting the Department's authority to establish additional quarantine or testing requirements on imported cattle or to limit the Department's authority under the Domestic Animal Law or any other statutes or regulations administered by the Department.

9. *Contact information.*

Questions regarding this General Quarantine Order may be directed to the Commonwealth of Pennsylvania, Department of Agriculture, Bureau of Animal Health, 2301 North Cameron Street, Harrisburg, PA 17110 or by telephone at 717-772-2852, or email at RA-ahds@pa.gov.

10. *Effective Date.*

This General Quarantine Order in its entirety shall become effective immediately upon signature of the Secretary of the Pennsylvania Department of Agriculture and shall remain in effect for twelve months following publication unless rescinded, extended, or modified by a subsequent Order.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 24-1729. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Seed Analysis Fees

The Secretary of Agriculture (Secretary), under 3 Pa.C.S. § 7109 (relating to fees), establishes the following revised seed testing fee schedule for the Department of Agriculture's (Department) Seed Testing Laboratory. Section 7109(e) of 3 Pa.C.S. requires the Secretary to announce the adjustment of fees by publishing a notice in the *Pennsylvania Bulletin*.

The new seed testing fee schedule is located on the Department's, Seed Program web page at www.pa.gov/en/agencies/pda/plants-land-water/plant-industry/agronomic-products/seed.

Licensed seed dealers will be provided a copy of the updated seed testing fee schedule in advance by the Department.

Effective Date

The revised fees established in the seed testing fee schedule are effective 60 days from the date of publication in the *Pennsylvania Bulletin*.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 24-1730. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending November 26, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
11-18-2024	First Commonwealth Bank Indiana Indiana County	701 Parsons Avenue Columbus Franklin County, OH	Opened
11-19-2024	Mid Penn Bank Millersburg Dauphin County	212 East Lancaster Avenue Wayne Delaware County	Accepted

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
11-19-2024	Presence Bank Coatesville Chester County	<i>To:</i> 24 South Third Street Unit 101 Oxford Chester County <i>From:</i> 126 South Third Street Oxford Chester County	Approved
11-21-2024	Community State Bank of Orbisonia Orbisonia Huntingdon County	<i>To:</i> 454 Loudon Road Mercersburg Franklin County <i>From:</i> 350 North Main Street Mercersburg Franklin County	Accepted

CREDIT UNIONS

No activity.

The Department's web site at www.pa.gov/dobs includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1731. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Annual Certification under Section 7201-B(e) of the Tax Reform Code

November 18, 2024

Tony B. Watlington, Sr., Ed.D
Superintendent
School District of Philadelphia
440 North Broad Street, Suite 301
Philadelphia, PA 19130

Dear Dr. Watlington:

I am writing pursuant to Section 7201-B(e) of the Tax Reform Code, Act 52 of 2013, 72 P.S. § 7201-B(e), which provides that a city of the first class may impose a one percent sales and use tax that may be used by a school district of the first class in an amount up to \$120,000,000. Effective July 1, 2014, the City of Philadelphia imposed this sales and use tax. However, the use of these funds by the School District of Philadelphia (“District”) must be authorized by the Secretary of Education.

Pursuant to Section 7201-B(e)(1), as Secretary of Education, I must consider whether “the school district. . .began implementation of reforms that provide for [the District’s] fiscal stability, educational improvement and operational control.”

According to the District, it has utilized new funding from the City of Philadelphia to build on previous investments and expand those investments, including:

- Reducing student to personnel allocation ratios for assistant principals, counselors, secretaries;
- Funding of 6-hour Student Climate Staff positions including benefits;
- Funding for schools implementing Positive Behavior Interventions and Supports (PBIS) programs;
- Providing additional counselors and school improvement support liaison positions for schools with the greatest need;
- Providing additional English as a Second Language teaching positions and special education teaching positions

The District is also implementing Accelerate Philly, a 5-year strategic plan adopted in June, 2023. Accelerate Philly includes five Priority Areas and 62 Strategic Actions that the District has begun and will continue to undertake through 2028 to accelerate progress and transform outcomes for its students.

The District has also reported that additional steps have been taken to improve operational controls and to maintain fiscal stability, including that it received an increased credit rating from Fitch Ratings in May, 2024 and projects to end the fiscal year with more than a \$794 million positive fund balance.

As a result of the foregoing reforms documented by the District, I hereby certify that the requisites of Section 7201-B(e) of the Tax Reform Code have been satisfied. I authorize the Pennsylvania Department of Revenue to disburse to the District, on or before the tenth day of every month, the total amount of money contained in the Local Sales and Use Tax Fund as of the last day of the previous month up to a maximum of \$120,000,000 pursuant to section 7201-B(e)(2) of the Tax Reform Code.

DR. KHALID N. MUMIN,
Secretary

cc: Majority Chair of the Senate Appropriations Committee
Minority Chair of the Senate Appropriations Committee
Majority Chair of the House Appropriations Committee
Minority Chair of the House Appropriations Committee
Majority Chair of the Senate Education Committee
Minority Chair of the Senate Education Committee
Majority Chair of the House Education Committee
Minority Chair of the House Education Committee
Reginald L. Streater, President, Board of Education
Pat Browne, Secretary, Pennsylvania Department of Revenue

[Pa.B. Doc. No. 24-1732. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water

Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section Category

I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0918830	Joint DEP/PFBC Pesticides Permit	Amendment	Windsor Square HOA 975 Easton Road Suite 102 Warrington, PA 18976	Buckingham Township Bucks County	SERO
0924819	Joint DEP/PFBC Pesticides Permit	New	Swartz John 1125 Callowhill Road Chalfont, PA 18914-1061	Hilltown Township Bucks County	SERO
1524819	Joint DEP/PFBC Pesticides Permit	New	Crev LLC Sea Horse Farm 231 Spring Road Malvern, PA 19355-3415	Willistown Township Chester County	SERO
2024806	Joint DEP/PFBC Pesticides Permit	New	Roger Bowes 28511 State Highway 77 Guys Mills, PA 16327-1654	Richmond Township Crawford County	NWRO
4524402	Land Application and Reuse of Sewage Individual WQM Permit	New	Rt 115 Assoc LLC 100 Front Street Suite 560 West Conshohocken, PA 19428	Tunkhannock Township Monroe County	NERO
0624207	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	JVI LLC 1265 Miller Road Wind Gap, PA 18091-9765	Greenwich Township Berks County	SCRO
5272401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Escape POA P.O. Box 282 Greentown, PA 18426-0282	Palmyra Township Pike County	NERO
NOEXNE066	No Exposure Certification	New	Dober Chemical Corp 11230 Katherines Crossing Woodridge, IL 60517-5127	Delano Township Schuylkill County	NERO
NOEXNW247	No Exposure Certification	New	American Tinning & Galvanizing Co. 552 W 12th Street Erie, PA 16501-1507	Erie City Erie County	NWRO
NOEXSW172	No Exposure Certification	Renewal	Eaton Corp 1000 Cherrington Parkway Moon Twp, PA 15108-4312	Moon Township Allegheny County	SWRO
PAG032441	PAG-03 NPDES General Permit for Industrial Stormwater	New	Walmart Stores East LP 702 SW 8th Street Bentonville, AR 72712-6209	Bethlehem City Northampton County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG032443	PAG-03 NPDES General Permit for Industrial Stormwater	New	Copart of Ct Inc. 14185 Dallas Parkway Dallas, TX 75254-1319	North Whitehall Township Lehigh County	NERO
PAG033673	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Purina Animal Nutrition LLC 3029 Hempland Road Lancaster, PA 17601-1309	East Hempfield Township Lancaster County	SCRO
PAG034096	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Farm Fresh Turkey Products LLC 304 S Water Street New Oxford, PA 17350-9688	New Oxford Borough Adams County	SCRO
PAG041404	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Musher Jeffrey 2525 Moores Corner Road Volant, PA 16156-6405	Plain Grove Township Lawrence County	NWRO
PAG041442	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Thompson Harry 116 Newell Creek Road Eldred, PA 16731	Eldred Township McKean County	NWRO
PAG041444	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Beverly & Guy Forbes 259 Old Route 8 Titusville, PA 16354-7555	Cherrytree Township Venango County	NWRO
PAG046497	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Harkobusic Jason 1175 Paintertown Road Irwin, PA 15642-4803	Penn Township Westmoreland County	SWRO
PAG153504	PAG-15 NPDES General Permit for Pesticides	Amendment	US Army Corp of Engineering 6145 Seven Points Road Hesston, PA 16647-8303	Penn Township Huntingdon County	SCRO
4807404	Pump Stations Individual WQM Permit	Amendment	Bethlehem City Northampton County 10 East Church Street Bethlehem, PA 18018	Bethlehem City Northampton County	NERO
1180403	Sewer Extensions Individual WQM Permit	Amendment	Scalp Level Borough Cambria County 422 Main Street Windber, PA 15963	Scalp Level Borough Cambria County	SWRO
1012404	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Steighner Ashley 121 Caldwell Drive Butler, PA 16002-3701	Jefferson Township Butler County	NWRO
WQG016169	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	Transfer	Everaldo Defreitas 248 N Regent St Port Chester, NY 10573-2624	Penn Hills Township Allegheny County	SWRO
WQG01042402	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	Transfer	PennDOT 45 Thoms Run Road Bridgeville, PA 15017	Sewickley Heights Borough Allegheny County	SWRO
WQG02452401	WQG-02 Sewer Extension WQM General Permit	New	Smithfield Sewer Authority 1155 Red Fox Road East Stroudsburg, PA 18301	Smithfield Township Monroe County	NERO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0115266, Sewage, SIC Code 4952, **Gregg Township Sewer Authority**, P.O. Box 103, Spring Mills, PA 16875-0103. Facility Name: Gregg Township Sewer Authority Wastewater Treatment Plant. This existing facility is located in Gregg Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Penns Creek, is located in State Water Plan watershed 6-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	18	30	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	22	33	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	0.02
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	18	30	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	22	33	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0233463, Storm Water, SIC Code 2421, **Bingaman & Son Lumber Inc.**, 1195 Creek Mountain Road, Kreamer, PA 17833. Facility Name: Pine Creek Lumber Manufacturing. This proposed facility is located in Lamar Township, **Clinton County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Fishing Creek (CWF, MF), is located in State Water Plan watershed 9-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Stormwater Monitoring Requirements
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PAI132202, MS4, **Moore Township, Northampton County**, 2491 Community Drive, Bath, PA 18014-8841.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Moore Township, **Northampton County**. The receiving streams, Monocacy Creek (HQ-CWF, MF), Unnamed Tributary to East Branch Monocacy Creek (HQ-CWF, MF), Unnamed Tributary to Indian Creek (CWF, MF), Hokendauqua Creek (CWF, MF), East Branch Monocacy Creek (HQ-CWF, MF), Unnamed Tributary to Bushkill Creek (HQ-CWF, MF), Unnamed Tributary to Hokendauqua Creek (CWF, MF), and Unnamed Tributary to Monocacy Creek (HQ-CWF, MF), are located in State Water Plan watershed 1-F and 2-C and is classified for High Quality-Cold Water, Migratory Fish, Cold Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Northeast Regional Office

PAI132269, MS4, **Moosic Borough, Lackawanna County**, 715 Main Street, Moosic, PA 18507-1023.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Moosic Borough, **Lackawanna County**. The receiving streams, Covey Swamp Creek (CWF, MF), Lackawanna River (CWF, MF), Unnamed Tributary to Covey Swamp Creek (CWF, MF), Mill Creek (CWF, MF), Spring Brook (CWF, MF), and Stafford Meadow Brook (CWF, MF), is located in State Water Plan watershed 5-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Northwest Regional Office

PA0221449, SIC Code 4952, **Buffalo Township Municipal Authority**, 707 South Pike Road, Sarver, PA 16055-9201. Facility Name: Buffalo Township Municipal Authority STP. This existing facility is located in Buffalo Township, **Butler County**.

Description of Existing Activity: The application is for an NPDES permit amendment for an existing discharge of treated domestic sewage.

The receiving stream(s), Buffalo Creek (TSF), is located in State Water Plan watershed 18-F and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.89 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	185	295	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	225	335	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	63.0	XXX	XXX	8.5	XXX	17
Total Phosphorus	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Copper, Total (ug/L)	0.18	0.28	XXX	24.2	37.7	60.4
Zinc, Total	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	Daily Max XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	216	325	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	Wkly Avg XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	325	487	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	Wkly Avg XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly	Daily Maximum	
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	92.0	XXX	XXX	8.5	XXX	17
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total (ug/L)	0.26	0.41	XXX	24.3	37.9	60.7
		Daily Max				
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity Testing

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0221759, Sewage, SIC Code 8811, **Thomas Shuttleworth**, 924 Hickory Road, Saint Marys, PA 15857-3025. Facility Name: Thomas Shuttleworth SRSTP. This existing facility is located in Jones Township, **Elk County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Swamp Creek (HQ-CWF), is located in State Water Plan watershed 17-A and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5 Avg Mo	XXX	1.2

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0221830, Sewage, SIC Code 4952, **West Sunbury Borough Municipal Authority, Butler County**, P.O. Box 202, West Sunbury, PA 16061-0202. Facility Name: West Sunbury Borough STP. This existing facility is located in West Sunbury Borough, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of South Branch Slippery Rock Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .028 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
			4.0		XXX	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.4
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	5.8	9.3	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	7.0	10.5	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	8.1	16.2
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.7	XXX	5.4

The proposed effluent limits for Outfall 001 are based on a design flow of .028 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Semi Avg	XXX	XXX
				Report		
E. Coli (No./100ml)	XXX	XXX	XXX	Semi Avg	XXX	Report
				XXX		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0223042, Sewage, SIC Code 4952, **PA American Water Co.**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436. Facility Name: Farmington Township STP Clarion. This existing facility is located at 191 Fickenworth Lane, Leeper, PA 16233 in Farmington Township, **Clarion County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Licking Creek (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
			4.0		XXX	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	21	33	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	25	38	XXX	30	45	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0253324, Sewage, SIC Code 8059, **North American Medical Center LLC**, 680 Lions Health Camp Road, Indiana, PA 15701-8781. Facility Name: Scenery Hill Manor Personal Care Home STP. This existing facility is located in Armstrong Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Cheese Run (CWF), is located in State Water Plan watershed 17-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0044 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.15
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	12.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0263541, Sewage, SIC Code 8811, **Thomas Young**, 209 Center Drive, Chicora, PA 16025-3705. Facility Name: Thomas Young SRSTP. This existing facility is located in Oakland Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Thorn Creek (HQ-WWF), is located in State Water Plan watershed 20-C and is classified for High Quality Waters-Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295914, Storm Water, SIC Code 3316, **Latrobe Specialty Metals A Carpenter Co.**, 2626 Ligonier Street, Latrobe, PA 15650-3246. Facility Name: Latrobe Spec Metals Sandycreek Service Center. This proposed facility is located in Sandycreek Township, **Venango County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Morrison Run (EV (existing use)), is located in State Water Plan watershed 16-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0281905, Concentrated Animal Feeding Operation (CAFO), **Matthew Horning (Blue Lake Farm)**, 3370 Forest Hill Road, Mifflinburg, PA 17844-7614.

Matthew Horning has submitted an application for an Individual NPDES permit for a new CAFO known as Blue Lake Farm, located in West Buffalo Township, **Union County**.

The CAFO is situated near Unnamed Tributary to Rapid Run (HQ-CWF, MF) in Watershed 10-C, which is classified for High Quality-Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 240.00 animal equivalent units (AEUs) consisting of 84,000 Layers, 25 Medium Breed Ewe, 30 Meat Goat Doe, 3 Pony Mature, 1 Medium Breed Ram, 2 Light Horse Mature, 45 Medium Breed Lamb, and 4 Beef Backgrounding Cattle. Solid manure is stored on the operation in three poultry house underbarn storages and a separate manure stacking shed. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

PA0050521, Sewage, SIC Code 4952, **Green Lane—Marlborough Joint Authority**, P.O. Box 45, Green Lane, PA 18054-0045. Facility Name: Green Lane—Marlboro STP. This existing facility is located in Green Lane Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Perkiomen Creek (WWF, MF), is located in State Water Plan watershed 3-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0 Avg Qrtly	2,000.0 Daily Max	2,500
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	42	66	XXX	25	40	50
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	50	75	XXX	30	45	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	17	25	XXX	10	15	20
Total Phosphorus	3.3	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- No stormwater shall be admitted to sanitary sewers
- Proper disposal of collected screenings, slurries, sludges, and other solids
- Permittee shall optimize chlorine dosages to minimize TRC in effluent
- Permittee shall notify DEP of operator in charge
- Permittee shall develop Operations and Maintenance (O&M) Plan
- Seasonal limits for fecal coliform
- Permittee shall report operation of UV disinfection system on a daily basis using Daily Effluent Monitoring Form

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0058572, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater, Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3402. Facility Name: Penn Township Sewer System & STP. This existing facility is located in Penn Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of East Branch Big Elk Creek (HQ-TSF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fish and High Quality Waters-Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .35 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	29.2	XXX	Inst Min XXX	10	XXX	20
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	29.2	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	13.1	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	4.4	XXX	XXX	1.5	XXX	3
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	2.9	XXX	XXX	1.0	XXX	2
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .35 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly</i>	<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
		Total Annual				

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrients requirements
- Optimization of chlorine dosage
- Notification of designation of responsible operator
- Maintain O&M plan
- Solids management for non-lagoon system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130003, MS4, **Phoenixville Borough, Chester County**, 351 Bridge Street, Floor 2, Phoenixville, PA 19460-3355.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Phoenixville Borough, **Chester County**. The receiving stream(s), Schuylkill River (WWF, MF) and French Creek (TSF, MF), is located in State Water Plan watershed 3-D and is classified for Trout Stocking, Warm Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southwest Regional Office

PA0098957, Sewage, SIC Code 4952, **Fayette County Housing Authority**, 624 Pittsburgh Road, Uniontown, PA 15401-2214. Facility Name: Outcrop Village STP. This existing facility is located in Springhill Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Georges Creek (WWF), is located in State Water Plan watershed 19-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0263 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report XXX
Total Nitrogen	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0263 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				13.98	XXX	Report
May 1 - Oct 31	XXX	XXX	XXX	4.66	XXX	9.32
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids management for non-lagoon system
- Notification of designation of responsible operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0254126, Sewage, SIC Code 8800, **Charles & Sarah Hensel**, 115 Hamel Lane, Johnstown, PA 15905-5312. Facility Name: Hensel Comm STP. This existing facility is located in Upper Yoder Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Dalton Run (HQ-CWF), is located in State Water Plan watershed 18-E and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0009 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
Flow (MGD)	Report Avg Qrtly	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	10.5	XXX	21.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.5	XXX	7.0

In addition, the permit contains the following major special conditions:

- AMR and DMR submission
- Depth of septage annual measurement
- Septic tank pumping requirement
- Stormwater prohibition
- UV disinfection contact surface cleaning requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255611, Sewage, SIC Code 8800, **Lauren Wengler**, 138 Forrest Drive, Fombell, PA 16123-2412. Facility Name: Wengler Properties. This existing facility is located in Franklin Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Doe Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

In addition, the permit contains the following major special conditions:

- AMR submission requirements
- Depth of septage measurement
- Septic tank pumping requirement
- Optimization of chlorine dosage
- Stormwater prohibition
- Solids and screening handling
- UV bulbs cleaning requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Southeast Regional Office

Applicant: **Mid-Atlantic Interstate Transmission, A FirstEnergy Company**

Applicant Address: 2800 Pottsville Pike, P.O. Box 16001, Reading, PA 19612-6001

Application Number: **PAD090109**

Application Type: New

Municipality/County: Lower Milford Township, Milford Township, Richland Township, Springfield Township, Nockamixon Township, **Lehigh County** and **Bucks County**

Project Site Name: Gilbert-Hosensack OPGW Replacement

Total Earth Disturbance Area (acres): 35.21 acres

Surface Waters Receiving Stormwater Discharges: Hosensack Creek (CWF), UNT to Hosensack Creek (CWF), Licking Creek (HQ-TSF), UNT to Licking Creek (HQ-TSF), Unami Creek (HQ-TSF), UNT to Unami Creek (HQ-TSF), Tohickon Creek (TSF), UNT to Tohickon Creek (TSF), Cooks Creek (EV), UNT to Cooks Creek (EV), Haycock Creek (TSF), Gallows Run (CWF), UNT to Gallows Run (CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project proposes the replacement of the existing fiber optic ground wire (OPGW) line along the current FirstEnergy right-of-way. This project is approximately 16.5 miles long. Only areas in proximity to the structures will be impacted.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Bartlomiej & Kathryn Szostak**

Applicant Address: 404 Brookview Ct., Whippany, NJ 07981

Application Number: **PAD520058**

Application Type: New

Municipality/County: Milford Township, **Pike County**

Project Site Name: Milford Highlands Lot 38

Total Earth Disturbance Area (acres): 1.10 acres

Surface Waters Receiving Stormwater Discharges: UNT to Delaware River (HQ-CWF, MF) and Crawford Branch (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family dwelling with on-site septic system, well, and stormwater management.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Christiana Care**

Applicant Address: P.O. Box 1668, Wilmington, DE 19899

Application Number: **PAD150357**

Application Type: New

Municipality/County: Penn Township, **Chester County**

Project Site Name: Christiana Care—West Grove

Total Earth Disturbance Area (acres): 2.90 acres

Surface Waters Receiving Stormwater Discharges: UNT to East Branch Big Elk Creek (HQ-TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The demolition of 60,000 sq. ft. of the existing building and 17,369 sq. ft. of surrounding concrete and asphalt. These areas will then be converted to grass area with two walkways.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Route 115 Associates, LLC**

Applicant Address: 1 Tower Bridge, 100 Front Street, Suite 560, West Conshohocken, PA 19428

Application Number: **PAD450180**

Application Type: New

Municipality/County: Tunkhannock Township, **Monroe County**

Project Site Name: Route 115 Associates Warehouse

Total Earth Disturbance Area (acres): 63.86 acres

Surface Waters Receiving Stormwater Discharges: Tunkhannock Creek (EV, MF), EV Wetlands to Keiper Run (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The construction of a 803,778-square foot warehouse, parking facilities, stormwater management features, utilities and other associated infrastructure on an undeveloped lot.

Special Conditions: Detailed Critical Stage oversight during construction and post construction monitoring of infiltration facilities for a period of three (3) years after project completion. See draft permit for more details.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: Byler Real Estate Holdings, LLC

Applicant Address: 201 Iron Valley Road, Lebanon, PA 17042-8812

Application Number: PAD380038

Application Type: New

Municipality/County: North Cornwall Township, **Lebanon County**

Project Site Name: Byler Real Estate Holdings—Commercial Land Development

Total Earth Disturbance Area (acres): 55.82 acres

Surface Waters Receiving Stormwater Discharges: Snitz Creek (TSF, MF) and Snitz Creek (TSF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a commercial development, a public through road, privately owned access drives, parking lots, utilities, and stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: PennDOT Engineering District 4-0

Applicant Address: 55 Keystone Industrial Park, Dunmore, PA 18512

Application Number: PAD350012

Application Type: Renewal

Municipality/County: Dunmore Borough, Roaring Brook Township, **Lackawanna County**

Project Site Name: SR 0084 Section 282 over Roaring Brook

Total Earth Disturbance Area (acres): 69.54 acres

Surface Waters Receiving Stormwater Discharges: Roaring Brook (CWF, MF), Tributaries to Roaring Brook (CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The I-84 Section 282 project includes the replacement of 2 bridge structures and the reconfiguration of Exit 2 with SR 435 in Dunmore Borough and Roaring Brook Township, Lackawanna County. The reconfiguration consists of the removal of a bridge on I-84 NB and the addition of a new bridge on new alignment to connect the proposed Exit 2 with SR 435.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: Vanguard Development Group, Inc.

Applicant Address: 1801 Fruitville Pike, Suite 200, Lancaster, PA 17601

Application Number: PAD670114

Application Type: New

Municipality/County: Hopewell Township, **York County**

Project Site Name: Vanguard Storage

Total Earth Disturbance Area (acres): 9.88 acres

Surface Waters Receiving Stormwater Discharges: UNT to Rambo Run (EV, MF), UNT to Ebaughs Creek (CWF, MF) and UNT to Leibs Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Mini-storage facility with associated access drives

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Mid-Atlantic Interstate Transmission (MAIT)**

Applicant Address: 2800 Pottsville Pike, Reading, PA 19612

Application Number: **PAD060093 A-1**

Application Type: Major Amendment

Municipality/County: Jefferson, Penn, Upper Bern, Tilden Townships, and Hamburg Borough, **Berks County**

Project Site Name: 825 Bernville—South Hamburg 69kV Rebuild

Total Earth Disturbance Area (acres): 92.7 acres

Surface Waters Receiving Stormwater Discharges: Northkill Creek (CWF, MF), UNT to Northkill Creek (CWF, MF), UNT Leshar Run (WWF, MF), Leshar Run (WWF, MF), UNT Mill Creek (TSF, MF), Mill Creek (TSF, MF), Hassler Run (TSF, MF), UNT Hassler Run (TSF, MF), Schuylkill River (WWF, MF), and UNT Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: MAIT will be conducting an approximately 11 mile rebuild of a 69 kV transmission line (825 line). This will be a pole for pole replacement.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **UGI Utilities, Inc.**

Applicant Address: 1 UGI Drive, Denver, PA 17517

Application Number: **PAD210125**

Application Type: New

Municipality/County: Middlesex and South Middleton Townships, **Cumberland County**

Project Site Name: UGI Carlisle Interconnect

Total Earth Disturbance Area (acres): 12.07 acres

Surface Waters Receiving Stormwater Discharges: UNT to Letort Spring Run (HQ-CWF, MF) and Hogestown Run (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: UGI Utilities, Inc (UGI) proposes to construct a 12-inch natural gas distribution main that ties their existing 12-inch main on York Road (SR 0074) within South Middleton Township into the new UGI Carlisle LNG, LLC LNG facility in Middlesex Township. The main is over 2 miles total in length.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Regional Permit Coordination Office*Applicant: **Pennsylvania Turnpike Commission**

Applicant Address: 700 S Eisenhower Blvd, Middletown, PA 17057

Application Number: **PAD400083**

Application Type: New

Municipality/County: Bear Creek Township & Plains Township, **Luzerne County**

Project Site Name: NB-647 Bridge Replacement at Milepost A110.00 over Mill Creek

Total Earth Disturbance Area (acres): 10.85 acres

Surface Waters Receiving Stormwater Discharges: Mill Creek and tributaries to Mill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project consists of the replacement of the PA Turnpike (I-476) NB-647 bridge over Mill Creek and SR 2036, including associated Turnpike roadway construction, retaining walls to limit disturbances, and minor streambank stabilization.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Southcentral Regional Office*Applicant: **Jeff Sensenig**

Applicant Address: 50 Roberts Road, Nottingham, PA 19362-9514

Application Number: **PAD360132**

Application Type: New

Municipality/County: Little Britain Township, **Lancaster County**

Project Site Name: Jeff Sensenig Dairy Barn

Total Earth Disturbance Area (acres): 9.75 acres

Surface Waters Receiving Stormwater Discharges: Unnamed Tributary (UNT) to McCreary Run (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a dairy barn and concrete waste storage facility for the proper storage of animal manure prior to field application.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northwest Regional Office*Applicant: **Cranberry Township**

Applicant Address: 2525 Rochester Road, Cranberry Township, PA 16066

Application Number: **PAD100025**

Application Type: New

Municipality/County: Cranberry Township, **Butler County**

Project Site Name: Community Park North Improvements

Total Earth Disturbance Area (acres): 19 acres

Surface Waters Receiving Stormwater Discharges: UNT to Brush Creek (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The applicant is proposing to renovate the existing community park with new sports fields, access roads and parking, and other park amenities. A surface MRC basin, an infiltration basin, and vegetated swales are proposed to manage the stormwater from the site.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northwest Regional Office

Applicant: **Laurel Hills Partners LP**

Applicant Address: 361 Mars Valencia Road, Mars, PA 16046

Application Number: **PAD100024**

Application Type: New

Municipality/County: Buffalo Township, **Butler County**

Project Site Name: Laurel Hills

Total Earth Disturbance Area (acres): 29.75 acres

Surface Waters Receiving Stormwater Discharges: UNT Little Buffalo Creek (HQ, TSF), Sarver Run (HQ, TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Residential development

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northcentral Regional Office

Applicant: **Torron Group, L.P.**

Applicant Address: 366 Walker Drive, State College, PA 16801

Application Number: **PAD140122**

Application Type: New

Municipality/County: Walker Township, **Centre County**

Project Site Name: Zion Manor

Total Earth Disturbance Area (acres): 30.0 acres

Surface Waters Receiving Stormwater Discharges: Trib to Little Fishing Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: 30-acre subdivision with 76 single family lots.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Regional Permit Coordination Office

Applicant: **CMJM LLC**

Applicant Address: P.O. Box 446, Richland, PA 17087

Application Number: **PAD380045**

Application Type: New

Municipality/County: Millcreek Township, **Lebanon County**

Project Site Name: Bethany Road Subdivision

Total Earth Disturbance Area (acres): 23.53 acres

Surface Waters Receiving Stormwater Discharges: tributary to Tulpehocken Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: CMJM is proposing to subdivide and construct improvements to provide for 11 single family dwellings.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Cambria District Office

Applicant: **PA DEP Bureau of Abandoned Mine Reclamation**

Applicant Address: 286 Industrial Park Road, Ebensburg, PA 15931

Application Number: **PAD680022**

Application Type: New

Municipality/County: Goshen Township, **Clearfield County**

Project Site Name: OSM 17(1758)103.1

Total Earth Disturbance Area (acres): 10.2 acres

Surface Waters Receiving Stormwater Discharges: Little Trout Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Individual NPDES Permit to repair previously repaired dangerous landslide of a reclaimed highwall mine, which has impacted a township road at the base of the slope.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-472-1800.

Northcentral Regional Office

Applicant: **Jersey Shore Water Authority**

Applicant Address: 1111 Bardo Avenue, P.O. Box 5046, Jersey Shore, PA 17754

Application Number: **PAD410033**

Application Type: New

Municipality/County: Anthony Township and Salladasburg Borough, **Lycoming County**

Project Site Name: Larry's Creek Water Treatment Plant

Total Earth Disturbance Area (acres): 3.38 acres

Surface Waters Receiving Stormwater Discharges: Larry's Creek (EV-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The goal of the project is to replace the existing, aging conventional filtration system with a new membrane filtration system and all the applicable appurtenance. The project will include the construction of a new control building which will house the membrane filtration system and associated equipment. A new pretreatment chemical feed building, chemical feed systems, instrumentation, supervisory control, and data access (SCADA) system and an emergency generator. The new treatment facility will meet the future water system demands and ensure compliance with future regulations. Once the membrane filtration system is operational and approval is granted by the Department, the current conventional filtration system will be removed from service and the existing filtration building-will be demolished.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **The Pennsylvania State University**

Applicant Address: 203 Physical Plant, University Park, PA 16802

Application Number: **PAD140124**

Application Type: New

Municipality/County: College Township, **Centre County**

Project Site Name: Beaver Stadium Renovation

Total Earth Disturbance Area (acres): 9.85 acres

Surface Waters Receiving Stormwater Discharges: Slab Cabin Run (HQ-CWF, MF), Big Hollow (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Pennsylvania State University is proposing the demolition and reconstruction of the existing West Sideline of Beaver Stadium located in College Township, Centre County, PA. The renovation is to focus primarily on the West Side of the stadium, replacing that portion in its entirety and providing improved access for greatly improved circulation, new restrooms, upgraded concession offerings, and an updated broadcast level. Also included in this project are much needed improvements, including field lighting improvements to meet NCAA standards, East side vertical circulation improvements to improve and address accessibility needs/requirements, North and East side restroom and concession additions to supplement existing conditions. Outside the stadium, a new fence will be constructed to create a secure perimeter that is further from the entrances, which will positively impact fan entry. New plaza areas will be constructed inside this fence perimeter.

Special Conditions: PCSM Stormwater Demonstration—Offsite Stormwater Management Offsetting Credit. The Post-Construction Stormwater Management (PCSM) demonstration for this project is made in part by utilizing excess capacity within existing and proposed offsite PCSM Stormwater Control Measures (SCMs) to address the stormwater requirements associated with the project authorized by this permit. Offsite PCSM SCMs include the following: 1) the "PSU Barr Pit" infiltration basin authorized by the general NPDES permit PAC140147, 2) the "Bathgate Dam" or "Bathgate Detention Pond," a rate control wet pond and DEP regulated dam (D14-122), and 3) the "Bathgate Infiltration Basin" authorized by the individual NPDES permit PAD140002. Failure to construct, modify, operate, or maintain the offsite PCSM SCMs as required by Department of Environmental Protection (DEP) permits to satisfy all DEP administered regulatory requirements will result in DEP compliance and enforcement action. If this permit contains conditions or requirements which conflict with conditions or requirements within the authorizing permit for the previously listed enumerated Offsite PCSM SCMs, the more stringent and environmentally protective requirements apply; upon discovery of a conflicting condition or requirement, DEP shall be promptly notified and the subsequent corrective action plan implemented within the timeframe established by DEP.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17)

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

Application No. 5224507, Construction, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc.
Address	1 Aqua Way White Haven, PA 18661
Municipality	Lackawaxen Township
County	Pike County
Responsible Official	Alan Cerep Aqua Pennsylvania, Inc. 1 Aqua Way White Haven, PA 18661

Consulting Engineer Entech Engineering, Inc.
201 Penn Street
P.O. Box 32
Reading, PA 19603

Application Received November 11, 2024

Description The application proposes the permitting for a booster pump originally constructed in June 2020 under Emergency Permit No. 2520037-E1. This application is to retain the pump for conveying excess source capacity from the Woodloch Springs pressure zone to the Fawn Lake pressure zone. This is solely for use during periods of peak demand conditions.

Application No. 4524512, Construction, Public Water Supply.

Applicant **Pennsylvania American Water Company**

Address 852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Coolbaugh Township

County **Monroe County**

Responsible Official Bruce Aito
Pennsylvania American Water Company
852 Wesley Dr.
Mechanicsburg, PA 17055

Application Received November 7, 2024

Description The application proposes the construction of a new treatment facility at the existing Summit Point well station. The existing wellhouse will be demolished and replaced with a new facility which contains Greensand filters for iron and manganese removal, GAC adsorbers for the removal of PFAS, chemical storage and feed equipment for Sodium Hypochlorite, Sodium Hydroxide, Polymer, and Corrosion Inhibitor (zinc orthophosphate).

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4948.

Application No. 3624522, Construction, Public Water Supply.

Applicant **Ambassadors for Christ**

Address 21 Ambassador Drive
Paradise, PA 17562

Municipality Paradise Township

County **Lancaster County**

Responsible Official Qihui Le
21 Ambassador Drive
Paradise, PA 17562

Consulting Engineer Steckbeck Engineering & Surveying, Inc.
279 North Zinns Mill
Suite A
Lebanon, PA 17042

Application Received November 18, 2024

Description Installation of nitrate removal treatment for Entry Point 102.

Application No. 3624527, Construction, Public Water Supply.

Applicant **Reading Truck Body, LLC**

Address 1363 Bowmansville Road
Bowmansville, PA 17507

Municipality Brecknock Township

County **Lancaster County**

Responsible Official Peter Hodson
1363 Bowmansville Road
Bowmansville, PA 17507

Consulting Engineer James R. Holley & Associates, Inc.
18 South George Street
Suite 300
York, PA 17401

Application Received November 18, 2024

Description Addition of soda ash injection for pH adjustment.

Application No. 7366413, Bottled Vended Bulk Retail, Public Water Supply.

Applicant **H2O to Go, Inc.**

Address 12 East Elizabeth Street
Maytown, PA 17550

Municipality East Donegal Township

County **Lancaster County**

Responsible Official Josh Markle
12 East Elizabeth Street
Maytown, PA 17550

Consulting Engineer Rettew Associates, Inc.
3020 Columbia Avenue
Lancaster, PA 17603

Application Received July 11, 2024

Description Installation of a stand-alone water vending machine at Save-A-Lot at 111 West 13th Street, Tyrone.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Application No. 0224561, Construction, Public Water Supply.

Applicant **Municipal Authority of the Borough of Oakmont**

Address 721 Allegheny Avenue
P.O. Box 73
Oakmont, PA 15139

Municipality Oakmont Borough

County **Allegheny County**

Responsible Official	James McCaskey 721 Allegheny Avenue P.O. Box 73 Oakmont, PA 15139
Consulting Engineer	NIRA Consulting Engineers, Inc. 950 Fifth Avenue Coraopolis, PA 15108
Application Received	October 21, 2024
Description	Application received for replacement of the Ultraviolet Disinfection System at the Municipal Authority of the Borough of Oakmont Hulton Water Treatment Plant.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public

involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Burning Bush Petroleum, Primary Facility ID # **879769**, 7118 State Route 92, South Gibson, PA 18842, Lenox Township, **Susquehanna County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651 on behalf of Burning Bush Petroleum, Inc., 302 State Route 92, Nicholson, PA 18446, submitted a Notice of Intent to Remediate. Soil was contaminated with gasoline. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Scranton Times* on November 12, 2024. Application received: November 19, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

New Garden Apartments, Primary Facility ID # **879835**, 9914-9916 Bustleton Avenue, Philadelphia, PA 19115, City of Philadelphia, **Philadelphia County**. Doug Schott, ARM Group LLC, 515 South Franklin Street, West Chester, PA 19382 on behalf of Jack Bienenfeld, Champion Development Corporation, 828 Red Lion Road, Suite E1, Philadelphia, PA 19115, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with diesel fuel and unleaded gasoline. The future use of the property is residential. The proposed cleanup standard is the Statewide health standard. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on October 28, 2024. Application received: November 4, 2024.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

PAD002330165. East Penn Manufacturing Co., P.O. Box 147, Lyon Station, PA 19536, Lyons Borough and Richmond Township, **Berks County**. This is a renewal of East Penn Manufacturing Co.'s RCRA Part B Permit for their facility located at 1 Deka Road, Lyon Station, PA 19536, for their spent lead-acid battery storage. Applica-

tion received: October 1, 2024. Deemed administratively complete: November 21, 2024.

Comments or questions concerning the application should be directed to Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982.

Contact: Jason Dunham, Environmental Group Manager.

WMGM042. Base General Permit. Elverson AD 1, LLC, 4366 Main St., Elverson, PA 19520-9330, Caernarvon Township, Berks County. The application requests two modifications to the Base General Permit No. WMGM042. WMGM042 authorizes the anaerobic digestion of animal manure generated on a farm to be blended with grease trap waste and pre-and-post consumer food waste from commercial and institutional establishments. WMGM042 authorizes beneficial use of: the methane gas produced by the anaerobic digestion as fuel, including in the production of electricity; the waste solids removed from the digester as animal bedding material at the farm; and the liquid waste and solids removed from the digester as a soil additive for agricultural purposes. The proposed modifications would allow a permittee under WMGM042 to accept food waste from an offsite depackaging facility for processing under WMGM042 and allow for processing of methane gas generated by anaerobic digestion under WMGM042 to remove impurities and improve its quality prior to beneficial use by injection into a pipeline for distribution. Application received: October 1, 2024. Deemed administratively complete: October 8, 2024.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-1982, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Contact: Jason Dunham, Environmental Group Manager, 717-787-7381.

CORRECTION—previously published on November 30, 2023.

WMGM038SC002. USAG Holdings LLC, dba USA Gypsum, 1368 West Route 897, Denver, PA 17517, Denver Borough, Lancaster County. General Permit No. WMGM038. USAG Holdings LLC, dba USA Gypsum,

1368 West Route 897, Denver, PA 17517. This application is for a modification to the Statewide general permit, WMGM038. The current project is located at 280 Ore Mine Road, Mount Joy, PA 17552, East Donegal Township, Lancaster County. General Permit No. WMGM038 authorizes the processing grinding, shredding, and screening of untreated and unpainted standard gypsum wallboard, commonly known as Type X, generated at residential homes and commercial construction sites, or manufacturing facilities. It is approved for the following beneficial uses: • For sale or distribution of the ground gypsum for use as a component of mushroom growing media; • For sale or distribution of the ground gypsum for use in the production of a soil additive material; • For land application of the ground gypsum as a soil amendment • For use as a component or ingredient in a manufacturing process provided the ground gypsum conforms to national, state or industry standards for which it is being used; and • For utilization of the backing paper as an animal bedding material. The proposed modifications to the base general permit are to: • Add processing of specialty wallboard (blue board, green board, and fiberglass faced) that is currently excluded from the General Permit WMGM038. • Add additional beneficial use of specialty wallboard as an ingredient the manufacturing of cement and concrete masonry units. The applications to modify the base General Permit WMGM038 were determined to be administratively complete on November 14, 2024. Application received: October 11, 2024. Accepted: October 11, 2024.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-7381, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7381. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982.

Contact: Jason Dunham, Environmental Group Manager.

WMGR025. Base General Permit. Rice Hay Farm, 1430 Henry Ln., Chambersburg, PA 17202, Guilford Township, Franklin County. The application requests modification to Base General Permit No. WMGR025. WMGR025 authorizes the composting of specified source-separated wastes and beneficial use of the compost as a soil conditioner, soil amendment, fertilizer, mulch, or for erosion control. The proposed modification would allow a permittee to accept packaged human and animal food waste, and process the waste by depackaging, prior to composting under the current terms and conditions of

WMGR025. Application received: October 16, 2024. Deemed administratively complete: October 23, 2024.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-1982, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITS@pa.gov.

WMGR147SE001, GMA Garnet (USA) Corporation, 1780 Hughes Landing, Suite 725, The Woodlands, TX 77380, Falls Township, **Bucks County.** This ten-year permit renewal application is to continue the processing and beneficial use of spent garnet in waterjet cutting and abrasive blasting under coverage defined in the General Permit No. WMGR147 at the GMA Garnet (USA) Corporation, Fairless Hills Processing Plant, located at 25 Middle Drive (within the Keystone Industrial Port Complex, i.e., KIPC), Fairless Hills, PA 19030, in Falls Township, Bucks County. Application received: October 7, 2024. Deemed administratively complete: November 21, 2024.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

101739. Casella Mid-Atlantic, LLC, 25 Green Hill Lane, Rutland, VT 05701-3804, Sterling Township, **Wayne County.** An application for a new municipal waste transfer station known as Casella Lake Ariel Hauling & Transfer Station to be located at 17 Industrial Park Road, Lake Ariel, PA 18436. The average processing capacity of the facility will be 750 tons per day with a daily maximum of 850 tons per day. The application was subject to the Local Municipality Involvement Process (LMIP) and the LMIP meeting took place on November 20, 2024. Application received: October 16, 2024. Deemed administratively complete: November 21, 2024.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2511 or RA-EPWM-NERO@pa.gov, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is suffi-

cient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

55-00014C: Bingaman & Son Lumber Inc., P.O. Box 247, Kreamer, PA 17833, Middlecreek Township, **Snyder County.** Application received: July 22, 2024. The Department plans to issue plan approval for the construction of new woodworking equipment including a trimsaw, rip saw, and wood grinder, to be controlled by a dust collector and two cyclone collectors, at the Kreamer Lumber Mill. The Department of Environmental Protection's (Department) review of the information submitted by Bingaman & Son Lumber Inc. indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emissions from the proposed woodworking equipment will not exceed one ton per year of particulate matter, including PM₁₀ and PM_{2.5}. No other types of emissions are anticipated from the proposed project. The following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements. Pursuant to 25 Pa. Code §§ 127.1 and 127.12, no person may permit the emission into the outdoor atmosphere of particulate matter from the exhaust of the relay cyclone collector in a manner that the concentration of particulate matter in the effluent gas exceeds 0.01 grain per dry standard cubic foot. Within 180 days of startup of the new equipment, the permittee

shall submit a source testing protocol for EPA reference method testing programs for filterable particulate matter on the outlet of the relay cyclone collector; the permittee shall respond to any request for additional information from BAQ Source Testing within 30 days, or as allowed by the Department; within 90 days of receipt of an approved testing protocol from BAQ Source Testing, the permittee shall conduct the approved EPA reference method testing programs on the relay cyclone outlet while the equipment operating at maximum routine operating conditions, or under other conditions as approved by the Department. The proposed fabric collector shall provide a particulate matter removal efficiency of at least 99.995%. The proposed cyclone collectors shall each provide a particulate matter removal efficiency of at least 90%. The proposed baghouse and cyclones shall each be equipped with instrumentation to continuously monitor the pressure drop across the control device. The pressure drop across the baghouse and cyclones shall be recorded at least twice per week. The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for the fabric collector in order to be able to immediately replace any bags requiring replacement due to deterioration. The proposed woodworking equipment and its associated control devices and monitoring equipment shall be operated and maintained in accordance with the manufacturer's specifications and in a manner consistent with good air pollution control practices for minimizing emissions. The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 55-00014C, the requirements established in the plan approval will be incorporated into State Only Operating Permit 55-00014 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David G. Balog, P.E. New Source Review Section Chief, 814-332-6328.

24-00170A: Diversified Coatings, dba Allegheny Coatings LLC, 224 River Road, Ridgway Township, PA 15853, Ridgway Township, **Elk County.** Application received: May 3, 2024. The Department intends to issue a plan approval to Diversified Coatings, dba Allegheny Coatings LLC (Allegheny Coatings, 224 River Road, Ridgway, PA 15853), for the use of existing sources at their facility in the Ridgway Township, Elk County. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This facility consists of parts cleaning, surface coating, chemical deposition, evaporator, abrasive blasting, and natural gas combustion sources. Potential emissions (tons per year) from the facility are 24 tpy of VOC, 3.5 tpy of PM, and less than 0.5 tpy of HAP. PM emissions will be reduced via replaceable air filters. VOC emissions will be reduced through the use of high transfer efficiency paint guns and low VOC coatings. The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this

application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340. In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [24-00170A] and concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Lori McNabb, 230 Chestnut St., Meadville, PA 16335, Phone (814) 332-6638. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

67-05007G: Adhesives Research Inc., 400 Seaks Run Road, Glen Rock, PA 17327, Springfield Township, **York County**. Application received: June 25, 2024. For the adhesives manufacturing facility. Plan approval No. 67-05007G will authorize the installation of a new coating line and drying oven controlled by existing thermal incinerators. The expected potential emissions from this project are as follows: 0.01 tpy $PM_{10}/PM_{2.5}$, 0.12 tpy NO_x , 0.00 tpy SO_x , 0.10 tpy CO, and less than 1 tpy each of VOC and total HAP. Review by DEP of the information submitted by the applicant indicates that the air contamination sources as constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. The plan approval will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the plan approval, the proposed sources are subject to the requirements of 40 CFR 63 Subpart JJJJ National Emission Standards for Hazardous Air Pollutants for Paper and Other Web Coating, and 25 Pa. Code § 129.52b Control of VOC emissions from paper, film and foil surface coating processes. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan ap-

proval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-63-01078A: Opal Fuels LLC, 5087 Junction Road, Lockport, NY 14094, Robinson Township, **Washington County**. Application received: November 5, 2024. **63-01078A: Imperial Landfill Gas Company LLC** (5087 Junction Road, Lockport, NY 14094). Notice is hereby given that the installation of one (1) Spark Ignition, 4 Stroke, Natural Gas-Fired, Rich Burn Engine, rated at 840 BHP equipped with a Non-Selective Catalytic Reduction Device and compressor for the transmission of pipeline quality renewable natural gas is now complete. This notice and corresponding plan approval modification will allow for the start of temporary operation or shakedown period for this facility while the permittee is working toward compliance with all applicable plan approval requirements. The facility is located in Robinson Township, Washington County at Latitude 40°, 26', 54" N and Longitude 80°, 20', 15.9936" W.

PA-63-00916B: Perryman Company, 213 Vandale Drive, Houston, PA 15342, North Strabane Township, **Washington County**. Application received: November 5, 2024. The Department has evaluated and approved the request for a plan approval extension for a Titanium Conversion Facility at the Perryman Company. This will allow for the temporary operation until the plan approval 63-00916C can be issued. The new expiration date will be May 28, 2025.

PA-56-00232A: Shade Landfill LLC, 843 Miller Picking Rd, Davidsville, PA 15928, Shade Township, **Somerset County**. Application received: May 8, 2024. **56-00232A: APTIM Environment & Infrastructure, LLC** on behalf of Shade Landfill, LLC (843 Miller Picking Rd, Davidsville, PA 15928). Notice is hereby given in accordance with 25 Pa. Code § 127.44 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval 56-00232A to allow the installation and operation of one (1) Utility Candle Flare, model PCFT62216, manufactured by LFG Specialties with a maximum capacity of 750 SCFM, rated at methane content range of 30–55%, that is equipped with a propane igniter system, two (2) thermocouples to measure process and pilot temperature, one (1) flow meter and one (1) flame arrester for the combustion of landfill gas. The flare will be located at the Shade Landfill which is located in Shade Township, Somerset County at Latitude 40°, 7', 17" N and Longitude 78°, 48', 2" W. Shade Landfill currently operates with a Title V Operating Permit. The proposed project potential to emit will not exceed 6.1 tons per year of nitrogen oxides (NO_x), 27.79 tons per year of carbon monoxide (CO), 1.68 tons per year of particulate matter less than 10 microns in diameter (PM_{10}), 1.56 tons per year of sulfur dioxide (SO_2), 0.1 ton per year of volatile organic compounds (VOC), 1.29 tons per year of total hazardous air pollutants (HAPs) and 0.8 ton per year of Hydrogen Chloride, the single highest hazardous air pollutant from the project. This authorization is subject to State Emission Standards. This Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emission restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting and work practice requirements. Once compliance with the Plan Approval is demonstrated, the

applicant will be issued a modified title V operating permit for continued operation of the flare. The Plan Approval Application, the Department's Air Quality Review Memorandum, the proposed Air Quality Plan Approval, and other relevant information for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000. A person may oppose the proposed plan approval by filling a written protest with the Department through Christopher Baker, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; chrake@pa.gov; or fax 412.442.4096. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-56-00232A), and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of 30 business days after the date of this publication. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notifications is sufficient. Written comments or requests for a public hearing should be directed to Christopher Baker, Air Quality Engineer Trainee, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to chrake@pa.gov. All comments must be received prior to the close of 30 business days after the date of this publication.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05064, Energy Transfer Marketing & Terminals, LP, 515 Fritztown Road, Sinking Spring, PA 19608-1509, Spring Township, **Berks County**. Application received: March 27, 2024. For their bulk liquid petroleum fuel storage and loading operation. Actual emissions from the facility in 2023 were reported to be 0.28 ton CO, 0.11 ton NO_x, 10.29 tons VOC, 0.19 ton of a single HAP (hexane), and 0.64 ton of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from §§ 129.56, 129.59, 129.62, 40 CFR 63, Subpart R—National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations), 40 CFR 60, Subpart XX—Standards of Performance for Bulk Gasoline Terminals, 40 CFR 60, Subpart XXa—Standards of Performance for Bulk Gasoline Terminals

that Commenced Construction, Modification, or Reconstruction After June 10, 2022, 40 CFR 60 Subpart K—Standards of Performance for Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After June 11, 1973, and Prior to May 19, 1978, 40 CFR 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984 and 40 CFR 63, Subpart WW—National Emission Standards for Storage Vessels (Tanks)—Control Level 2.

06-05007, Carpenter Technology Corp., 101 Bern St, Reading, PA 19601-1203, Muhlenberg Township, **Berks County**. Application received: December 30, 2022.

Approval of a Reasonably Available Control Technology 3 (RACT 3) plan for the specialty steel alloy manufacturing facility as a significant modification to their Title V operating permit. The facility's actual reported air emissions in calendar year 2023 were 373 tpy CO, 217 tpy NO_x, 61 tpy PM₁₀, 19 tpy PM_{2.5}, 17 tpy SO_x, 58 tpy VOC, 16 tpy HAP, 180,962 tpy CO₂, 3 tpy methane, and 16 tpy PMCon.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO_x and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT 3 plan for the Carpenter Reading Facility. The RACT 3 plan approval, if approved by the Department, will be issued as a significant modification to the facility's Title V operating permit (06-05007).

The RACT 3 Title V significant modification incorporates provisions and requirements for the control of emissions of nitrogen oxides (NO_x) and/or volatile organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT 3 Title V significant modification does not adopt any new regulations. If approved by the Department, this RACT 3 plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT 3 plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT 3 plan approval requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

This condition constitutes a case-by-case RACT 3 determination for the sources in this group:

I. Source 104A:

a. The permittee shall maintain and adhere to standard operating procedures and maintenance plans Source 104A, which shall address good operation and maintenance practices, including the addition of urea in the nitric acid baths to minimize the risk of NO_x release to reduce personnel exposure; and the use of heat exchangers to minimize NO_x formation.

b. The permittee shall maintain records of any maintenance or modifications performed on Source 104A.

c. The permittee shall calculate and record the actual annual NO_x emissions using appropriate emissions factors from U.S. EPA Publication AP-42 or appropriate

alternative emission factors based on PADEP review, coupled with appropriate operational throughput data.

d. The permittee shall maintain written documentation of the previously listed items (a)—(c) for five years. The records shall be made available to the Department upon written request.

II. Sources 185, 186 and 187:

a. The permittee shall perform inspections of combustion systems/burners at least once every 18-month period.

b. The permittee shall perform inspections of furnace structure and dampers at least once every 18-month period.

III. Sources 300, 381, 777 and 778:

a. The permittee shall perform cold inspections of combustion systems/burners and condition of refractory/burner tiles as applicable at least once every 18-month period.

b. The permittee shall perform hot inspections of furnace structure for “hot spots”, tight doors seals, and fully functional dampers at least once every 18-month period.

IV. For all the sources in this group:

a. The permittee shall maintain and adhere to standard operating procedures and maintenance plans for the affected sources, which shall address good operation and maintenance practices, including the following to minimize NO_x emissions:

b. The permittee shall maintain records of any maintenance or modifications performed on the sources.

c. The permittee shall calculate and record the actual annual NO_x emissions using appropriate emissions factors from U.S. EPA Publication AP-42 or appropriate alternative emission factors based on PA DEP review, coupled with appropriate operational and throughput data.

d. The permittee shall maintain written documentation of the previously listed items in (a)—(c) for five years. The records shall be made available to the Department upon written request.

e. All of the furnaces in this group except Walking Beam Furnace # 2 are currently equipped with Low NO_x Burners and shall remain so equipped.

Public Comment Details:

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to William Weaver, Air Quality Program Manager, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at wiweaver@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on January 7, 2025.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT 3 plan approval, including the permit number, and a concise statement regarding the proposed RACT 3 plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT 3 plan approval.

Public hearing. A public hearing will be held on January 22, 2025, at 10:00 a.m. at the DEP Southcentral

Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed RACT 3 plan approval action and the proposed SIP revision. To register to speak at the hearing, please contact William Weaver at 717-705-4868. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be the Friday before the hearing.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to William Weaver at 909 Elmerton Avenue, Harrisburg, PA 17110, or at wiweaver@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting William Weaver at 717-705-4868 or at wiweaver@pa.gov

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact William Weaver at 717.705.4868 or make accommodations through the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD).

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00045, PECO Energy Co, 300 Front St, West Conshohocken Boro, PA 19428, Upper Merion Township, **Montgomery County**. Application received: June 21, 2024. This action is for the renewal of the Title V Operating Permit for a manned natural gas compression and storage station which compresses (liquefies) and stores natural gas for use during the higher demand heating season (SIC-4923 Natural Gas Transmission and Distribution). The stored natural gas is then decompressed back to distribution pressure before it is released to Exelon's distribution system. This facility is a major facility for the Nitrogen Oxide (NO_x) emissions. The facility's major emission points include: (4) four Exotherm heaters whose CO emission limit is 12.5 tons per year (TPY), (2) two preheaters, each with a heat input capacity rating of 8.0 MMBtu/hr, (3) two natural gas-fired UPS (uninterrupted power source) emergency generators, with an output power ratings of 88-hp and 190-hp, (4) one natural gas-fired combustion turbine, whose NO_x emission limit is 92 TPY, with an output power rating of 7,100-hp, and (5) one natural gas-fired emergency generator, with an output power rating of 3,628-hp. The emergency generators cannot exceed the exemption NO_x limit of 100 lb/h, 1,000 lbs/day and 6.6 TPY. The initial permit was issued on 12-10-1999. All new and revised regulatory changes have been addressed in this renewal. The Title V Operating Permit contains monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00345, Allegheny Mineral Corporation Mur-rinsville, P.O. Box 1022, One Glade Park East, Kittanning, PA 16201-5022, Marion Township, **Butler County**. Application received: May 22, 2023. The Department intends to renew a State Only Operating Permit for the Limestone processing facility located at the Harrisville East Mine. The significant sources are the stone crushing and sizing plant; storage piles; vehicle travel; vehicle loading; and a portable processing plant. The permit includes a 2,500,000 ton per year throughput restriction on material processed in the stone crushing and sizing plant. This facility is a Natural Minor. The potential emissions from the facility are as follows: 58.04 tpy PM; 17.62 tpy PM₁₀; 2.61 tpy NO_x; 0.01 tpy SO_x; 0.71 tpy CO; and 0.27 tpy VOC. The conditions of the previous plan approvals and operating permit are incorporated into the permit. This facility is subject to the Federal regulation 40 CFR Part 60 Subpart OOO, the Standards of Performance for Non-metallic Mineral Processing Plants, for which the applicable requirements are included in the permit. Two diesel engines which power a portable processing plant on site are subject to 40 CFR Part 60 Subpart IIII, the Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The renewal permit contains emission restrictions, record-keeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

42-00147, W.R. Case & Sons Cutlery Company, 50 Owens Way, Bradford, PA 16701-3749, Bradford Township, **McKean County**. Application received: May 18, 2023. The Department intends to issue the renewal of the Natural Minor State-Only Operating Permit to the facility which manufactures knife blades and handles, located in Bradford Township, McKean County. The primary sources at the facility are miscellaneous natural gas fueled space heating units, a hafting department, finishing and repair departments, a cover line department, an emergency generator, parts cleaners, a manual cover line and CNC Cover Department and an ultrasonic cleaning line. Potential emissions for the site are below Title V permitting thresholds for all criteria pollutants. The permit contains emission and operating hour restrictions, along with monitoring, recordkeeping, work practice and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

10-00390, MarkWest Liberty Bluestone LLC, Royal Oak Comp Sta, 4600 J Barry Ct, Canonsburg, PA 15317-5854, Forward Township, **Butler County**. Application received: May 29, 2024. The Department intends to issue the renewal State Only Natural Minor Operating Permit for the compressor station and dehydration facility. The facility's primary emission sources include three (3) 3,550-hp and three (3) 2,370-hp lean-burn natural gas-fired compressor engines equipped with oxidation catalysts, a 120 mmscf/day glycol dehydration unit (controlled by a 7.0 mmBtu/hr enclosed flare) and its associated 2.00 mmBtu/hr reboiler, condensate and produced

water tanks, and fugitive VOC emissions. The potential emissions of the primary pollutants from the facility are as follows: 78.81 TPY (tons per year) NO_x, 36.70 TPY CO, 42.20 TPY VOC, 16.43 TPY total HAPs, 3.95 TPY formaldehyde, 0.28 TPY filterable PM₁₀ and PM_{2.5}, and 0.37 TPY SO_x; thus, the facility is a natural minor. The facility was originally permitted under General Permit GP5-10-00390A & B, which includes emission restrictions on the engines for NO_x, NMNEHC, CO, and formaldehyde. All six compressor engines are subject to 40 CFR 63 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The dehydrator is subject to 40 CFR 63 Subpart HH, NESHAP From Oil and Natural Gas Production Facilities. Facility compressors (including the rod packing) are subject to 40 CFR 60 Subpart OOOO, Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011, and on or before September 18, 2015. The reciprocating compressors and fugitive components are also subject to the newly promulgated regulations of 25 Pa. Code §§ 129.121—129.130 for control of VOC emissions from unconventional oil and natural gas sources (gathering and boosting stations). The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

21-05021, Mechanicsburg Terminal DE LLC, 127 Texaco Road, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Application received: September 9, 2024. For the operation of a bulk gasoline terminal. This is for renewal of the existing state-only permit. Potential air emissions from the facility are estimated at 4.25 tpy PM₁₀, 34.0 tpy NO_x, 16.9 tpy CO, 57.0 tpy VOC, 9.56 tpy SO_x, 5.67 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items the conditions include provisions from 25 Pa. Code §§ 123.11, 123.13, 123.21, 123.22, 129.56, 129.57, 129.59 and 129.62, 40 CFR Part 63, Subpart ZZZZ National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 63, Subpart JJJJJJ National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, 40 CFR Part 60, Subpart Kb Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum liquid Storage Vessels) for Which Construction, reconstruction, or Modification Commenced after July 23, 1984, 40 CFR Part 63, Subpart BBBBBB National Emission Standards for Hazardous Air Pollutants for Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities, 40 CFR Part 60, Subpart XX Standards of Performance for Bulk Gasoline Terminals, and 40 CFR Part 60, Subpart IIII Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03195, Mount Joy Wire Corp., 1000 East Main Street, Mount Joy, PA 17552, Mount Joy Borough,

Lancaster County. Application received: February 5, 2024. For their wire plating operations. This is for the renewal of the existing State-Only Operating Permit. The actual reported emissions for the facility in 2023 were 6.4 tons of CO, 7.6 tons of NO_x, 0.8 ton of VOCs, 2.5 tons of HAPs, 2.4 tons of PM₁₀, and 2.0 tons of PM_{2.5}. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with all of the applicable air quality regulations. Among other items, the conditions will include provisions derived from 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00186, Kinder Morgan Bulk Terminals Inc., 1000 S Port Rd, Fairless Hills, PA 19030, Falls Township, **Bucks County.** Application received: June 12, 2024. This action is for the renewal of a Synthetic Minor Operating Permit for a bulk material handling facility. The initial operating permit was issued on April 22, 2008. The main sources of emissions are the transfer points from transferring of material, stockpiling of material, and roadway emissions. Sources include hoppers, conveyors, storage domes, stockpiles, one on-site emergency generator and one portable emergency generator, two (2) waste oil heaters, and a gas pumping station with a 2,000-gallon gasoline storage tank. The emergency generators and waste oil heaters are deemed as insignificant sources. The gasoline storage tank (Source ID 107) is subject to 40 CFR Part 63, Subpart CCCCC. Potential emissions from the facility are: Particulate Matter (PM)—411.95 tons per year (TPY), Particulate Matter less than 10 µm (PM₁₀)—147.12 TPY, Particulate Matter less than 2.5µm (PM_{2.5})—31.05 TPY, Nitrogen Oxides (NO_x)—10.77 TPY, Carbon Monoxide (CO)—2.43 TPY, Sulfur Oxides (SO_x)—3.70 TPY, Volatile Organic Compounds (VOC)—2.46 TPY, and Hazardous Air Pollutants (HAP)—8.06 TPY. In the initial operating permit, there was a limit of 99.0 tons per 12-month rolling period for PM₁₀ as a result of PM₁₀ being used as a pre-cursor for the NSR pollutant PM_{2.5}. This has been revised to state that PM_{2.5} shall be restricted to 99.0 tons per 12-month rolling period, as PM₁₀ is no longer used as a pre-cursor for PM_{2.5}. The permit will contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

09-00112, Superior Woodcraft Inc., 160 N Hamilton Rd, Doylestown, PA 18901, Doylestown Borough, **Bucks County.** Application received: May 9, 2023. This action is for the renewal of the non-Title V, Synthetic Minor Operating Permit. Superior Woodcraft, Inc. manufactures high quality wood cabinets at this facility. There are three coating booths and a staining operation that have the potential to emit 23 tons of volatile organic compounds and 10 tons of a single hazardous air pollutant and 25 tons of a combination of hazardous air pollutants.

The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

SOOP 63-01062, Sollon Funeral Home & Cremation Svc Ltd, 30 E College Street, Canonsburg, PA 15317, Canonsburg Borough, **Washington County.** Application received: December 13, 2023. Natural Minor Operating Permit is for a crematory facility and is located in Canonsburg Borough, Washington County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a new, facility-wide, State Only Operating Permit for the facility previously mentioned. Sources of emissions and control at the site consist of one (1) 150 lbs/hr Matthews IE43-PPI (Power Pak I) human crematory incinerator, and one (1) IE43-PPI Secondary Chamber. Facility-wide potential emissions are estimated at 0.58 ton NO_x, 0.48 ton CO, 0.36 ton SO_x, 0.1 ton VOC, 0.76 ton PM₁₀, and 0.17 ton HAPs. At a minimum, the facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes emission limitations, work practice standards, monitoring requirements, recordkeeping, and reporting requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-01062) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or

other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

PLAN APPROVALS

Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh R Patel, P.E., New Source Review Chief, 570-826-2357.

45-00038A, Electrum Inc., 146 Airport Road, East Stroudsburg, PA 18301, Smithfield Township, **Monroe County**. Application received: August 12, 2024. In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Electrum Inc. to install and operate equipment for a metal scrap and commercial metal recycling and recovery facility in Smithfield Township, Monroe County. Plan Approval No. 45-00038A is for installation of one (1) new pot furnace for metal solder and solder dross of non-ferrous metals heated by one natural gas 0.89 MMBtu/hr burner. Emissions will be controlled by one (1) afterburner with a heat input capacity of 1.0 MMBtu/hr and one (1) packed tower wet scrubber which operates in a closed-loop recirculation process to recover from the exhaust gas metal solids that are then fed back into the recovery process. One (1) new incinerator fired by two (2) natural gas-fired burners with a total heat input capacity of 1.0 MMBtu/hr to clean metallic non-hazardous secondary commercial solid waste metals from pre-use medical device scrap. Combustion emissions from the incinerator are exhausted to a natural gas-fired secondary combustion chamber with a total heat input capacity of 4.5 MMBtu/hr to provide primary emissions control and are then controlled by one (1) baghouse with fabric filter and one (1) packed-tower wet scrubber. One (1) 300-kilowatt (kW) electric powered induction melter for precious metals in the form of clean metallic solids which is exhausted to one (1) baghouse with fabric filter. The Facility is subject to 25 Pa. Code § 123.13 for Particulate Matter (PM), 25 Pa. Code § 123.21 for Oxides of Sulfur (SO_x). The Facility will be exempt from 40 CFR Part 60, Subpart Ec by instituting work practice requirements incorporated into the Plan Approval in which the Facility will provide training to staff and post signage indicating that hospital waste and/or medical/infectious waste shall not be accepted as a material to be combusted in the proposed incinerator. The Facility will be a minor source of emissions of PM, NO_x, SO₂, and CO (<100 Tons/yr), VOC's (<50 Tons/yr), HAP's (<25 Tons/yr), HCL (<10 Tons/yr) and Pb (<1 Ton/yr). The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915. Any person(s) wishing to provide DEP with additional information,

which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Permit No. 45-00038A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh R Patel, P.E., New Source Review Chief, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2357 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating

to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 30161301. NPDES No. PA0236519. Marshall County Coal Resources, Inc., 46226 National Road, Saint Clairsville, OH 43950, Aleppo and Springhill Townships, **Greene County.** To revise the permit and related NPDES permit to change 2,315.10 acres of the underground and subsidence control plan boundaries from development mining only to longwall mining. Application received: September 27, 2024. Accepted: November 12, 2024.

Mining Permit No. 56140702. NPDES No. PA0236306. Laurel Prep Plant, LLC, 1501 Ligonier Street, Latrobe, PA 15650, Shade Township, **Somerset County.** To revise the permit and related NPDES permit for site plan updates to meet required standards. Application received: October 3, 2024. Accepted: November 12, 2024.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-434-3328.

Mining Permit No. 16940105. NPDES No. PA0212130. Neiswonger Construction, Inc., 17592 Route 322, Strattanville, PA 16258, Perry Township, **Clarion County.** Permit renewal application for a bituminous surface coal mine and associated NPDES permit affecting 131.0 acres. Receiving stream(s): Allegheny River classified for the following use(s): WWF. Application received: November 20, 2024.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 6478NC4. NPDES No. PA0121606. David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17202, Antrim Township, **Franklin County.** Renewal of NPDES permit affecting 29.0 acres. Receiving stream: unnamed tributaries to/and Muddy Run classified for the following uses: HQ-CWF. Application received: November 19, 2024.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 16990301. NPDES No. PA0241521. Glen-Gery Corporation, P.O. Box 7001, 1166 Spring Street, Wyomissing, PA 19610, Monroe Township, **Clarion County.** Renewal of an NPDES permit associated with a large noncoal industrial minerals mining site affecting 150.0 acres. Receiving stream(s): Reids Run classified for the following use(s): CWF. Application received: 11/18/2024. Application received: November 18, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern

industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

NPDES No. PA0023370. Mining Permit No. 02733702. Consol Mining Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Plum Borough, **Allegheny County**. Application received: May 13, 2024. Accepted: May 30, 2024.

A renewal to the NPDES permit and mining activity permit, affecting 155.3 surface acres. Receiving stream(s): Little Plum Creek and Allegheny River, classified for the following use: WWF; add N. Plum Creek Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to Little Plum Creek:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.75
Manganese	(mg/l)	-	1.0	2.0	2.50
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	50.2	50.2
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Bromide	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 002 discharging to Allegheny River:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	-	Report
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	316	493	789
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0212806. Mining Permit No. 32940105. Consol Mining Co., LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Center Township, **Indiana County**. NPDES permit renewal for a bituminous surface mine affecting 2.2 acres. Receiving streams: unnamed tributary to Yellow Creek, classified for the following use: CWF. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: September 24, 2024.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to an unnamed tributary to Yellow Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
009*	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 009</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (lbs/day)	XXX	XXX	0.23
Manganese (lbs/day)	XXX	XXX	0.04
Acidity, Net (lbs/day)	XXX	XXX	1.76

*There are no point source discharges remaining on this permit. This mine site is hydrologically connected to standard discharges for which there is no responsible party. The permittee has incurred a perpetual treatment obligation for this discharge. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

NPDES No. PA0238074. Mining Permit No. 17980115. Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township and Woodward Township, **Clearfield County**. Application received: August 5, 2024.

Renewal of an NPDES permit for discharge of water resulting from coal surface mining affecting 25.5 acres. Receiving stream(s): UNT to Beaver Run, classified for the following use(s): CWF. This receiving stream is included in the Moshannon Creek TMDL.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to UNT to Beaver Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001 (SPA)	Existing	Stormwater Outfall	Intermittent
002 (TF1)	Existing	Treatment Facility Outfall	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 002 (TF1) (All Discharges)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 001 (SPA)</i> <i>(Discharges during Dry Weather)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 001 (SPA)</i> <i>(Discharges after ≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 001 (SPA)
(Discharges after >10-yr/24-hr Precip. Event)
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Noncoal Npdes Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0279749. Mining Permit No. 56190301. Windber Stone, LLC, 117 Marcia Street, Latrobe, PA 15650, Ogle Township, **Somerset County**. Renewal of an NPDES permit for a large sandstone quarry (industrial minerals), affecting 99.8 acres. Receiving stream: Unnamed Tributary to Clear Shade Creek, classified for the following uses: EV, HQ-CWF. These receiving streams are included in the Kiski-Conemaugh River TMDL. Application received: August 2, 2024.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the limits described previously for noncoal mining activities. Effluent limits for TSS, iron and manganese were originally set by the Bureau of Water Quality in 1981 based on the High Quality Stream designations (upgraded to Exceptional Value in 1993) of Clear Shade Creek. Aluminum limits are applied due to the requirements of the Kiski-Conemaugh TMDL.

The following outfalls discharge to: Unnamed Tributary to Clear Shade Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
003	N
005	N

The proposed effluent limits for the mine drainage treatment outfalls are as follows:

<i>Outfalls: 005</i> <i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	XXX	20.0	40.0	40.0

<i>Outfalls: 005</i> <i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0
Total Iron (mg/L)	XXX	1.5	3.0	3.0
Total Manganese (mg/L)	XXX	1.0	2.0	2.0
Total Aluminum (mg/L)	XXX	0.75	0.75	0.75
Net Alkalinity (as CaCO ₃ , mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (as CaCO ₃ , mg/L)			Report	
Total Acidity (as CaCO ₃ , mg/L)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	

The proposed effluent limits apply to all discharges from stormwater facility outfalls:

<i>Outfalls: 001, 003</i> <i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/L)	XXX	20.0	40.0	40.0
pH (S.U.)	6.0	XXX	XXX	9.0
Total Iron (mg/L)	XXX	1.5	3.0	3.0
Total Manganese (mg/L)	XXX	1.0	2.0	2.0
Total Aluminum (mg/L)	XXX	0.75	0.75	0.75
Net Alkalinity (as CaCO ₃ , mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (as CaCO ₃ , mg/L)			Report	
Total Acidity (as CaCO ₃ , mg/L)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	

The following proposed limits apply to discharges from stormwater facilities during precipitation events exceeding the 10 year/24-hour storm events:

<i>Outfalls: 007</i> <i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Settleable Solids (ml/L)				Report
Total Iron (mg/L)				Report
Oil & Grease				Report

NPDES No. PA0212261. Mining Permit No. 05920301. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Snake Spring Township, **Bedford County**. Revision of an NPDES permit affecting 784.5 acres related to a noncoal mining activity permit. Receiving stream: Cove Creek and Raystown Branch Juniata River, classified for the following use: EV and TSF. Application received: April 15, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Cove Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001A	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001A (All Discharges)</i> <i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
Total Suspended Solids (ml/L)	XXX	XXX	XXX	75.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	72.0
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

The following outfalls discharge to Raystown Branch Juniata River:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
003	Existing	Stormwater/Pit Water	0.262 MGD
004	Existing	Stormwater	Precipitation Induced
005	Existing	Stormwater/Pit Water	0.2 MGD
006	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 003 and 005</i> <i>(All Discharges)</i> <i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
Total Suspended Solids (ml/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0

Outfalls: 003 and 005

<i>(All Discharges) Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Temperature (°F)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Sulfate	XXX	XXX	XXX	Report

Outfalls: 004 and 006

<i>(All Discharges) Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (ml/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

NPDES No. PA0280836. Mining Permit No. 37230301. Amerikohl Aggregates, Inc., 202 Sunset Drive, Butler, PA 16001, Shenango Township, **Lawrence County**. New NPDES permit for discharge of water resulting from surface mining of industrial minerals affecting 100.0 acres. Receiving stream(s): unnamed tributaries to McKee Run, classified for the following use(s): WWF. Application received: May 6, 2024.

Contact: Elias J Heferle, RA-EPKNOX@pa.gov.

NPDES Permit No. PA0280836 (Mining Permit No. 37230301), Amerikohl Aggregates, Inc. (202 Sunset Drive, Butler, PA 16001), new NPDES permit for discharge of water resulting from surface mining of industrial minerals in Shenango Township, **Lawrence County**, affecting 100.0 acres. Receiving stream(s): unnamed tributaries to McKee Run, classified for the following use(s): WWF. Application received: 5/6/2024.

The following outfalls discharge to unnamed tributaries to McKee Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
009	New	Sediment Pond SPF	Precipitation Induced, 0.184 GPM
010	New	Sediment Pond SPG	Precipitation Induced, 0.142 GPM
011	New	Treatment Pond TP4	Intermittent, Pumped, 0.186 GPM

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 011 (All Discharges) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)	1.9	3.8	4.7
Net Alkalinity, as CaCO ₃ (mg/L)		Report	
Alkalinity, Total, as CaCO ₃ (mg/L)		Report	
Acidity Total, as CaCO ₃ (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Specific Conductivity (µmhos/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units

<i>Outfalls: 010 (All Discharges) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)	1.9	3.8	4.7
Net Alkalinity, as CaCO ₃ (mg/L)		Report	
Alkalinity, Total, as CaCO ₃ (mg/L)		Report	
Acidity Total, as CaCO ₃ (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Specific Conductivity (µmhos/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units

Outfalls: 009

(Discharges during Dry Weather Conditions)
Parameter

	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)		Report	
Net Alkalinity, as CaCO ₃ (mg/L)		Report	
Alkalinity, Total, as CaCO ₃ (mg/L)		Report	
Acidity Total, as CaCO ₃ (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Specific Conductivity (µmohs/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units

Outfalls: 009

(Discharges after ≤10-yr/24-hr Precip. Event)
Parameter

	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Outfalls: 009

(Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Contact: Alicia Cook, Clerical Assistant 3, 814-434-3328.

NPDES No. PA0242365. Mining Permit No. 16030302. I.A. Construction Corporation, 24 Gibb Road, P.O. Box 568, Franklin, PA 16323, Licking Township, Richland Township, **Clarion County**. Renewal of NPDES permit for discharge of water resulting from surface mining of industrial minerals affecting 163.5 acres. Receiving stream(s): unnamed tributary to the Clarion River, classified for the following use(s): CWF. This receiving stream is included in the Lower Clarion River TMDL. This permit also drains to an unnamed tributary to Turkey Run, classified for the following use(s): HQ-CWF. Application received: May 20, 2024.

Contact: Elias J Heferle, RA-EPKNOX@pa.gov.

NPDES Permit No. PA0280836 (Mining Permit No. 37230301), Amerikohl Aggregates, Inc., 202 Sunset Drive, Butler, PA 16001, new NPDES permit for discharge of water resulting from surface mining of industrial minerals in Shenango Township, **Lawrence County**, affecting 100.0 acres. Receiving stream(s): unnamed tributaries to McKee Run, classified for the following use(s): WWF. Application received: 5/6/2024.

The following outfalls discharge to unnamed tributaries to McKee Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
009	New	Sediment Pond SPF	Precipitation Induced, 0.184 GPM
010	New	Sediment Pond SPG	Precipitation Induced, 0.142 GPM
011	New	Treatment Pond TP4	Intermittent, Pumped, 0.186 GPM

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 011 (All Discharges)
Parameter

	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)	1.9	3.8	4.7
Net Alkalinity, as CaCO ₃ (mg/L)		Report	
Alkalinity, Total, as CaCO ₃ (mg/L)		Report	
Acidity Total, as CaCO ₃ (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Specific Conductivity (µmohs/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units

Outfalls: 010 (All Discharges)
Parameter

	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)	1.9	3.8	4.7

<i>Outfalls: 010 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Net Alkalinity, as CaCO ₃ (mg/L)		Report	
Alkalinity, Total, as CaCO ₃ (mg/L)		Report	
Acidity Total, as CaCO ₃ (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Specific Conductivity (µmohs/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units			
<i>Outfalls: 009</i>			
<i>(Discharges during Dry Weather Conditions)</i>			
<i>Parameter</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)		Report	
Net Alkalinity, as CaCO ₃ (mg/L)		Report	
Alkalinity, Total, as CaCO ₃ (mg/L)		Report	
Acidity Total, as CaCO ₃ (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Specific Conductivity (µmohs/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			
<i>Outfalls: 009</i>			
<i>(Discharges after ≤10-yr/24-hr Precip. Event)</i>			
<i>Parameter</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
<i>Outfalls: 009</i>			
<i>(Discharges after >10-yr/24-hr Precip. Event)</i>			
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection be-

tween the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

E5929224-010. Seneca Resources Co LLC, 51 Zents Boulevard, Brookville, PA 15825, Richmond Township and Covington Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 3, 2024.

To construct, operate, and maintain:

1. A temporary road crossing using timber mats, impacting 59 square feet of an exceptional palustrine emergent (EV-PEM) wetland (Crooked Creek, PA Quadrangle 41.763314°, -77.130577°);

2. A temporary road crossing using timber mats, and a 16-inch diameter waterline impacting 2,149 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Mansfield, PA Quadrangle 41.762503°, -77.121687°);

3. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 32 linear feet of an unnamed tributary to Elk Run (CWF) (Mansfield, PA Quadrangle 41.762368°, -77.118801°);

4. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 1,674 square feet of an exceptional value palustrine emergent (PEM) wetland and 243 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland (Mansfield, PA Quadrangle 41.762265°, -77.116621°);

5. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 41 linear feet of Elk Run (CWF) (Mansfield, PA Quadrangle 41.762655°, -77.110988°);

6. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 5,435 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Mansfield, PA Quadrangle 41.763116°, -77.108598°);

7. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 22 linear feet of an unnamed tributary to Elk Run (CWF) and 4,506 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Mansfield, PA Quadrangle 41.763182°, -77.108124°);

8. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 287 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Mansfield, PA Quadrangle 41.763201°, -77.106966°);

9. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 38 linear feet of an unnamed tributary to Elk Run (CWF) (Mansfield, PA Quadrangle 41.763863°, -77.108842°);

10. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 37 linear feet of an unnamed tributary to Elk Run (CWF) (Mansfield, PA Quadrangle 41.764195°, -77.100405°);

11. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 30 linear feet of an unnamed tributary to Elk Run (CWF) and 359 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Mansfield, PA Quadrangle 41.764384°, -77.1092762°);

12. A temporary road crossing using timber mats impacting 12 linear feet of an unnamed tributary to Elk Run (CWF) (Mansfield, PA Quadrangle 41.760214°, -77.094037°);

13. A temporary road crossing using timber mats, temporary rock for an access road and a 16-inch diameter waterline impacting 16,901 square feet of a palustrine emergent (PEM) wetland and 2,643 square feet of a palustrine scrub shrub (PSS) wetland (Mansfield, PA Quadrangle 41.768058°, -77.083099°);

14. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 4,817 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41.767856°, -77.08152°);

15. A temporary road crossing using timber mats and a 16-inch diameter waterline impacting 13,357 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41.767856°, -77.08152°);

16. A 16-inch diameter waterline impacting 142 linear feet of Tioga River (CWF) (Mansfield, PA Quadrangle 41.767502°, -77.079389°).

The project will result in 49,544 square feet (1.137 acres) of temporary wetland impacts, 2,886 square feet (0.067 acre) of permanent wetland impacts and 354 linear feet of temporary stream impacts all for the purpose of installing a freshwater pipeline in Richmond and Covington Township, Tioga County. The permittee will address permanent wetland impacts by replanting the impacted wetlands with species native to the area and that are also conducive to growing in PSS wetland habitats.

E5929224-011. Seneca Resources Co LLC, 2000 Westinghouse Drive, Suite 400, Cranberry Township, PA 16066, Delmar Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 15, 2024.

To construct, operate, and maintain the construction of a well pad impacting 1,384 square feet of a palustrine emergent (PEM) wetland (Keeneyville, PA Quadrangle 41.754109°, -77.338166°). The project will result in 1,384 square feet (0.032 acre) of permanent wetland impacts all for the purpose of constructing a natural gas well pad in Delmar Township, Tioga County. The permittee will address permanent wetland impacts by purchasing mitigation credits from the approved Upper Susquehanna River Mitigation Bank Phase II within the Upper Susquehanna River Subbasin Watershed.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: RA-EPWW-NCRO@pa.gov.

E4904224-003. Whispering Mountain Vr, LLC, 27 Newman Rd., Winfield, PA 17889-8823, Point Township, **Northumberland County**. U.S. Army Corps of Engineers Baltimore District. Application received: November 5, 2024.

This project proposes the addition of a deck to the rear of an existing dwelling within the floodway. The deck will improve the living space in the backyard and the grading proposed is intended to improve drainage during flooding events. Latitude: N 40.91133°, Longitude: -W 76.75083°.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E3902124-006. PA Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, North Whitehall Township, South Whitehall Township, **Lehigh County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 3, 2024.

To authorize the following water obstructions and encroachments associated with the SR 0309 Section 14M Project: Outfalls 1. To construct and maintain an outfall in the floodway of a tributary to Jordan Creek (HQ-CWF, MF) (Stream S3) consisting of a riprap channel riprap apron. (Impact S3A_OF1) 2. To construct and maintain an outfall in the floodway of a tributary to Jordan Creek (HQ-CWF, MF) (Stream S3) consisting of a vegetated channel. (Impact S3B_OF1) 3. To construct and maintain an outfall in the floodway of a tributary to Jordan Creek (HQ-CWF, MF) (Stream S7) consisting of a vegetated

channel and riprap apron. (Impacts S7_OF1 and S7_IMP1) Box Culverts 4. To extend an existing 96-ft wide box culvert approximately 19-ft for a total out to out width of 125.3-ft. The normal clear span of 10-ft and the minimum underclearance of 6-ft will be maintained. The box culvert carries SR 0309 over a tributary to Jordan Creek (HQ-CWF) (Stream S3) (Impacts S3A_IMP1 and S3A_IMP2) Bridges 5. To perform maintenance on an existing bridge carrying SR 0309 over Jordan Creek (TSF, MF) (Stream S4). The maintenance consists of bridge deck and wingwall repairs (Impact S4_IMP2) Wetland Fill 6. To permanently impact 0.03 acre of PEM and PFO wetlands for road widening and shoulder grading. Floodway Fill 7. To place 0.12 acre of fill in the floodway and impact 90 linear feet of a Tributary to Jordan Creek (HQ-CWF, MF) (Stream S1) for the purpose milling and paving along with road widening and shoulder grading. (Impacts S1_IMP1 and S1_IMP-3) 8. To place 0.15 acre of fill in the floodway and impact 88 linear feet of a Tributary to Jordan Creek (HQ-CWF, MF) (Stream S2) for the purpose milling and paving along with road widening and shoulder grading. (Impacts S2_IMP1 and S2_IMP-2) 9. To place 0.012 acre of fill in the floodway and impact 75 linear feet of a Tributary to Jordan Creek (HQ-CWF, MF) (Stream S3) for the purpose milling and paving along with road widening and shoulder grading. (Impacts S3B_IMP1 and S3B_IMP-3) 10. To place 1.1 acres of fill in the floodway of Jordan Creek (TSF, MF, MF) (Stream S4) for the purpose milling and paving along with road widening and shoulder grading. (Impacts S4_IMP1 and S4_IMP3) 11. To place 0.36 acre of fill in the floodway of a Tributary to Jordan Creek (HQ-CWF, MF, MF) (Stream S5) for the purpose milling and paving along with road widening and shoulder grading. (Impacts S5_IMP1 and S5_IMP2) 12. To place 0.463 acre of fill in the floodway of a Tributary to Jordan Creek (HQ-CWF, MF, MF) (Stream S6) for the purpose milling and paving along with road widening and shoulder grading. (Impacts S6_IMP2 and S6_IMP3) Stream Channel Fill, Stream Channel Changes 13. Approximately 402-LF of tributary to Jordan Creek (HQ-CWF, MF) (Stream S7) will be relocated and graded due to SR 0309 widening and shoulder grading. Floodplain grading will also occur. (Impact S6_IMP1) The proposed project is located along SR 0309 and extends south from the SR 0309/SR 0406 intersection for approximately 3 miles to the SR 0309/SR 1006 intersection (Allentown West and Cementon, PA Quadrangles, Latitude: 40.646106°, Longitude: -75.593521° to Latitude: 40.610877°, Longitude: -75.568027°) in North Whitehall and South Whitehall Townships, Lehigh County. Latitude: 40.646106°, Longitude: -75.593521°.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E20-107. CLP Marina LLC, 713 Broad Acres Road, Naberth, PA 19072, Sadsbury Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 21, 2024.

To modify and maintain dock facilities, including dredging, in Conneaut Lake in the area in front of Hotel Conneaut. The original permit included operation and maintenance of a solid fill pier and floating dock occupying approximately 0.1 acre and an associated mooring area of 0.1 acre. The proposed modification includes operation and maintenance of the original solid fill pier, and installation of floating docks occupying an area extending approximately 180 feet from shore and 190 feet parallel to shore south of the solid fill pier, occupying a

total of approximately 1.2 acres of Conneaut Lake. Permit modification will include maintenance dredging of the facilities area. Latitude: 41.632921°, Longitude: -80.313169°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E2203124-008. PennDOT Engineering District 8-0, 2140 Herr St, Harrisburg, PA 17103, City of Harrisburg and Swatara Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 10, 2024.

To remove existing structure and to (1) install and maintain a 80.27 foot x 93.33 foot bridge over UNT Paxton Creek (WWF, MF) with riprap scour protection and (2) 1 60-inch diameter outfall to UNT Paxton Creek (WWF, MF), for the purpose of improving transportation safety. The project proposes to permanently impact 179 linear feet and temporarily impact 126 linear feet of stream channel. The project is located in the City of Harrisburg and Swatara Township, Dauphin County Latitude: 40.2571°, Longitude: -76.8599°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E2301224-014. Newtown Township, 209 Bishop Hollow Road, Newtown Square, PA 19073, Newtown Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 24, 2024.

Newtown Township is proposing to perform the following water encroachment and obstruction activities associated with the Greer Park Stream Restoration and Park Rehabilitation project in and along Foxes Run (CWF, MF): 1. To relocate Foxes Run and to remove an existing dam on the downstream side of the pond resulting in a permanent watercourse impact of 361 linear feet (4,579 square feet, 0.11 acre) and temporary watercourse impact of 361 linear feet (4,579 square feet, 0.11 acre). 2. To reduce the size of the existing pond and perform dredging activities resulting in a permanent wetland impact 26,993 square feet (0.62 acre) and temporary wetland impact of 26,993 square feet (0.62 acre). This activity also includes construction and maintenance of a boardwalk of 206.7 linear feet. This project includes an overall temporary floodplain impact of 27,425 square feet (0.63 acre) and overall permanent floodplain impact of 24,497 square feet (0.56 acre) due to access and grading. This project is located at Greer Park in Newtown Township, Delaware County (USGS PA Media Quadrangle, Latitude 39.992049 N, Longitude 75.396425 W).

E1501224-008. SHS1, LLC, 383 Schuylkill Road, Phoenixville, PA 19460, East Brandywine Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 18, 2024.

The SHS1 LLC, is proposing replace the existing septic system on a single home dwelling, and to construct and maintain a single-family home waste treatment facility in 100 years of the assumed floodway of the UNT East branch of the Brandywine (HQ, TSF, MF). Work will include, 124 linear feet of 1.25-inch diameter PVC force main followed by 10 linear feet of 4-inch gravity pipe to outfall with the placement of riprap apron resulting in 331 square feet of direct floodway impact with additional 10.86 square feet of indirect floodway impact. The site is

located at 555 Reeds Road (Downingtown, PA USGS map Lat: 40.04694; Long: -75.73617) in East Brandywine Township, Chester County. Latitude: 40.04694°, Longitude: -75.73617°.

ENVIRONMENTAL ASSESSMENTS

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

EA4002224-001. Dallas Area Municipal Authority, 101 Memorial Highway, Shavertown, PA 18708, Dallas

Township, **Luzerne County.** U.S. Army Corps of Engineers Baltimore District. Application received: September 20, 2024.

To resurface 350 linear feet of UNT to Huntsville Creek (CWF) and reconstruct 350 linear feet of its bank and floodway, resulting in .562 acre of floodway impacts and .08 acre of impacts to the watercourse from top of bank to top of bank. This stream restoration also calls for the installation and grading of low slope wetland benches. 0.05 acre of EV wetland impacts are proposed for the resurfacing of the watercourse. The Project is located 180 ft from the intersection of Windrow Drive and Overbrook Avenue in Dallas Township. (Dallas, PA Kingston Quadrangle, Latitude: 41°, 19', 1.9"; Longitude: -75°, 57', 45.75").

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional

law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA340002D	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Allentown, PA 18104-9342	Delaware Township Juniata County	SCRO
PAD050020	Chapter 102 Individual NPDES Permit	Issued	Newswanger Ivan R 217 Ivy Glen Lane Woodbury, PA 16695-9627	Woodbury Township Bedford County	SCRO
PAD060113	Chapter 102 Individual NPDES Permit	Issued	PDC Northeast LPIV LLC 2442 Dupont Drive Irvine, CA 92612-1523	New Morgan Borough Berks County	SCRO
PAD090099	Chapter 102 Individual NPDES Permit	Issued	Berlinger Bernard E Jr. 6063 Sawmill Road Doylestown, PA 18902-9670	Solebury Township Bucks County	SERO
PAD130045	Chapter 102 Individual NPDES Permit	Issued	Crazy Trout LLC 469 Forest Street Lehighton, PA 18235-8953	Franklin Township Carbon County	NERO
PAD150104	Chapter 102 Individual NPDES Permit	Issued	Chad Byers 35 Wyndemere Lake Drive Chester Springs, PA 19425	West Vincent Township Chester County	SERO
PAD150128	Chapter 102 Individual NPDES Permit	Issued	US Home LLC d/b/a Lennar 1285 Drummers Lane Suite 100 Wayne, PA 19087-1572	East Vincent Township Chester County	SERO
PAD310019	Chapter 102 Individual NPDES Permit	Issued	PA DCNR Rothrock Forest District 181 Rothrock Lane Huntingdon, PA 16652-1100	Jackson Township Huntingdon County	SCRO
PAD390299	Chapter 102 Individual NPDES Permit	Issued	Nestle Purina Petcare 2050 Pope Road Allentown, PA 18104-9308	South Whitehall Township Lehigh County	NERO
PAD390324	Chapter 102 Individual NPDES Permit	Issued	Dwyer Holdings Inc. 1407 Bulldog Drive Allentown, PA 18104-1972	Upper Macungie Township Lehigh County	NERO
PAD450153	Chapter 102 Individual NPDES Permit	Issued	D E & S Properties Inc. 2621 Route 940 Pocono Summit, PA 18346-7734	Smithfield Township Monroe County	NERO
PAD450198	Chapter 102 Individual NPDES Permit	Issued	Nauman Troy 20 Lenox Avenue East Stroudsburg, PA 18301-2411	Stroud Township Monroe County	NERO

NOTICES

7923

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD460076	Chapter 102 Individual NPDES Permit	Issued	SEPTA 1234 Market Street Philadelphia, PA 19107-3727	Conshohocken Borough Montgomery County	SERO
PAD480216	Chapter 102 Individual NPDES Permit	Issued	Overlook At Nazareth C 4511 Falmer Drive Bethlehem, PA 18020-9796	Upper Nazareth Township Northampton County	NERO
PAD480217	Chapter 102 Individual NPDES Permit	Issued	Klump Tyrone P.O. Box 187 Wind Gap, PA 18091-0187	Bushkill Township Northampton County	NERO
PAD500021	Chapter 102 Individual NPDES Permit	Issued	Mid Atlantic Interstate Trans LLC 2800 Pottsville Pk P.O. Box 16001 Reading, PA 19612-6001	Milford Township Juniata County	SCRO
PA0276600	Industrial Stormwater Individual NPDES Permit	Issued	Lehigh Northampton Airport Authority 3311 Airport Road Allentown, PA 18109-3074	Allentown City Lehigh County	NERO
PAS802209	Industrial Stormwater Individual NPDES Permit	Issued	Jenstar of Allentown I 551 Cooper Road West Berlin, NJ 08091-3863	Upper Macungie Township Lehigh County	NERO
0918830	Joint DEP/PFBC Pesticides Permit	Issued	Windsor Square HOA 975 Easton Road Suite 102 Warrington, PA 18976	Buckingham Township Bucks County	SERO
0924819	Joint DEP/PFBC Pesticides Permit	Issued	Swartz John 1125 Callowhill Road Chalfont, PA 18914-1061	Hilltown Township Bucks County	SERO
1524819	Joint DEP/PFBC Pesticides Permit	Issued	Crev LLC Sea Horse Farm 231 Spring Road Malvern, PA 19355-3415	Willistown Township Chester County	SERO
1504412	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Oxford Borough Area Sewer Authority Chester County P.O. Box 380 Oxford, PA 19363	Oxford Borough Chester County	SERO
PAI136130	MS4 Individual NPDES Permit	Issued	Allegheny County 501 Cnty Ofc Bldg 542 Forbes Avenue Pittsburgh, PA 15219	Pittsburgh City Allegheny County	SWRO
PA0038181	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Westmoreland County Municipal Authority 124 Park and Pool Road New Stanton, PA 15672	Hempfield Township Westmoreland County	SWRO
PA0027197	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Capital Region Water 3003 N Front Street Harrisburg, PA 17110-1224	Harrisburg City Dauphin County	SCRO
3602204	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Pennmar Dairy LLC 176 Puseyville Road Quarryville, PA 17566-9693	Fulton Township Lancaster County	SCRO
PA0005746	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Corelle Brands LLC 100 8th Street Charleroi, PA 15022-1619	Charleroi Borough Washington County	SWRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0063894	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Minersville Borough Municipal Authority Schuylkill County 2 E Sunbury Street Minersville, PA 17954-1719	Cass Township Schuylkill County	NERO
PA0244431	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Rhoads Ind Inc. 1900 Kitty Hawk Avenue Philadelphia, PA 19112-1806	Philadelphia City Philadelphia County	SERO
PA0245666	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	North Penn Water Authority Montgomery County 300 Forty Foot Road Lansdale, PA 19446-4017	Worcester Township Montgomery County	SERO
PA0035505	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Faith Bldr Ed Programs Inc. 28527 Guys Mills Road Guys Mills, PA 16327-2516	Randolph Township Crawford County	NWRO
PA0035823	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Saunders Cameron 5909 Little Cove Road Mercersburg, PA 17236-9478	Warren Township Franklin County	SCRO
PA0038792	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Forest Hills Municipal Authority Cambria County 900 Locust Street P.O. Box 337 Saint Michael, PA 15951-2007	Adams Township Cambria County	SWRO
PA0081981	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Smithville Comm LLC 103 Taggart Drive Coatesville, PA 19320-1024	Providence Township Lancaster County	SCRO
PA0085014	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Conestoga Township Lancaster County 3959 Main Street Conestoga, PA 17516-9616	Conestoga Township Lancaster County	SCRO
PA0061921	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Brookdale Enterprises LLC 2813 Route 611 P.O. Box 532 Tannersville, PA 18372-7961	Pocono Township Monroe County	NERO
PA0084565	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	The York Water Co. 130 E Market Street York, PA 17401-1219	Lower Windsor Township York County	SCRO
PA0085782	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Ruscombmanor Township Berks County 204 Oak Lane Fleetwood, PA 19522-8942	Ruscombmanor Township Berks County	SCRO

NOTICES

7925

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0278405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Empire Realty Homes LLC 1 Oak Drive Buena Vista, PA 15018-9534	Elizabeth Township Allegheny County	SWRO
4589407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Brookdale Enterprises LLC 2813 Route 611 P.O. Box 532 Tannersville, PA 18372-7961	Pocono Township Monroe County	NERO
5508402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Perry Township Municipal Authority Snyder County P.O. Box 27 Mt Pleasant M, PA 17853-0027	Perry Township Snyder County	NCRO
5807402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Hallstead & Great Bend Borough Susquehanna County JSA P.O. Box 747 Great Bend, PA 18821-0747	Great Bend Borough Susquehanna County	NERO
NOEXSE039	No Exposure Certification	Issued	Lavazza North America Inc. 1301 Wilson Drive West Chester, PA 19380-5954	East Goshen Township Chester County	SERO
PAG030259	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Estes Express Lines Corp 3901 West Broad Street Richmond, VA 23230	Bensalem Township Bucks County	SERO
PAG032423	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Harford Stone Co. 1060 Bartholomew Road Kingsley, PA 18826-7773	Harford Township Susquehanna County	NERO
PAG033673	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Purina Animal Nutrition LLC 3029 Hempland Road Lancaster, PA 17601-1309	East Hempfield Township Lancaster County	SCRO
PAG033689	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	The Ames Co. Inc. 1500 S Cameron Street Harrisburg, PA 17104-3143	Harrisburg City Dauphin County	SCRO
PAG033855	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Littlestown Foundry Inc. P.O. Box 69 Littlestown, PA 17340-0069	Littlestown Borough Adams County	SCRO
PAG034047	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pennsy Supply Inc. 2400 Thea Drive Suite 3A Harrisburg, PA 17110-9422	East Hempfield Township Lancaster County	SCRO
PAG034061	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	XPO Inc. 2211 Old Earhart Road Suite 100 Ann Arbor, MI 48105-2963	Bedford Township Bedford County	SCRO
PAG034096	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Farm Fresh Turkey Products LLC 304 S Water Street New Oxford, PA 17350-9688	New Oxford Borough Adams County	SCRO
PAG036343	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Armada Waste OH PA LLC 1306 Main Street Crescent, PA 15046-5407	Crescent Township Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036517	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	D & D Auto Salvage LLC 6375 A.V.R.R. Pittsburgh, PA 15206-2113	Pittsburgh City Allegheny County	SWRO
PAG036524	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management PA Inc. 2097 Duss Avenue Ambridge, PA 15003-1832	Ambridge Borough Beaver County	SWRO
PAG041434	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Kelly & Ronald Glas 11161 Phillipsville Colt Station Road Wattsburg, PA 16442-1611	Venango Township Erie County	NWRO
PAG041438	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Thompson Robert C 1267 Rutledge Road Transfer, PA 16154-2225	Pymatuning Township Mercer County	NWRO
PAG041440	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Englert John 244 Colt Road Transfer, PA 16154	Pymatuning Township Mercer County	NWRO
PAG046115	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Connors & Tellman Connors Daniel & Sandra J. 1642 Old Leechburg Road New Kensington, PA 15068-9367	Plum Borough Allegheny County	SWRO
PAG046496	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Kinder Timothy 86 Fishpot Road Fredericktown, PA 15333-2200	Centerville Borough Washington County	SWRO
PAG048723	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Strother Richard 138 Bradman Est Slippery Rock, PA 16057-3206	Slippery Rock Township Butler County	NWRO
PAG123623	PAG-12 NPDES General Permit for CAFOs	Issued	Future View Farm LLC 13 Radcliff Road Willow Street, PA 17584-9770	Pequea Township Lancaster County	SCRO
PAG123702	PAG-12 NPDES General Permit for CAFOs	Issued	Brook-Corner LLC 400 Mount Wilson Road Lebanon, PA 17042-4752	South Annville Township Lebanon County	SCRO
PAG123807	PAG-12 NPDES General Permit for CAFOs	Issued	White Oak Hollow Farms LLC 766 White Oak Hollow Road Warfordsburg, PA 17267-8562	Bethel Township Fulton County	SCRO
PAG123819	PAG-12 NPDES General Permit for CAFOs	Issued	Molly Pitcher Milk LLC 75 Goodyear Road Carlisle, PA 17015-9495	Southampton Township Cumberland County	SCRO
PAG123828	PAG-12 NPDES General Permit for CAFOs	Issued	Brechbill Christopher J 3387 Mont Alto Road Fayetteville, PA 17222-9661	Guilford Township Franklin County	SCRO
PAG123939	PAG-12 NPDES General Permit for CAFOs	Issued	Lafferty Tyler 2097 Shaffer Mountain Road New Paris, PA 15554-7423	Napier Township Bedford County	SCRO
PAG126109	PAG-12 NPDES General Permit for CAFOs	Issued	Hyasota Hill Farms LLC 264 Hyasota Hill Road Hollsopple, PA 15935-7204	Conemaugh Township Somerset County	SCRO
PAG133570	PAG-13 NPDES General Permit for MS4s	Waived	Franklin Township York County 150 Century Lane Dillsburg, PA 17019-9461	Franklin Township York County	SCRO

NOTICES

7927

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG136350	PAG-13 NPDES General Permit for MS4s	Waived	Ellsworth Borough Washington County P.O. Box 545 23 S Main Street Ellsworth, PA 15331-0545	Ellsworth Borough Washington County	SWRO
1024412	Sewer Extensions Individual WQM Permit	Issued	Breakneck Creek Region Authority 1166 Mars Evans City Road Mars, PA 16046-2216	Adams Township Butler County	NWRO
2722	Sewer Extensions Individual WQM Permit	Issued	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
0296410	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Connors and Tellman Connors Daniel & Sandra J 1642 Old Leechburg Road New Kensington, PA 15068-9367	Plum Borough Allegheny County	SWRO
1001404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Strother Richard 138 Bradman Est Slippery Rock, PA 16057-3206	Slippery Rock Township Butler County	NWRO
PA0086665	Small Flow Treatment Facility Individual NPDES Permit	Issued	Brethren In Christ Church 720 Greenspring Road Newville, PA 17241-9694	North Newton Township Cumberland County	SCRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC380190	PAG-02 General Permit	Issued	Meadow Lane Farms Limited 225 North Presidential Boulevard Bala Cynwyd, PA 19004	North Cornwall Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380276	PAG-02 General Permit	Issued	Bayer Corporation 400 West Stoever Avenue Myerstown, PA 17067	Jackson Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380124	PAG-02 General Permit	Issued	Springbrook Farms, Inc. 501 West Governor Road Hershey, PA 17033	South Londonderry Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380318	PAG-02 General Permit	Issued	Thomas Rauch 12 Palestine Road Newtown, CT 06470	South Londonderry Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380190	PAG-02 General Permit	Issued	Fox Bend Partners, LLC 1737 West Main Street Ephrata, PA 17522	North Cornwall Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC280374	PAG-02 General Permit	Issued	Patriot Federal Credit Union P.O. Box 778 Chambersburg, PA 17201	Greencastle Borough Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280372	PAG-02 General Permit	Issued	Hissong Farmstead, Inc 7951 Lemar Road Mercersburg, PA 17236	Peters Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280369	PAG-02 General Permit	Issued	Ronald Martin 1400 East Main Street Waynesboro, PA 17268-1887	Washington Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280364	PAG-02 General Permit	Issued	PennDOT District 8-0 2140 Herr St. Harrisburg, PA 17103-1669	Washington Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC540099 Renewal	PAG-02 General Permit	Issued	Guers Topsoil and Mulch Products, LLC Daniel Edmonds 110 N Valley Street New Philadelphia, PA 17959	Blythe Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC400143	PAG-02 General Permit	Issued	Countrywood Realty, LLC Tracey S. Gribble 47 Tower Lane Dallas, PA 18612	Hanover Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC400095	PAG-02 General Permit	Issued	KNO LLC Neil Nelson 2220 River View Avenue Bloomsburg, PA 17815	Nescopeck Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC280353	PAG-02 General Permit	Issued	Kelly Barnes 1 Overcash Avenue Building 14 Chambersburg, PA 17201-4150	Letterkenny Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280049	PAG-02 General Permit	Issued	Thomas Mongold 434 Phoenix Drive Chambersburg, PA 17201-4537	Hamilton Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499

NOTICES

7929

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC280049	PAG-02 General Permit	Issued	Lucas Fogle, Co-Applicant 2830 Lincoln Way West Chambersburg, PA 17202-8694	Hamilton Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280105	PAG-02 General Permit	Issued	Brandon Fox 123 Stone Head Drive Dillsburg, PA 17019	Saint Thomas Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280261	PAG-02 General Permit	Issued	James Miller 12290 Scott Road Waynesboro, PA 17268	Antrim Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280191	PAG-02 General Permit	Issued	Anthony L. Diehl 2230 Grand Point Road Chambersburg, PA 17202-7804	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280293	PAG-02 General Permit	Issued	Fern Smith 308 Stacey Drive Mt. Pleasant, PA 15666	Montgomery Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280179	PAG-02 General Permit	Issued	Glen House 2327 Hoffman Road Greencastle, PA 17225	Antrim Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280271	PAG-02 General Permit	Issued	Jeff Camp 633 W. Germantown Pike Suite 104 Plymouth Meeting, PA 19462	Antrim Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280290	PAG-02 General Permit	Issued	William L. Palmer 188 Success Drive McConnellsburg, PA 17233-9009	Peters Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280236	PAG-02 General Permit	Issued	Edward O. Wilson 7575 Mentzer Gap Road Waynesboro, PA 17268	Quincy Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC280186	PAG-02 General Permit	Issued	Eric Harbaugh 115 Spring Valley Road Chambersburg, PA 17202-8414	Guilford Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280206	PAG-02 General Permit	Issued	Todd E. Burns 1145 Garver Lane P.O. Box 215 Scotland, PA 17254-0215	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280382	PAG-02 General Permit	Issued	Tyler Hershey 8995 Orchard Drive Mercersburg, PA 17236-9534	Montgomery Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280087	PAG-02 General Permit	Issued	Angie Petersheim 126 Social Island Road Chambersburg, PA 17202	Guilford Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280325	PAG-02 General Permit	Issued	Daniel Shaool 101 Kelby Drive Chambersburg, PA 17201	Chambersburg Borough Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280212	PAG-02 General Permit	Issued	Tim A. Grove 1587 S. Main Street Chambersburg, PA 17201	Peters Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280342	PAG-02 General Permit	Issued	Simon Zaiger 3705 Oak Hill Road Waynesboro, PA 17268	Saint Thomas Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280052	PAG-02 General Permit	Issued	Jennifer Hitz 4880 N. Sherman Street Ext Mt. Wolf, PA 17347-9637	Guilford Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280350	PAG-02 General Permit	Issued	Eli Shemtov 1811 Silverside Road Wilmington, DE 19810-4345	Montgomery Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499

NOTICES

7931

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC680048	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931-0000	Porter Township Jefferson County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-0000 814-472-1800
PAC130008	PAG-02 General Permit	Issued	First Northern Bank & Trust Company c/o Mr. Richard Strauss Fourth St. and Lafayette Ave. Palmerton, PA 18071	Mahoning Township Carbon County	Carbon County Conservation District 5664 Interchange Road Leighton, PA 18235 610-377-4894 RA-EPWW-NERO@ pa.gov
PAC130023	PAG-02 General Permit	Issued	Jonathan Ammary 1828 West Lizard Creek Road Leighton, PA 18235	East Penn Township Carbon County	Carbon County Conservation District 5664 Interchange Road Leighton, PA 18235 610-377-4894 RA-EPWW-NERO@ pa.gov
PAC130028	PAG-02 General Permit	Issued	DTA Alliance, LLC c/o Mr. Daniel Connor 415 Golf Road Palmerton, PA 18071	Lower Towamensing Township Carbon County	Carbon County Conservation District 5664 Interchange Road Leighton, PA 18235 610-377-4894 RA-EPWW-NERO@ pa.gov
PAC130015	PAG-02 General Permit	Issued	DTA Alliance, LLC c/o Mr. Daniel Connor 415 Golf Road Palmerton, PA 18071	Lower Towamensing Township Carbon County	Carbon County Conservation District 5664 Interchange Road Leighton, PA 18235 610-377-4894 RA-EPWW-NERO@ pa.gov
PAC130024	PAG-02 General Permit	Issued	JLM Real Estate Investments, LLC c/o James L. Miller Manager P.O. Box 472 950 E. Main Street Schuylkill Haven, PA 17972	Banks Township Carbon County	Carbon County Conservation District 5664 Interchange Road Leighton, PA 18235 610-377-4894 RA-EPWW-NERO@ pa.gov
PAC510291	PAG-02 General Permit	Issued	2000 Arch Associates, L.P. 150 N Broad Street Philadelphia, PA 19102-1424	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC090380	PAG-02 General Permit	Issued	Upper Makefield Land Holdings LLC 4030 Skyron Drive Suite G Doylestown, PA 18902-0017	Upper Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090512	PAG-02 General Permit	Issued	Gibson Holdings LLC 300 Farm Lane Doylestown, PA 18901-4871	Bensalem Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC480053	PAG-02 General Permit	Issued	Bethlehem Earth LP 491 York Rd. Ste. 200 Jenkintown, PA 19046	City of Bethlehem Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC230309	PAG-02 General Permit	Issued	Ridley United Soccer Club P.O. Box 343 Folsom, PA 19033	Ridley Park Borough Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC050077	PAG-02 General Permit	Issued	CAS Bedford LLC 4641 Paragon Park Road Raleigh, NC 27616	Bedford Township Bedford County	Bedford County Conservation District 702 West Pitt Street Suite 3 Bedford, PA 15522 814-623-7900
PAC010287	PAG-02 General Permit	Issued	Gary Ott P.O. Box 544 Glenmore, PA 19343	Highland Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC480026	PAG-02 General Permit	Issued	Frank Dudas 6118 William Penn Highway Easton, PA 18045	Upper Mount Bethel Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC480046	PAG-02 General Permit	Issued	Nancy Run Estates Family Limited Partnership 606 S. William Penn Highway Easton, PA 18042	Bethlehem Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov

NOTICES

7933

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC480149	PAG-02 General Permit	Issued	City Center Investment Corporation 600 W. Hamilton St. Ste. 700 Allentown, PA 18101	City of Easton Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC480172	PAG-02 General Permit	Issued	MRT Easton, LLC 30 Church Street P.O. Box 0811 Liberty Corner, NJ 07938-0811	Williams Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC510291	PAG-02 General Permit	Issued	2000 Arch Associates, L.P. 150 N Broad Street Philadelphia, PA 19102-1424	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC510290	PAG-02 General Permit	Issued	Prologis Targeted US Logistics Fund LP 6721 Columbia Gateway Drive Suite 150 Columbia, MD 21046	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC400078	PAG-02 General Permit	Issued	Presidential Land Company, LLC Frank Pedriani P.O. Box 157 Mountain Top, PA 18707	Jackson Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC400126	PAG-02 General Permit	Issued	Stauffer Pointe Development Group, LLC Armand Mascioli 3445 Lakeside Drive Harveys Lake, PA 18618	Pittston City Pittston Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC400282	PAG-02 General Permit	Issued	Valley Crest Real Estate, LP Robert Tamburro 1140 Route 315 Wilkes-Barre, PA 18711	Plains Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC510214	PAG-02 General Permit	Issued	Exelon—PECO 1060 West Sweedsford Road Berwyn, PA 19312	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC010148	PAG-02 General Permit	Issued	SamWill Acres, LLC 715 White Church Road York Springs, PA 17372	Huntington Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC220037	PAG-02 General Permit	Issued	H-T Partners, LLC P.O. Box 277 Landisville, PA 17538	Middletown Borough Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220317	PAG-02 General Permit	Issued	Dennis Railing 928 Groff Ave Elizabethtown, PA 17022	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220399	PAG-02 General Permit	Issued	PA Game Commission 2001 Elmerton Ave Harrisburg, PA 17110	Susquehanna Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220232	PAG-02 General Permit	Issued	Mission Land Company 5755 Union Deposit Rd Harrisburg, PA 17111	South Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220167	PAG-02 General Permit	Issued	Wilsbach Distributors, Inc. 1977 Oberlin Road Harrisburg, PA 17111	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220345	PAG-02 General Permit	Issued	Linlo Properties X, LP 150 Corporate Center Drive Ste 100 Camp Hill, PA 17011	Susquehanna Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220386	PAG-02 General Permit	Issued	South Hanover Township Sewer Auth 161 Patriot Way Hershey, PA 17033	South Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220158	PAG-02 General Permit	Issued	Gradview Development Group LP P.O. Box 163 Curwensville, PA 16833	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220238	PAG-02 General Permit	Issued	Charter Homes at Laurel Hill, Inc 322 North Arch Street Lancaster, PA 17601	Susquehanna Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100

NOTICES

7935

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220394	PAG-02 General Permit	Issued	TMI-2 Solutions, LLC TMI Unit 2 Rte 441 South Middletown, PA 17057	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220402	PAG-02 General Permit	Issued	Derry Township Municipal Auth 670 Clearwater Rd Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220365	PAG-02 General Permit	Issued	Capital Valley LP c/o Stewart Properties 950 Smile Way York, PA 17404	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220406	PAG-02 General Permit	Issued	Lower Swatara Twp 1499 Spring Garden Dr Middletown, PA 17057	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220103	PAG-02 General Permit	Issued	McNaughton Properties LP 440 Deer Path Rd Ste 1 Harrisburg, PA 17110	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220397	PAG-02 General Permit	Issued	McNaughton Properties LP 440 Deer Path Rd Ste 1 Harrisburg, PA 17110	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220320	PAG-02 General Permit	Issued	PA Dept. of General Services 1800 Herr St Harrisburg, PA 17103	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220360	PAG-02 General Permit	Issued	The Hershey Company 1025 Reese Ave Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220353	PAG-02 General Permit	Issued	Steelton-Highspire School District P.O. Box 7645 Steelton, PA 17113	Steelton Borough Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220352	PAG-02 General Permit	Issued	Hanover Logistics, LLC 118 Springwood Dr Lebanon, PA 17042	East Hanover Township Dauphin County Lebanon County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220174	PAG-02 General Permit	Issued	Eastern Development & Planning, Inc 7300 Derry St Harrisburg, PA 17111	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220060	PAG-02 General Permit	Issued	PennDOT Engineering District 8-0 2140 Herr St Harrisburg, PA 17013	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC620011	PAG-02 General Permit	Issued	Pleasant Township 8 Chari Lane Warren, PA 16365	Pleasant Township Warren County	Warren County Conservation District 4000 Conewango Avenue Warren, PA 16365 814-726-1441
PAC100262	PAG-02 General Permit	Issued	Cranberry Township 2525 Rochester Road Cranberry Township, PA 16066	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100320	PAG-02 General Permit	Issued	Belmont Investment Properties LLC 75 Dutchtown Road Butler, PA 16002	Butler Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100325	PAG-02 General Permit	Issued	Slippery Rock University 100 Building and Grounds Road Slippery Rock, PA 16057	Slippery Rock Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100326	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Slippery Rock Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC200057	PAG-02 General Permit	Issued	Crawford Advance Materials 5050 West Ridge Road Suite 201 Erie, PA 16506	Greenwood Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC610025	PAG-02 General Permit	Issued	National Fuel Gas Distribution Corporation 1100 State Street Erie, PA 16501	Sugarcreek Borough Venango County	Venango County Conservation District 4871 US 322 Franklin, PA 16323 814-676-2832
PAC510330	PAG-02 General Permit	Issued	Philadelphia Soccer Club 10402 Decatur Road Philadelphia, PA 19154	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov

NOTICES

7937

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC100182	PAG-02 General Permit	Issued	Sandy Hill Development LLC 1712 Mt Nebo Road Sewickley, PA 15143	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100186	PAG-02 General Permit	Issued	Sandy Hill Development LLC 1712 Mt Nebo Road Sewickley, PA 15143	Middlesex Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC610029	PAG-02 General Permit	Issued	Clintonville Borough Sewer and Water Authority 109 Franklin Street Clintonville, PA 16372	Clintonville Borough Venango County	Venango County Conservation District 4871 US 322 Franklin, PA 16323 814-676-2832
PAC100308	PAG-02 General Permit	Issued	Glade Run Properties 380 Southpointe Boulevard Suite 4000 Canonsburg, PA 15317	Zelienople Borough Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC510227	PAG-02 General Permit	Issued	SBWF Homes LLC 1845 Walnut Street Suite 910 Philadelphia, PA 19103	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC370052	PAG-02 General Permit	Issued	Staph, DeCarbo & Associates LLC 2911 Wilmington Road New Castle, PA 16105	Neshannock Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370056	PAG-02 General Permit	Issued	Lindy Paving Inc 1807 Shenango Road New Galilee, PA 16141	Taylor Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370054	PAG-02 General Permit	Issued	Fulena Realty LLC 881 Glen Road New Castle, PA 16105	Neshannock Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370038	PAG-02 General Permit	Issued	Custom Pallet & Mulch Inc 1799 Countyline Road New Castle, PA 16101	Hickory Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370076	PAG-02 General Permit	Issued	Mohawk Area School District 385 Mohawk School Road New Castle, PA 16102	North Beaver Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370078	PAG-02 General Permit	Issued	Wampum Borough P.O. Box 65 Wampum, PA 16157	Ellwood City Borough Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC370050	PAG-02 General Permit	Issued	Ellwood Specialty Metals Company 499 Honeybee Lane New Castle, PA 16105	Wilmington Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370072	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Union Township Taylor Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370082	PAG-02 General Permit	Issued	Asset Realty & Construction Group Inc. 1590 Troy Avenue Brooklyn, NY 11234	City of New Castle Taylor Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC370085	PAG-02 General Permit	Issued	Ellwood City Area School District 501 Crescent Avenue Ellwood City, PA 16117	Ellwood City Borough Taylor Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC250122A1	PAG-02 General Permit	Issued	Summit Township Sewer Authority 8890 Old French Road Erie, PA 16509	Summit Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC240033	PAG-02 General Permit	Issued	Brockway Municipal Authority 501 Main Street Brockway, PA 15824	Horton Township Elk County	Elk County Conservation District 850 Washington Street St Marys, PA 15857 814-776-5373
PAC400223	PAG-02 General Permit	Issued	Lineage PA Hazleton RE, LLC Robert Sangdahl 46500 Humboldt Drive Novi, MI 48377	Hazle Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC210353	PAG-02 General Permit	Issued	Hampden Townhomes LLC 6211 Lookout Drive Mechanicsburg, PA 17050	Hampden Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC021140	PAG-02 General Permit	Issued	Larry Nicolette 501 Wadell Avenue Clairton, PA 15025	City of Clairton Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020424	PAG-02 General Permit	Issued	Richard Perkoski 3716 Liberty Way McKeesport, PA 15133	Lincoln Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO

NOTICES

7939

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC021146	PAG-02 General Permit	Issued	GAI Consultants 501 Technology Drive Suite 1300 Canonsburg, PA 15317	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020708A-1	PAG-02 General Permit	Issued	Josh Knapp 742 Franklin Road Mars, PA 16046	Pine Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020909	PAG-02 General Permit	Issued	J & E Real Estate, LLC 1225 Rodi Road Turtle Creek, PA 15145	Elizabeth Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020965A-1	PAG-02 General Permit	Issued	Bethel Park School District 301 Church Road Bethel Park, PA 15102	Bethel Park Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021108	PAG-02 General Permit	Issued	ACAA Landslide Terminal 4th Floor Mezzanine Suite 1050 Pittsburgh, PA 15231	West Mifflin Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020032A-2	PAG-02 General Permit	Issued	Charter Homes at Hastings, Inc. 322 N. Arch Street Lancaster, PA 1760	South Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021104	PAG-02 General Permit	Issued	Land Development by D&B, LLC 1357 Streets Run Road Pittsburgh, PA 15236	South Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021011	PAG-02 General Permit	Issued	Municipality of Monroeville 2700 Monroeville Boulevard Monroeville, PA 15146	Monroeville Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC650406	PAG-02 General Permit	Issued	Hackmatack Solar, LLC 3050 Peachtree Road 4th Floor Suite 460 Atlanta, GA 30305	South Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC650388	PAG-02 General Permit	Issued	Donegal Township 137 Hoffers Lane Jones Mills, PA 15646	Donegal Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650395	PAG-02 General Permit	Issued	Independence Health System 532 Pittsburgh Street Greensburg, PA 15601	City of Greensburg Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650345	PAG-02 General Permit	Issued	MSD—Cherry Creek, LLC One Mele Place Braddock, PA 15104	Hempfield Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAD650422	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 195 Donohoe Road Greensburg, PA 15601	North Huntingdon Township North Irwin Borough Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC630311	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Pittsburgh, PA 15212	Fallowfield Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630193	PAG-02 General Permit	Issued	South Franklin Township 100 Municipal Road Washington, PA 15301	South Franklin Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630152	PAG-02 General Permit	Issued	Golden Triangle Construction Company 8555 Old Steubenville Pike Imperial, PA 15126	North Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630249	PAG-02 General Permit	Issued	Ringold School District 400 Main Street New Eagle, PA 15067	Union Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO

NOTICES

7941

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC630303	PAG-02 General Permit	Issued	Pennsylvania American Water Company 300 Galley Road McMurray, PA 15317	City of Washington Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630250	PAG-02 General Permit	Issued	Pittsburgh Powder Coat, Inc 4273 Finleyville Elrama Road Finleyville, PA 15332	Union Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630223	PAG-02 General Permit	Issued	Thomas Marten Company 279 Shaler Road West Alexander, PA 15376	Donegal Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630001	PAG-02 General Permit	Issued	Range Resources Appalachia, LLC 3000 Town Center Boulevard Canonsburg, PA 15317	Chartiers Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630067	PAG-02 General Permit	Issued	Running Brooke II Associates, LP 3555 Washington Road McMurray, PA 153174	Canton Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630232	PAG-02 General Permit	Issued	Aloe Family 1994 Limited Partnership 1009 Beaver Grade Road Suite 210 Moon Township, PA 15108	Robinson Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630069	PAG-02 General Permit	Issued	Aloe Family 1994 Limited Partnership 1009 Beaver Grade Road Suite 210 Moon Township, PA 15108	Robinson Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630265	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Centerville Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC630300	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	East Bethlehem Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630299	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Roscoe Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630298	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630286	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Fallowfield Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630318	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Charleroi Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630221	PAG-02 General Permit	Issued	PA Finance II, LLC 4809 Burchap Drive Myrtle Beach, PA 29577	South Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630273	PAG-02 General Permit	Issued	Aeon Properties, LLC 8 Grandview Circle Canonsburg, PA 15317	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC110131	PAG-02 General Permit	Issued	Jackson Township Volunteer Fire Company 176 Adams Avenue Mineral Point, PA 15942	Jackson Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15931 714-472-2120 SWRO

NOTICES

7943

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC040106	PAG-02 General Permit	Issued	Bridgewater Crossing II, LLC 100 Bet-Tech Drive Aliquippa, PA 15001	Bridgewater Borough Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040135	PAG-02 General Permit	Issued	Versatex Building Products, LLC 400 Steel Street Aliquippa, PA 15001	City of Aliquippa Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040054	PAG-02 General Permit	Issued	Adam's Place, LLC 3555 Washington Road McMurray, PA 15317	Big Beaver Borough Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040095	PAG-02 General Permit	Issued	Brighton Township 1300 Brighton Road Beaver, PA 15009	Brighton Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040107	PAG-02 General Permit	Issued	Brighton Township 1300 Brighton Road Beaver, PA 15009	Brighton Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040137	PAG-02 General Permit	Issued	Scarmazzi Homes 127 Adams Avenue Canonsburg, PA 15317	Hopewell Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC630270	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC040097	PAG-02 General Permit	Issued	Center Township 224 Center Grange Road Aliquippa, PA 15001	Center Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040154	PAG-02 General Permit	Issued	Center Township Water Authority 224 Center Grange Road Aliquippa, PA 15001	Center Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC560056	PAG-02 General Permit	Issued	PennDOT District 9-0 1620 North Juniata Street Hollidaysburg, PA 16648	Elk Lick Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC430090	PAG-02 General Permit	Issued	Wabtec US Rail Inc. 660 Barkeyville Road Grove City, PA 16127	Grove City Borough Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC430132	PAG-02 General Permit	Issued	VIPA Land Holdings LLC 389 Grove City Road Slippery Rock, PA 16057	Pine Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC680051	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931-0000	Brady Township Butler County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-0000 814-472-1800
PAC680052	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931-0000	Knox Township Washington Township Clarion County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-0000 814-472-1800
PAC680060	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931-0000	Nicholson Township Fayette County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-0000 814-472-1800
PAC480185	PAG-02 General Permit	Issued	Myers Power Products 2950 E. Philadelphia Street Ontario, CA 91713	Tatamy Borough Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC310038	PAG-02 General Permit	Issued	Juniata College 1700 Moore St Huntingdon, PA 16652	Huntingdon Borough Huntingdon County	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652 814-627-1626
PAC480115	PAG-02 General Permit	Issued	OHI-HM Holdings, LP 1150 South Cedar Crest Blvd. Allentown, PA 18103	Allen Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC480056	PAG-02 General Permit	Issued	Edward Deichmeister 700 Sipos Dr. Northampton, PA 18067	Allen Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov

NOTICES

7945

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC480027	PAG-02 General Permit	Issued	PPG Willow Brook, LLC 2312 North Broad Street Colmar, PA 18915	Northampton Borough North Catasauqua Borough Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC480145	PAG-02 General Permit	Issued	First Industrial Pennsylvania, LP 17 East Gay Street Suite 302 West Chester, PA 19380	Lower Nazareth Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC150291	PAG-02 General Permit	Issued	All County Partnership 3697 Schuylkill Road Spring City, PA 19475	Valley Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC010261	PAG-02 General Permit	Issued	George and Cynthia Bushman 7 Howard Drive East Berlin, PA 17316	Menallen Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC670429	PAG-02 General Permit	Issued	KE III WMCC LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670221	PAG-02 General Permit	Issued	Yazoo Mills Inc 305 Commerce Street New Oxford, PA 17350	Penn Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670535	PAG-02 General Permit	Issued	Keel-Mar Farms LLC 335 Indian Rock Dam Road York, PA 17403	York Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670271	PAG-02 General Permit	Issued	Spring Forge Development LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	Spring Grove Borough York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670745	PAG-02 General Permit	Issued	WLR Automotive Group Inc 1313 Orchard Way Frederick, MD 21703	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670741	PAG-02 General Permit	Issued	Dallastown Borough 175 East Broad Street Dallastown, PA 17313	Dallastown Borough York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670703	PAG-02 General Permit	Issued	Frank and Kay Rhodes 1281 Creek Road Manheim, PA 17545	Franklin Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670712	PAG-02 General Permit	Issued	Burkentine Builders Inc. 1454 Baltimore Street Hanover, PA 17331	York Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670602	PAG-02 General Permit	Issued	Inch's Sports LLC 2950 Eisenhower Road York, PA 17404	North York Borough and Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC110132	PAG-02 General Permit	Issued	CPV Rogue's Wind, LLC 50 Braintree Hill Office Park Suite 300 Braintree, MA 02184	East Carroll Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 SWRO
PAC110114	PAG-02 General Permit	Issued	Ebensburg Municipal Authority 300 West High Street Ebensburg, PA 15931	Ebensburg Borough Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 SWRO

NOTICES

7947

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC110108A-2	PAG-02 General Permit	Issued	Ebensburg Municipal Authority 300 West High Street Ebensburg, PA 15931	Ebensburg Borough Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 SWRO
PAC110125	PAG-02 General Permit	Issued	Dimension Renewable Energy 3050 Peachtree Road 4th Floor Suite 460 Atlanta, GA 30305	Cambria Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 SWRO
PAC110092	PAG-02 General Permit	Issued	M&G Realty, Inc. 2295 Susquehanna Trail Suite C York, PA 17404	Richland Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 SWRO
PAC560094	PAG-02 General Permit	Issued	Municipal Authority of the Borough of Somerset 347 West Union Street Somerset, PA 15501	Somerset Borough and Somerset Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Ebensburg, PA 15501 814-445-4652 SWRO
PAC560015	PAG-02 General Permit	Issued	Mountain Ridge Trails Resort, LLC 147 Woodland Drive Berlin, PA 15530	Stonycreek Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Ebensburg, PA 15501 814-445-4652 SWRO
PAC560028	PAG-02 General Permit	Issued	Mayak Family Trust 5079 Lincoln Highway Stoystown, PA 15563	Quemahoning Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Ebensburg, PA 15501 814-445-4652 SWRO
PAC230233	PAG-02 General Permit	Issued	500 Wanamaker Avenue Partners, LLC 416 Bethlehem Pike Fort Washington, PA 19034-3418	Tinicum Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC230231	PAG-02 General Permit	Issued	MacDade Bullens, LLC 1030 West Germantown Pike East Norriton, PA 19403-3929	Ridley Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230180	PAG-02 General Permit	Issued	Radnor Township School District 135 S Wayne Avenue Wayne, PA 19087	Radnor Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC150291	PAG-02 General Permit	Issued	All County Partnership 3697 Schuylkill Road Spring City, PA 19475	Valley Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150221	PAG-02 General Permit	Issued	Val Real Estate II, LLC 15 Lee Boulevard Malvern, PA 19355	West Whiteland Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150382	PAG-02 General Permit	Issued	Aldi, Inc. 2700 Saucon Valley Road Center Valley, PA 18034	East Pikeland Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150179	PAG-02 General Permit	Issued	Blue Mountain Construction 21 Crozerville Road Aston, PA 19014	West Goshen Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150279	PAG-02 General Permit	Issued	920 S. Bolmar Associates, LP 120 Pennsylvania Avenue Malvern, PA 19355	West Goshen Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150331	PAG-02 General Permit	Issued	Cheyney University 1837 University Circle P.O. Box 200 Cheyney, PA 19319	Thornbury Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov

NOTICES

7949

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC150334	PAG-02 General Permit	Issued	Capital Enterprises, Inc. 555 City Avenue Suite 1130 Bala Cynwyd, PA 19004	West Whiteland Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150340	PAG-02 General Permit	Issued	Boot Senior Property, LLC P.O. Box 176 Malvern, PA 19335	West Whiteland Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150111	PAG-02 General Permit	Issued	Frank C. Lordi, Jr. P.O. Box 475 Unionville, PA 19375	West Marlborough Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150400	PAG-02 General Permit	Issued	Herr Foods, Inc P.O. Box 300 Nottingham, PA 19362	West Nottingham Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150229	PAG-02 General Permit	Issued	Martins Community, LP 25 Randy Lane Cochranville, PA 19330	West Nottingham Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150357	PAG-02 General Permit	Issued	4102 Associates, LLC 418 Creamery Way Exton, PA 19341	Caln Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150170	PAG-02 General Permit	Issued	E. Miller Properties, LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601	London Grove Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC150092	PAG-02 General Permit	Issued	Carlino East Brandywine, LP 510 Township Line Road Suite 130 Blue Bell, PA 19422	East Brandywine Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150302	PAG-02 General Permit	Issued	East Whiteland Township 209 Conestoga Rd Frazer, PA 19355	East Whiteland Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150290	PAG-02 General Permit	Issued	S&P Conveyors P.O. Box 368 Nottingham, PA 19362	New Garden Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150389	PAG-02 General Permit	Issued	Timbermill, LLC 833 Lincoln Avenue West Chester, PA 19380	East Goshen Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150311	PAG-02 General Permit	Issued	The Preserve at Horseshoe Meadows, LLC 833 Lincoln Avenue West Chester, PA 19380	East Brandywine Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150274	PAG-02 General Permit	Issued	Roller Derby Skate Corp 311 W. Edwards Street P.O. Box 249 Litchfield, IL 62056	West Sadsbury Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150367	PAG-02 General Permit	Issued	Branchport Capital, LLC 43 General Warren Blvd Malvern, PA 19355	West Goshen Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC150283	PAG-02 General Permit	Issued	Southview Place LP P.O. Box 488 Unionville, PA 19375	South Coatesville Borough Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150310	PAG-02 General Permit	Issued	Acero Precision 1340 Enterprise Dr West Chester, PA 19380	East Goshen Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Daniel Petre 3409 Smoketown Road Spring Grove, PA 17362	York County	6	513.65	Poultry	NA	Approved
Timber Ridge Farms 9969 Timber Ridge Road Needmore, PA 17238	Fulton County	12	1,342.60	Finishing Swine	NA	Approved
Nelson Martin 2224 Horseshoe Pike Annville, PA 17003	Lebanon County	344.5	810.47	Swine Heifer	NA	Approved
Koch’s Turkey Farm 416 Valley Rd Tamaqua, PA 17252	Schuylkill County	375.2	3,187.58	Turkey	HQ	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
McMichael Farm 791 Street Road Oxford, PA 19363	Chester County	53.1	473.42	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jade Wheeler, Clerical Assistant II, 570-327-0551.

Construction Permit No. 1424511, Major Amendment, Public Water Supply.

Applicant	Benner Township Water Authority Grove Park
Address	170 Irish Hollow Road Bellefonte, PA 16823
Municipality	Benner Township
County	Centre County

Consulting Engineer	Brian D Shura 1731 North Juniata Street Hollidaysburg, PA 16648
Application Received	June 17, 2024
Permit Issued	November 7, 2024
Description	Installation of an anion nitrate removal, a cation water softening system and a new well pump to the Grove Park water system.

Construction Permit No. 4124507, Major Amendment, Public Water Supply.

Applicant	Fairlawn Community Church
Address	353 Pleasant Hill Road Cogan Station, PA 17728
Municipality	Lycoming Township
County	Lycoming County
Consulting Engineer	Shawn Downey 1000 Commerce Park Drive Williamsport, PA 17701
Application Received	August 19, 2024
Permit Issued	November 7, 2024
Description	Installation of a water treatment system to produce potable water in compliance with PA DEP. The system will include a booster pump, Kinetic Arsenic Guard System, 120-gallon chlorine contact tank and two 500-gallon finished water storage tank.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Ciana Walkosak, Environmental Engineering Trainee, 717-772-5874.

Construction Permit No. 4024513, Major Amendment, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. Penn Lake Park
Address	762 W Lancaster Ave Bryn Mawr, PA 19019
Municipality	Penn Lake Park Borough
County	Luzerne County
Consulting Engineer	Jonathan Reuther 1717 Arch Street Suite 4010 Philadelphia, PA 19103
Application Received	August 26, 2024
Permit Issued	November 13, 2024

Description	Permit application for the treatment of PFAS. The treatment will consist of the addition of anion exchange (AIX) treatment at the system's Well No. 1.
<i>Contact: Paul Barnes, 570-826-2274.</i>	
Construction Permit No. 1122371 , Minor Amendment, Public Water Supply.	
Applicant	Bowmanstown Borough Authority
Address	490 Ore Street Bowmanstown, PA 18303
Municipality	Bowmanstown Borough
County	Carbon County
Consulting Engineer	Van Cleef Engineering Associates 1685 Valley Center Parkway Suite 100 Bethlehem, PA 18017
Application Received	September 19, 2024
Permit Issued	November 15, 2024
Description	Corrosion Control Treatment.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jade Wheeler, Clerical Assistant II, 570-327-0551.

Amendment Permit 4923502. PWSID No. **4490024**. **Aqua PA Roaring Creek Division, Preston Hill Booster Pump Station**, 204 East Sunbury Street, Shamokin, PA 17872, Butler Township, **Schuylkill County**. Application received: November 12, 2024. Permit Issued: November 12, 2024. This permit authorizes the permittee to operate the Preston Hill Booster Pump Station which includes two (2) new 3-HP vertical multi-stage Goulds Series e-SV—Model 5SV-8 booster pumps and Controller Tiger Flow Series VMS-4000-VFD and controls, McCrometer Ultra Mag Flow Meter and a new Amtrol Therm-X-Trol ST-180V, 62 gallon, NSF 61 certified pressure tank and Quiet Cool Garage Fan Model No. GA ES-1500 for ventilation in Butler Township, Schuylkill County.

Amendment Permit 1071103. PWSID No. **4190014**. **Benton Municipal Water and Sewer Authority**, P.O. Box 516, Benton, PA 17814, Benton Borough, **Columbia County**. Application received: October 31, 2024. Permit Issued: November 7, 2024. Distillery Hill water-storage tank project to replace existing water-storage tank.

Operation Permit 5589504-A1. PWSID No. **4550022**. **Shamokin Dam Borough Water System**, 42 West 8th Avenue, P.O. Box 273, Shamokin Dam, PA 17876, Shamokin Dam Borough, **Snyder County**. Application received: October 7, 2024. Permit Issued: November 13, 2024. Operation permit amendment to add a special condition allowing calculation of the flow weighted CFE turbidity based on IFE turbidities/flow rates.

Amendment Permit 1724501MA. PWSID No. **6170024**. **Huston Township Water Authority**, 11837 Bennetts Valley Highway, Suite 2, Penfield, PA 15848, Huston Township, **Clearfield County**. Application received: November 14, 2024. Permit Issued: November 14, 2024. Operation permit for Pennfield Tank Rehabilitation.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.

Construction Permit 3061082. PWSID No. **3061082**. **DDH Rolling Hill Farms, LLC**, 52 Belmont Ave, Quakertown, PA 18951, Perry Township, **Berks County**. Application received: October 8, 2024. Permit Issued: November 20, 2024. This action authorizes a new well supply, pressure tank, and appurtenances at the Keystone Clays water system (1414 Moselem Springs Rd, Hamburg, PA 19526).

Construction Permit 3624528 MA. PWSID No. **7360025**. **Masonic Villages of the Grand Lodge of PA**, 1 Masonic Drive, Elizabethtown, PA 17022, West Donegal Township, **Lancaster County**. Application received: October 8, 2024. Permit Issued: November 21, 2024. This action authorizes a well pump replacement in well EM-500 and piping modifications in the wellhouse.

Construction Permit 3624516. PWSID No. **7360550**. **Envigo Global Services, Inc.**, 310 Swamp Bridge Rd, Denver, PA 17517, West Cocalico Township, **Lancaster County**. Application received: July 11, 2024. Permit Issued: November 22, 2024. This action authorizes disinfection system upgrades at four (4) of this facility's water treatment plants.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Operation Permit 7220049. PWSID No. **7220049**. **Capital Region Water**, 3003 North Front Street, Harrisburg, PA 17110, Susquehanna Township, **Dauphin County**. Application received: November 6, 2024. Permit Issued: November 14, 2024. Modifications to the WTP to include clearwell chlorine and pH analyzers, orthophosphate and alum chemical pump replacement, removal of the online fluoride analyzer, liquid lime system, and sodium permanganate system.

Operation Permit 2224501. PWSID No. **7220038**. **Borough of Middletown**, 60 West Emaus Street, Middletown, PA 17057, Middletown Borough, **Dauphin County**. Application received: November 5, 2024. Permit Issued: November 15, 2024. Installation of a temporary N. Union Street booster pumping station.

Operation Permit 0124504. PWSID No. **7010034**. **Possum Valley Municipal Authority**, 609 Clearview Rd, Aspers, PA 17304, Menallen Township, **Adams County**. Application received: November 19, 2024. Permit Issued: November 21, 2024. Installation of the Walt Hays Well as a new source of supply.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Construction Permit 6724509 MA. PWSID No. **7210029**. **Pennsylvania-American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Fairview Township, **York County**. Application received: September 17, 2024. Permit Issued: November 18, 2024. Construction permit for construction of a new Pleasantview Tank 2 finished water distribution storage tank.

Operation Permit 6722516. PWSID No. **7670100**. **The York Water Company**, 130 East Market Street, York, PA 17401, West Manchester Township, **York County**. Application received: November 11, 2024. Permit Issued: November 18, 2024. Operation permit for a new

booster pump and motor installed at the West Manchester Booster Pumping Station.

Operation Permit 2122509 MA. PWSID No. **7210002.** **Carlisle Borough Municipal Authority**, 53 W South Street, Carlisle, PA 17013, North Middleton Township, **Cumberland County**. Application received: November 14, 2024. Permit Issued: November 18, 2024. Partial operation permit for the filter media replacement for Filter 1.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Tom Randis, Clean Water Program Manager, 570-327-0530.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
New Albany Borough	P.O. Box 67 New Albany, PA 18833	Bradford County

Plan Description:

New Albany Borough WWTP Replacement Project, APS # 111924. The Plan calls for the construction of a new wastewater treatment plant, with the same capacity as the current plant, to replace the current treatment plant. The proposed new treatment plant will be a package type extended aeration treatment plant, equipped with concrete tanks, headworks, screening, clarification, and UV disinfection. In conjunction with this plan, New Albany Borough developed and adopted an On-lot Sewage Management Ordinance.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Lindsay Graeff, Sewage Planning Specialist, 717-705-4866.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Greenwich Township	775 Old Route 22 Lenhartsville, PA 19534-9801	Berks County

Plan Description:

Folino Estates Inn & Spa, A3-06933-228-2. After review of the applicant's response to the July 17, 2024, technical deficiency letter with regard to the previously referenced application received by email on October 18, 2024, and November 13, 2024, the Department of Environmental Protection (DEP) has determined that the application continues to be technically deficient. Therefore, the application is denied. The deficiencies noted in DEP's technical deficiency letter are based on applicable laws and regulations, as set forth therein. The applicant's response addressed most of the deficiencies noted in the July 17, 2024, letter, but in doing so additional technical deficiencies were discovered. The deficiencies in the appli-

cation that have not been adequately addressed are as follows: Technical Deficiencies 1. The applicant failed to show adequate suitable area for both a primary and replacement absorption area. In accordance with 25 Pa. Code § 71.62(c)(1)(iii), when additional permeability tests are required, the more stringent rate shall be used to size the system. 2. Based on the Department's review of the percolation and soil hydraulic conductivity test data provided the more limiting design parameter for sizing the primary absorption area would be the results of the percolation test. An average perc test result of 22.24 minutes per inch would yield an absorption area of 16,950 square feet when calculated using Table A in 25 Pa. Code § 73.16. The "primary septic area" on the plot plan consists of only 11,880 square feet and was sized using the hydraulic conductivity test result which is less restrictive in this test area. The upper "replacement septic area" located to the east of the primary septic area was also incorrectly sized; therefore, when all three replacement areas are considered, there is not sufficient area for full replacement. 3. The arrangement of the two eastern replacement areas, as shown on the plot plan, are stacked. Stacked absorption areas require a hydrogeologic mounding analysis to investigate whether the treated effluent from the upgrade bed will hydraulically overload or negatively impact the downgrade bed. Any reconsideration of this project shall occur only if a complete and updated set of planning modules is submitted. The new DEP Code No. B3-06933-228-2 must be used. All materials must be newly adopted by resolution and otherwise meet the requirements of Chapter 71 of DEP's regulations.

BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas J. Sweeney Jr., Soil Scientist, 717-705-4786

Site Suitability Notice for Land Application Under Approved PAG08 for Synagro, 62 North Main Street, Stewartstown, PA 17363, Bethel Township, **Fulton County**. Booth Farm Biosolids Site, 970 Mays Church Road, Warfordsburg, PA 17267. Land Application of Biosolids. Application received: July 11, 2024. Approved: November 18, 2024.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Burning Bush Petroleum, Primary Facility ID # **879769**, 7118 State Route 92, South Gibson, PA 18842, Lenox Township, **Susquehanna County**. Geological &

Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of Burning Bush Petroleum, Inc., 302 State Route 92, Nicholson, PA 18446, submitted a Final Report concerning remediation of soil contaminated with gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

3948 Portland Street, Primary Facility ID # **876924**, 3948 Portland Street, Coplay, PA 18037, North Whitehall Township, **Lehigh County**. HDR Engineering, 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015, on behalf of Saucon Pointe, LLC, 1721 Williams Street, Hellertown, PA 18055, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with metals and semi-volatile organic compounds. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Trainers Corner Shopping Center, Primary Facility ID # **865024**, 100-246 North West End Boulevard, Quakertown, PA 18951, Richland Township, **Bucks County**. David DiPascale, TTI Environmental, Inc., 1253 North Church Street, Moorestown, NJ 08057, on behalf of Todd Dratch, Highglen-Pineville Quakertown Associates, LP, 310 Yorktown Plaza, Elkins Park, PA 19027, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property;

and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

55 East High Street, Primary Facility ID # **871831**, 55 East High Street, Coaldale, PA 18218, Coaldale Borough, **Schuylkill County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Rarick's Coal & National Oil, 32 North Nescopee Street, Tamaqua, PA 18252, submitted a Final Report concerning remediation of soil contaminated with No. 2 heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 20, 2024.

Wind Gap Texaco, Primary Facility ID # **869958**, 1040 South Broadway, Wind Gap, PA 18091, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pipeline Petroleum, Inc., P.O. Box 159 Shippers Road, Macungie, PA 18062, submitted a Final Report concerning remediation of soil contaminated with heating oil, gasoline, and diesel. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 22, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Northwest Elementary School, Primary Facility ID # **804026**, 1315 Old Forge Road, Lebanon, PA 17046, City of Lebanon, **Lebanon County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Lebanon School District, 1000 South 8th Street, Lebanon, PA 17042, submitted a Final Report concerning remediation of soil and groundwater contaminated with Arsenic and VOCs. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: November 14, 2024.

Firestone Complete Auto Care, Primary Facility ID # **854162**, 200 South Hanover Street, Carlisle, PA 17013,

Carlisle Borough, **Cumberland County**. BBJ Group, LLC, 651 Holiday Drive, Foster Plaza 5, Suite 400, Pittsburgh, PA 15220, on behalf of Bridgestone Retail Operations, LLC, 200 4th Avenue South, Nashville, TN 37201, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: November 18, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Mermaid Lake, Primary Facility ID # **864096**, 1002 Jolly Road, Blue Bell, PA 19422, Whitpain Township, **Montgomery County**. Montrose Environmental Solutions, Inc., 1140 Valley Forge Road, Valley Forge, PA 19482, on behalf of Whitpain Township, 960 Wentz Road, Blue Bell, PA 19422, submitted a Final Report concerning remediation of soil contaminated with arsenic and mercury. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 14, 2024.

Newtown Technology Center, Primary Facility ID # **861340**, 201-375 Pheasant Run, Newtown, PA 18940, Newtown Township, **Bucks County**. EnviroSure, Inc., 319 South High Street, West Chester, PA 19382, on behalf of VV375, LLC, 1 Belmont Avenue, Suite 520, Bala Cynwyd, PA 19004, submitted a Final Report concerning remediation of soil contaminated with fuel oil Nos. 2 and 6. The Report Was not acceptable to meet site-specific standards. Issued an administrative deficiency letter: November 20, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Martinez # 2 Conventional Gas Well, Primary Facility ID # **878721**, 150 Colvin Lane, Carmichaels, PA 15320, Cumberland Township, **Greene County**. Jona Stoskey, 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Keith Eighmey, Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, submitted a Final Report concerning remediation of soil contaminated with brine-related parameters, including: Aluminum, Barium, Boron, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, Zinc, and Chloride. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 21, 2024.

REGISTRATION FOR MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Registration(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services,
E-Mail Address: RA-EPWM-SERO-PERMIT@pa.gov.

WMGM017SE005. City of Philadelphia, Department of Prisons, 7901 State Road, CFCF—3rd Floor, Philadelphia, PA 19136, City of Philadelphia, **Philadelphia County**. This permit approval is for operating an aerated static pile composting facility under registration defined by the conditions in General Permit No. WMGM017. The composting facility is called Philadelphia Department of Prisons (PDP) Composting Facility, located adjacent to the Holmesburg Prison that is one of the properties owned by PDP, located at 8215 Torresdale Avenue, in the City of Philadelphia, Philadelphia County. Application received: September 19, 2024. Issued: November 19, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMIT@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR028SC004E. York Materials Group, LLC, 950 Smile Way, York, PA 17404, South Middleton Township, **Cumberland County**. This is for coverage under WMGR028 at York Material Group's Bonnybrook Asphalt facility located at 102 Bonnybrook Road, Carlisle, PA 17013 and authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates generated by hot-mix asphalt plants for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. Application received: August 8, 2024. Issued: November 21, 2024.

Persons interested in reviewing the permit may contact Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5A-53-00001B: JKLM Energy, LLC, 2200 Georgetown Drive, Suite 500, Sewickley, PA 15143, Sweden Township, **Potter County**. The Department issued a GP-5A authorization for the continued operation of the sources located at their Reese Hollow 117 well pad in Sweden Township, Potter County, pursuant to the PA DEP Air Quality Bureau's General Plan Approval and General Operating Permit for Unconventional Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A). Application received: October 9, 2024. Approved: October 22, 2024. New expiration date: October 21, 2029.

GP1-08-00010B: Global Tungsten & Powders LLC, 1 Hawes Street, Towanda, PA 18848, North Towanda Township, **Bradford County**. The Department approved the construct and operation of one Superior Boiler Works natural gas-fired boiler rated at a maximum of 33.6 MMBtu/hr of heat input pursuant to the General Plan Approval and General Operating Permit for Gas and No. 2 Oil Fired Small Combustion Units (BAQ-GPA/GP-1) at their Towanda facility. Application received: October 25, 2024. Approved: November 21, 2024. Expiration date: November 20, 2029.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5A-53-00002B: JKLM Energy, LLC, 2200 Georgetown Drive, Ste 500, Sewickley, PA 15143, Ulysses Township, **Potter County**. The Department approved authorization to continue operating one (1) 1380 bhp Caterpillar model G3516J four-stroke lean-burn natural gas-fired compressor engine equipped with an oxidation catalyst, one (1) 50 MMscf/day dehydrator equipped with a 0.5 MMBtu/hr reboiler, one (1) 25 MMscf/day dehydrator equipped with a 0.5 MMBtu/hr reboiler, four (4) 16,800-gallon produced water tanks, one (1) 10,000-gallon drip tank, one (1) produced water tank truck load out operation, one (1) drip tank truck load out operation, one (1) 275-gallon glycol storage tank, one (1) 500-gallon engine oil tank, one (1) 500-gallon compressor oil tank, one (1) 235-gallon waste oil tank, six (6) 2.0 MMBtu/hr gas processing units, fugitive emissions including components, blowdowns and rod packing and pigging operations pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at the Headwaters 145 Well Pad. Application received: October 15, 2024. Renewed: November 18, 2024. New expiration date: November 17, 2029.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

GP3-09-0176, GP9-09-0057: Watts Services LLC/Plumstead Materials Quarry, 5031 Point Pleasant Pike, Doylestown, PA 18902-9510, Plumstead Township, **Bucks County**. This action is for the issuance of (1) a General Permit for a portable nonmetallic mineral processing plant, consisting of one cone crusher; one jaw crusher; one heavy duty scalping screen and two tracked conveyors, and (2) a General Permit to operate five diesel fire internal combustion engines (ICE) to power the

nonmetallic processing plant previously referenced. Application received: October 29, 2024. Issued: November 18, 2024.

GP1-09-0117: Neenah Northeast LLC, 45 N 4th St, Quakertown, PA 18951-1239, Quakertown Borough, **Bucks County**. This action is for the issuance of a General Permit for the continued operation of a natural gas-fired Boiler 6. Application received: October 24, 2024. Issued: November 19, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP21-30-00835A: Perennial CMM Pennsylvania, LLC, Bleeder 3 Road, Waynesburg, PA 15370, Whiteley Township, **Greene County**. The authorization under General Plan Approval and/or General Operating Permit for New Coal-Mine Methane Enclosed Flare (GP-21) has been issued to allow the construction and/or operation of one (1) 22 MMBtu/HR Perennial Energy enclosed flare at Iron Cumberland Mine (CMB 3 Borehole) located in Whiteley Township, Greene County, PA. Application received: September 25, 2024. Authorized: November 21, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, New Source Review Manager, 570-826-2341.

39-00108D: Tierpoint Two LLC, 9999 Hamilton Blvd, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. The plan approval was issued on November 4, 2024 for the installation and operation of three diesel-fired 2.0 MW emergency generators at the facility. Application received: May 9, 2024. Issued: November 4, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

67-05092J: Starbucks Coffee Company, 3000 Espresso Way, York, PA 17406, Manchester Township, **York County**. For modifying the existing Green Bean Loading Station 3 and cartridge collector to vent outdoors at the facility. Application received: June 25, 2024. Issued: November 21, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0152F: Gelest Inc., 11 Steel Rd E, Morrisville, PA 19067-3613, Falls Township, **Bucks County**. This action is for the extension of a plan approval for the installation of a 1,000-gallon, glass-lined, steel, high-pressure reactor. Application received: November 13, 2024. Issued: November 18, 2024.

23-0021C: Congoleum Plant No. 3, 4401 Ridge Rd, Trainer, PA 19061-5000, Trainer Borough, **Delaware**

County. This action is for the extension of a plan approval for the replacement of an existing thermal oxidizer with two RL60 Durr thermal incinerators for the reduction of Volatile Organic Compounds. Application received: October 30, 2024. Issued: November 18, 2024.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00028: Neenah Northeast LLC, 45 N 4th St, Quakertown, PA 18951-1239, Quakertown Borough, **Bucks County**. The State Only Operating Permit for the former paper printing and coating facility was revoked concurrent with the issuance of General Operating Permit (GP-1) No. GP1-09-0117 for existing Boiler 6 (Source ID 006). On February 29, 2024, Neenah permanently ceased the printing and coating operations at their facility. On October 16, 2024, DEP performed a closure inspection of the facility and confirmed that all sources and equipment at the facility were either completely removed, dismantled and partially/actively being removed, or disabled via cut electrical and fuel connections except for Boiler 6, one of the emergency generator sets (of Source ID 051), and two natural gas-fired space heaters each rated at less than 1 mmBtu/hr (not listed in the State Only Operating Permit). While the remaining emergency generator set and the space heaters are exempt from both plan approval and Operating Permit requirements, the boiler remains subject to Operating Permit requirements. Except for Boiler 6 and the remaining emergency generator set, since the other sources and equipment at the facility have been shut down for less than 1 year, DEP has maintained their associated air contaminants in the Commonwealth's air contaminant emission inventory (AIMS) pending a potential request for Emission Reduction Credits (ERCs) from Neenah, pursuant to 25 Pa. Code §§ 127.206—127.208. Application received: October 22, 2024. Issued: November 19, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05096F: Tower Health System—Reading Hospital, P.O. Box 16052, Reading, PA 19612, West Reading Borough, **Berks County**. For the reactivation of a cogeneration plant. The plan approval was extended. Application received: November 13, 2024. Issued: November 19, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-30-00072E: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Crabapple Overland Conveyor. Application received: October 28, 2024. Effective: November 28, 2024.

PA-30-00072H: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For

plan approval extension to authorize continued temporary operation of sources and controls associated with the Bailey Prep Plant Expansion. Application received: October 28, 2024. Effective: November 28, 2024.

PA-30-00072I: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, East Finley Township, **Washington County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Enlow Fork Overland Conveyor. Application received: October 28, 2024. Effective: November 28, 2024.

PA-30-00072J: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, East Finley Township, **Washington County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Bailey Prep Plant throughput increase. Application received: October 28, 2024. Effective: November 28, 2024.

PA-30-00072L: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For plan approval extension to authorize continued temporary operation of RACT II affected sources and controls associated with the Bailey Prep Plant. Application received: October 28, 2024. Effective: November 28, 2024.

PA-63-00936F: MarkWest Liberty Midstream & Resources, LLC, 4600 J Barry Court, Suite 500, Canonsburg, PA 15317, Chartiers Township, **Washington County**. For plan approval extension to authorize continued temporary operation of air contamination sources and controls at the Houston Gas Plant. Application received: October 14, 2024. Effective: November 28, 2024.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00082: NextEra Renewable Fuels LLC, 1605 North Cedar Crest Blvd., Allentown, PA 18104, Brady Township, **Lycoming County**. DEP issued a renewal Title V Operating Permit for their landfill gas to energy plant located at the Lycoming County Landfill. The renewal Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: September 21, 2023. Issued: November 13, 2024. New expiration date: November 12, 2029.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05158: Perdue AgriBusiness, LLC, 31149 Old Ocean City Road, Salisbury, MD 21804-1806, Conoy Township, **Lancaster County**. For their grain elevator and a soybean oil extraction facility. Application received: February 5, 2024. Issued: November 14, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00063: Pennsylvania Grain Processing, LLC, 250 Technology Drive, Clearfield, PA 16830-2663, Clearfield Borough, **Clearfield County**. The Department issued a renewal State Only Operating Permit for continued operation of their Clearfield ethanol plant. All applicable Federal and State regulatory requirements are incorporated into the Operating Permit, including testing, monitoring, recordkeeping, reporting, work practices and other conditions to verify compliance. Application received: September 8, 2023. Renewed: November 18, 2024. New expiration date: November 17, 2029.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

59-00025: Diversified Midstream LLC, 125 Industry Road, Waynesburg, PA 15370, Duncan Township, **Tioga County**. The Department issued a renewal of the State Only (Natural Minor) Operating Permit for their Tioga Compressor Station facility. The State Only Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: November 20, 2023. Renewal issued: November 19, 2024. New expiration date: November 18, 2029.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

25-00918: Cosmed Group, Inc., 2205 E 33rd St, Erie, PA 16510, City of Erie, **Erie County**. The Department renewed the State Only Operating Permit for the Cosmed Group's Erie facility which performs sterilization of medical devices. The primary sources at the facility include 4 ethylene oxide (EtO) sterilization chambers, 2 aeration rooms, and the sterilization chamber vents. Emissions from the sterilization chambers are controlled by an acid scrubber; emissions from the aeration rooms and the sterilization chamber vents are controlled by EtO absorbent. The facility is a Natural Minor. Potential emissions of EtO are less than 1 tpy. The facility is subject to 40 CFR Part 63 Subpart O, National Emission Standards for Hazardous Air Pollutants: Ethylene Oxide Emissions Standards for Sterilization Facilities. The applicable requirements are included in this renewal. The Department has granted the facility's request for a 1-year extension for compliance to the 40 CFR Part 63 Subpart O requirements for Group 1 and Group 2 room air emissions which were newly promulgated on April 5, 2024. The permit renewal contains an EtO usage restriction of less than 30 tpy. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: December 21, 2022. Renewal issued: November 20, 2024.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP20-000018: Kensington High School, 2051 E. Cumberland St., Philadelphia, PA 19125, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued an initial Natural Minor Operating Permit (NMOP) for the operation of a high school. The facility's air emission sources include: three (3) 9.8 Million British Thermal Units (MMBtu) Boilers firing No. 2 fuel oil and one (1) 80-Kilowatt (kW) Emergency Generator firing diesel fuel. Application received: June 8, 2021. Issued: November 20, 2024.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

28-05031: Borough of Chambersburg, 100 S 2nd St., Chambersburg, PA 17201-2515, Chambersburg Borough, **Franklin County**. For the Orchard Park Generating Station. This is a renewal of the State-Only Operating Permit. Application received: July 31, 2024. Issued: November 15, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05087: H & K Group, Inc., 2052 Lucon Road, P.O. Box 196, Skippack, PA 19474-0196, Colebrookdale Township, **Berks County**. For the Bechtelsville Asphalt Plant. The State-Only permit was renewed. Application received: July 8, 2024. Issued: November 12, 2024.

06-05037: McConway & Torley LLC, 109 48th Street, Pittsburgh, PA 15201-2755, Kutztown Borough, **Berks County**. For the steel foundry. The State-Only permit was renewed. Application received: April 18, 2024. Issued: November 18, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00029: Pactiv Downingtown Plant, 241 Woodbine Rd, Downingtown, PA 19335-3082, Downingtown Borough, **Chester County**. This action is for the renewal of the non-Title V, Synthetic Minor Operating Permit for a printing facility. Sources of emission at the facility include a boiler, presses, parts washers, and an emergency generator. Application received: August 1, 2023. Issued: November 20, 2024.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05164: Highland Tank, LLC, 4535 Elizabethtown Road, Manheim, PA 17545, Rapho Township, **Lancaster County**. For the steel storage tank manufacturing facility. The State-Only permit was administratively amended in order to reflect an ownership change. Application received: November 8, 2024. Issued: November 19, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00159: Colorcon Inc./New Britain Facility, New Britain Business Park, 171 New Britain Blvd, New Britain, PA 18914, New Britain Township, **Bucks County**. In accordance with 25 Pa. Code § 127.462, this action modifies an existing Operating Permit. The existing Cowles mixer is being replaced by one unit of 3-hp Schold mixer, and one unit of 2-hp new Hockmeyer mixer is being installed. Additionally, the responsible official has changed. Application received: September 25, 2024. Issued: November 13, 2024.

15-00078: Janssen Biotech Inc., 200 Great Valley Pkwy, Malvern, PA 19355-1307, East Whiteland Township, **Chester County**. In accordance with 25 Pa. Code § 127.450, this action is for an amendment to incorporate Plan Approval Nos. 15-0078H and 15-0078I into their Synthetic Minor State Only Operating Permit (SMOP 15-00078). Application received: November 1, 2024. Issued: November 18, 2024.

46-00158: Colorcon West Point Facility, 415 Moyer Blvd, West Point, PA 19486-0024, Upper Gwynedd Township, **Montgomery County**. In accordance with 25 Pa. Code § 127.462, this action modifies the Operating Permit for this facility to address the changes in Building 420 Dry Dispersion Area Blenders via RfD 10744. Application received: September 23, 2024. Issued: November 21, 2024.

09-00236: Reworld Metals LLC, Portion of KIPC Lot No. 13-51-1, Near Middle Drive, Fairless Hills, PA 19030, Falls Township, **Bucks County**. In accordance with 25 Pa. Code § 127.462, this action modifies the Operating Permit for the replacement of the two existing A.C.T. Dust Collectors (Source ID C03) on Reworld's air density separation section of its non-ferrous metal operation with two new Donaldson Torit DLMC 4/8/15 Dust Collectors. Application received: October 21, 2024. Issued: November 18, 2024.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

Contact: Bonnie Herbert, Clerical Assistant 3

Mining Permit No. 56061301. NPDES No. PA0235709. RoxCOAL, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, Somerset Township, **Somerset County**. To revise the permit and related NPDES permit for a mine pool dewatering system to extract, treat, and discharge water from underground mine pool, with four (4) proposed water treatment setting ponds, affecting 10.12 surface acres. Receiving stream(s): Tributary 45697 to Wells Creek, classified for the following use: CWF. Application received: February 1, 2023. Accepted: April 5, 2023. Issued: August 8, 2024.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800

Contact: RA-EPCAMBRIADMO@Pa.gov.

Mining Permit No. 56080108. NPDES No. PA0262692. PBS Coals, Inc., P.O. Box 260, Friedens, PA 15541, Brothersvalley Township, **Somerset County**. Permit renewal for the continued operation and restoration of a bituminous surface and auger mine affecting 377.7 acres. Receiving streams: unnamed tributary to Blue Lick Creek; unnamed tributary to Swamp Creek; and unnamed tributary to Buffalo Creek, classified for the following use: CWF. Application received: February 23, 2024. Permit issued: November 22, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17921602. NPDES No. PA0214191. King Coal Sales, Inc., P.O. Box 712, Philipsburg, PA 16866, Morris Township, **Clearfield County**. Approval for a Change of Post-Mining Land Use from forestland to commercial/industrial and unmanaged natural habitat on an existing coal preparation plant and associated NPDES permit affecting 26.0 acres. Receiving stream(s): Alder Run classified for the following use(s): CWF. Application received: July 24, 2024. Accepted: July 29, 2024. Issued: November 20, 2024.

Mining Permit No. 17820129. NPDES No. PA0610623. Kasubick Brothers Coal Company, 501 David Street, Houtzdale, PA 16651, Woodward Township, **Clearfield County**. Permit renewal application for a bituminous surface coal mine and associated NPDES permit affecting 161.8 acres. Receiving stream(s): Unnamed tributary to Upper Morgan Run and North Branch of Upper Morgan Run to Morgan Run to Clearfield Creek to West Branch Susquehanna River classified for the following use(s): CWF. Application received: April 26, 2024. Accepted: April 29, 2024. Issued: November 14, 2024.

Mining Permit No. 17813024. NPDES No. PA0608777. EnerCorp, Inc., 1310 Allport Cutoff, Morrisdale, PA 16858, Bradford Township, **Clearfield County**. Modification of an NPDES permit for a coal surface mining site affecting 10.2 acres. Modification request to extend the current NPDES point 001 manganese limit for an additional 12 months. Receiving stream(s): Unnamed Tributary to the West Branch of Susquehanna River classified for the following use(s): WWF. Application received: October 28, 2024. Issued: November 12, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 13980201. Rossi Excavating Company, 10 Centtown Road, Beaver Meadows, PA 18216, Banks Township, **Carbon County**. Renewal of an anthracite surface mine and coal refuse reprocessing operation affecting 18.0 acres. Receiving stream: Beaver Creek. Application received: January 2, 2024. Renewal issued: November 18, 2024.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 56920302. NPDES No. PA0212326. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Shade Township, **Somerset County**. Renewal of NPDES Permit. Receiving stream: Laurel Run classified for the following use: CWF. Application received: February 29, 2024. Permit issued: November 21, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 8176SM1. McAvoy Vitrified Brick Co., P.O. Box 468, Phoenixville, PA 19460, Schuylkill Township, **Chester County**. Correction for a stream variance to mine within 100 feet of the Schuylkill River. Receiving stream: Schuylkill River. Application received: May 9, 2024. Correction issued: November 18, 2024.

Mining Permit No. 8074SM1. NPDES Permit No. PA0013722. Glasgow, Inc., P.O. Box 1089, Glenside, PA 19038, Montgomery Township, **Montgomery County**. Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation. Receiving stream: Park Creek. Application received: July 22, 2024. Renewal issued: November 20, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 35244115. Maurer & Scott Sales, Inc., 122 Thomas Street, Coopersburg, PA 18036, Dunmore and Throop Boroughs, **Lackawanna County**. Construction blasting for Keystone Landfill Pond 5. Application received: November 13, 2024. Permit issued: November 20, 2024. Expiration date: November 15, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certifica-

tion under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

E5729224-002. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, Cherry Township, Sullivan County. U.S. Army Corps of Engineers Baltimore District.

Application received: July 23, 2024. Issued: November 15, 2024.

To construct, operate, and maintain:

1. (Wetland 3T, Stream 1S) One 16-inch diameter temporary surface waterline impacting 232 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland, 12 linear feet of an unnamed tributary to Marsh Run (EV), 3 linear feet of another unnamed tributary to Marsh Run (EV) (Dushore, PA Quadrangle 41.549550°, -76.394074°);

2. (Stream 1S) One 16-inch diameter temporary surface waterline impacting 12 linear feet of an unnamed tributary to Marsh Run (EV) (Dushore, PA Quadrangle 41.548181°, -76.393677°);

3. (Wetland 7T, Stream 2T) One 16-inch diameter temporary surface waterline impacting 7 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 7 linear feet of Marsh Run (EV) (Dushore, PA Quadrangle 41.544955°, -76.393108°);

4. (Wetland 9T) One 16-inch diameter temporary surface waterline and a temporary timber mats impacting 1,485 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Dushore, PA Quadrangle 41.546680°, -76.385241°).

The project will result in 34 linear feet of temporary stream impacts and 1,724 square feet (0.040 acre) of temporary wetland impacts all for the purpose of installing a temporary fresh waterline in Cherry Township, Sullivan County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E2103224-001. Carlisle Borough, 53 West South Street, Carlisle, PA 17013, North Middleton Township, Cumberland County. U.S. Army Corps of Engineers Baltimore District.

To remove an existing overhead fill station and to install and maintain a new submersible pump manhole, a meter manhole, and 130 linear feet of subsurface piping in the floodplain of Conodoguinet Creek (WWF, MF). The project proposes to permanently impact 354 square feet and temporarily impact 380 square feet of the floodplain of Conodoguinet Creek (WWF, MF). All impacts are for the purpose of upgrading the sludge processing capabilities of the treatment plant. There are no wetland impacts associated with this project. Latitude: 40.225835, Longitude: -77.189395. Application received: January 12, 2024. Issued: November 22, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E0901224-010. Chalfont Borough, 40 North Main Street, Chalfont, PA 18914, Chalfont Borough, Bucks County. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain about 1000-feet long by 8-foot-wide multi-purpose bituminous trail along the floodway/floodplain of the North Branch Neshaminy Creek (TSF-MF) associated with the trail connection with various existing trail connections within the Borough's Parks, residential areas, Chalfont Train Station along the SEPTA Lansdale/Doylestown Regional Rail line, etc. The project will include restoration of adjacent Swale as part of the Municipal Separate Storm Sewer System program and restored concurrently with trail construction. The Swale will be re-graded, banks stabilized, revegetated, and the dual 36-inch HDPE culvert crossing for the trail. The project is located about 280-feet east of the intersection of Linden Field Parkway trail with Michael Lane (Doylestown, PA USGS Quadrangle, Latitude: 40.296245; Longitude: -75.207962) in Chalfont Borough, Bucks County. Latitude: 40.296245°, Longitude: -75.20796°. Application received: September 10, 2024. Accepted: October 19, 2024. Permit issued: November 20, 2024.

EA0901223-010. Dauphine Building & Development, LP, 920 Wayland Circle, Bensalem, PA 19020, Bensalem Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

Dauphine Building and Development, LP is proposing to construct and maintain 39 townhouses impacting approximately 0.40 acre of the existing 100-year assumed floodway of the Unnamed Tributary of Neshaminy Creek. The site is located at 1282 Byberry Road (Beverly, NJ-PA USGS map Lat: 40.112754; Long: -74.918279) in Bensalem Township, Bucks County. Application received: October 30, 2023. Accepted: September 10, 2024. Permit issued: November 21, 2024.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

EA2006224-001. US Fish and Wildlife Service, 110 Radnor Road, Suite 101, State College, PA 16801, Venango Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District.

To rehabilitate approximately 700 linear feet of French Creek, located in Venango Township, Crawford County (Cambridge Springs, PA Quadrangle N: 41.779256°; W: -80.109113°). The project includes removal of a large depositional gravel bar and construction of rubble vanes in French Creek and installation of a log vane in Coulter Run at the confluence of Coulter Run and French Creek. Latitude: 41.779256°, Longitude: -80.109113°. Application received: June 6, 2024. Issued: November 19, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG294124009-00**

Applicant Name **EXCO Resources PA LLC**

Contact Person Philip Points

Address 12377 Merit Dr, Suite 1700

City, State, Zip Dallas, TX 75251

Township(s) Mifflin Township

County **Lycoming County**

Receiving Stream(s) and Classification(s) Tributary to Mud Run (HQ-CWF), Mud Run (HQ-CWF)

Application received: October 11, 2024

Issued: November 18, 2024

ESCGP # 3 **ESG295924007-00**

Applicant Name **NFG Midstream Covington LLC**

Contact Person James Welch

Address 6363 Main Street

City, State, Zip Williamsville, NY 14221

Township(s) Delmar Township

County **Tioga County**

Receiving Stream(s) and Classification(s) Baldwin Run (HQ-CWF, MF), Hibard Hollow (CWF, MF), UNT to Baldwin Run (HQ-CWF, MF)

Application received: March 31, 2024

Issued: November 19, 2024

ESCGP # 3 **ESG294124008-00**

Applicant Name **PA General Energy Co LLC**

Contact Person Kendra Schiappa

Address 120 Market Street

City, State, Zip Warren, PA 16365

Township(s) Plunketts Creek Township

County **Lycoming County**

Receiving Stream(s) and Classification(s) Little Bear Creek (EV, MF), Unnamed Tributary to Mill Creek (HQ-TSF, MF), Little Mill Creek (HQ-TSF, MF)

Application received: October 10, 2024

Issued: November 21, 2024

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPOILGASDROPBOX@pa.gov.

ESCGP # 3 **ESG083224001-00**

Applicant Name **INR OPR LLC**

Contact Person Michael Race

Address 2605 Cranberry Square

City, State, Zip Morgantown, WV 26508-9201

Township(s) Armstrong Township

County **Indiana County**

Receiving Stream(s) and Classification(s) Trib 46442 to Gobblers Run (WWF)

Application received: October 9, 2024

Issued: November 21, 2024

ESCGP # 3 **ESG080319013-01**

Applicant Name **Snyder Bros Inc.**

Contact Person Carl Rose East

City, State, Zip Kittanning, PA 16201

Township(s) Boggs Township

County **Armstrong County**

Receiving Stream(s) and Classification(s) UNT to South Fork Pine Creek (HQ-CWF)

Application received: October 4, 2024

Issued: November 21, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG070424007-00**

Applicant Name **Pennenergy Resources LLC—**

PER B2 Well Pad

Contact Person Richard Watson, (412) 935-5027

rmwatson@pennenergyresources.com

Address 166 Runner Road

City, State, Zip Zelienople, PA 16063

Township(s) New Sewickley Township

County **Beaver County**

Receiving Stream(s) and Classification(s) 001. Lat

40.72021, Long -80.16489, Trib 34825 of Brush Creek,

Ch 93 Class WWF 002. Lat 40.72051, Long -80.16349,

Trib 34825 of Brush Creek, Ch 93 Class WWF

Application received: October 8, 2024

Issued: November 19, 2024

ESCGP # 3 **ESG073024014-00**

Applicant Name **EQM Gathering OPCO LLC—**

NIDBS017 Pipeline

Contact Person Kirsten Kiesel, Senior Environmental

Coordinator, (412) 660-0979

kirsten.kiesel@eqt.com

Address 0.58 mile south of Wildman Hill Road and

Roberts Run Road

City, State, Zip New Freeport, PA 15352

Township(s) Gilmore Township

County **Greene County**

Receiving Stream(s) and Classification(s) 001. Lat

39.76153, Long -80.36526, UNT to Bloody Run, Ch 93

Class WWF 002. Lat 39.76437, Long -80.35879, Roberts

Run, Ch 93 Class WWF 003. Lat 39.75933, Long

-80.36442, UNT to Bloody Run, Ch 93 Class WWF 004.

Lat 39.75991, Long -80.35864, UNT to Roberts Run, Ch

93 Class WWF 005. Lat 39.76302, Long -80.36599, UNT

to Bloody Run, Ch 93 Class WWF

Application received: September 6, 2024

Issued: November 19, 2024

STORAGE TANKS**SITE-SPECIFIC INSTALLATION PERMITS**

The Following Storage Tank Site-Specific Installation Permit(s), Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and Under 25 Pa. Code Chapter 245, Subchapter C, Have Been Issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Application No. **24008**

Applicant Name **Culpeper of Leola, LLC**

Address 33 Glenola Drive

City, State, Zip Leola, PA 17540

County **Lancaster County**

Municipality Upper Leacock Township

Tank Type One AST storing highly hazardous substance

Tank Capacity 6,700 gallons

Application Received October 11, 2024

Permit Issued November 22, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a

notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Pocono Convenience, Storage Tank Facility ID # **52-19444**, 160 Route 6 and 209, Matamoras, PA 18336, Westfall Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of KLDH Convenience, LLC, P.O. Box 40, Matamoras, PA 18336, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with diesel. The plan is intended to document the remedial actions for meeting Statewide health standards.

Starner's Quik Shoppe, Storage Tank Facility ID # **45-20974**, 1099 Route 390, Mountainhome, PA 18342, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Alnajukchahat Real Estate, LLC, 1010 East Drinker Street, Dunmore, PA 18512, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Statewide health standards.

Dunmore Oil Co. Former Al's Mobil, Storage Tank Facility ID # **35-01491**, 524 Penn Avenue, Scranton, PA 18503, City of Scranton, **Lackawanna County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of Dunmore Oil Co., Inc., 1031B Reeves Street, Dunmore, PA 18512, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting Statewide health and site-specific standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Chris, 724-598-2206.

Circle K 4704229, Storage Tank Facility ID # **43-14155**, 470 North Buhl Farm Drive, Hermitage, PA 16148, City of Hermitage, **Mercer County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of Macs Convenience Stores LLC, dba Circle K Stores, Inc., P.O. Box 347, Columbus, IN 47202-0347, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and diesel. The combined plan and report is intended to document the remedial actions for meeting nonresidential site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

1229 MacDade Blvd Woodlyn, Storage Tank Facility ID # **23-06787**, 1229 MacDade Blvd, Woodlyn, PA 19094, Ridley Township, **Delaware County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of PALG UST VI, LLC, 645 Hamilton Road, Allentown, PA 18101, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-3091.

Sunoco Logistic Pittsburgh Terminal, Storage Tank Facility ID # **02-03533**, 5733 Butler Street, Pittsburgh, PA 15201-2115, City of Pittsburgh, **Allegheny County**. EnviroTrac Ltd, 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resource Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline, leaded gasoline, diesel fuel, crude oil. The combined plan and report is intended to document the remedial actions for meeting nonresidential Site-Specific, Statewide Health, & Background.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

GetGo # 3128, Storage Tank Facility ID # **02-29664**, 5281 Library Road, Bethel Park, PA 15102, Bethel Park Borough, **Allegheny County**. PVE, LLC, 2000 Georgetown Drive, Suite 101, Sewickley, PA 16066, on behalf of Giant Eagle, Inc., 700 Cranberry Woods Drive, Cranberry Township, PA 16066, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting residential Statewide health standards.

7-Eleven # 40254, Storage Tank Facility ID # **04-30680**, 2680 Brodhead Road, Aliquippa, PA 15001-2765, City of Aliquippa, **Beaver County**. AECOM Technical Services, Inc., 625 West Ridge Pike, 1st Floor, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711 (loc 0148), Dallas, TX 75221, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting nonresidential site-specific standards.

GetGo # 3128, Storage Tank Facility ID # **02-29664**, 5281 Library Road, Bethel Park, PA 15102-2714, Bethel Park Borough, **Allegheny County**. PVE, LLC, 2000 Georgetown Drive, Suite 101, Sewickley, PA 15143, on behalf of Giant Eagle, Inc., 700 Cranberry Woods Drive, Cranberry Township, PA 16066, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting residential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben, 814-350-5132.

Prima Store 5175, Storage Tank Facility ID # **32-20079**, 405 Philadelphia Street, Indiana, PA 15701, Indiana Borough, **Indiana County**. AECOM Technical Services, Inc., 625 Ridge Avenue, Conshohocken, PA 19428, on behalf of Prima Marketing LLC, 180 Cook Street, # 107, Denver, CO 80206, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Statewide health standard in soil

for benzene, cumene, ethylbenzene, methyl tert-butyl ether, naphthalene, toluene, xylene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. site-specific standard in groundwater for cumene, ethylbenzene, methyl tert-butyl ether, naphthalene, toluene, xylene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The report demonstrated attainment of the residential Statewide health and site-specific standards and was approved by DEP on November 22, 2024

SPECIAL NOTICES

WATER PROGRAMS

Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities from the project site named as follows to surface waters of the Commonwealth.

Applicant: **Boiler House Island, LLC**

Applicant Address: 1029 Parkside Drive North, Reading, PA 19610-2233

Application Number: **PAD060104**

Project Site Name: Boiler House Island, LLC

Project Site Address: Park Road, Wyomissing, PA 19610-2233

Municipality/County: Wyomissing Borough

Berks County

Total Earth Disturbance Area: 4.92 acres

Surface Waters Receiving Stormwater Discharges: Schuylkill River (WWF, MF)

Project Description: Site development for a building, access drive, parking, and stormwater facilities. Contaminated soil is present (Act 2).

DEP has made a tentative decision to deny the application for the Individual NPDES Permit. A 30-day public comment period applies to this application and tentative decision. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

WASTE, AIR, RADIATION AND REMEDIATION

WMGM052 Base General Permit.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: Jason Dunham, 717-787-1982.

The Department is renewing general permit WMGM052, which currently authorizes the use of bio-bins for the staging of organic food waste prior to collection and transportation to a permitted composting facility. The current version of WMGM052 expires on February 27, 2025. In addition to updating the standard language within the base general permit, the Department intends to modify the permit based upon comments from the

regulated community and to promote diversion of food waste from disposal. The proposed modifications would allow for a permittee to establish a drop-off point for food waste collection. Appropriate access control of the drop-off point will be required to prevent mismanagement of food waste. Food waste from the drop-off points would be collected and sent to a food waste processing facility that is permitted by the Department to accept source separated food waste. Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-1982, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

WASTE, AIR, RADIATION AND REMEDIATION

Public Notice of Proposed Consent Order and Agreement; Hazardous Sites Cleanup Act Benner Township PFAS Investigation Site, Centre County.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, Environmental Program Manager, 570-327-3716.

The Department of Environmental Protection (DEP) under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. §§ 6020.101—6020.1305; the Clean Streams Law, Act of June 22, 1937, P.L. 1987, *as amended*, 35 P.S. §§ 691.1—691.101 (“Clean Streams Law”); the Solid Waste Management Act, Act of July 7, 1980, P.L. 380, *as amended*, 35 P.S. §§ 6018.101—6018.1003 (“Solid Waste Management Act”); the Comprehensive Environmental Response, Compensation and Liability Act of 1980, *as amended*, 42 U.S.C.A. §§ 9601—9675 (“CERCLA”); and to administer and implement the Land Recycling and Environmental Remediation Standards Act, Act of May 19, 1995, *as amended*, 35 P.S. §§ 6026.101—6026.908 (“Land Recycling Act” or “Act 2”); and the Uniform Environmental Covenants Act, the Act of December 18, 2007, P.L. 450, No. 68, *as amended*, 27 Pa.C.S. §§ 6501 et. seq. (“Uniform Environmental Covenants Act”); and Section 1917-A of the Administrative Code of 1929, Act of April 9, 1929, P.L. 177, *as amended*, 71 P.S. §§ 510—517 (“administrative Code”) and the rules and regulations promulgated thereunder (“Regulations”), has entered into a Consent Order and Agreement (CO&A) with the Pennsylvania State University (PSU) regarding the Benner Township PFAS Investigation Site (Site).

Due to historic use of aqueous film-forming foam (“AFFF”) fire-fighting foam during testing and training exercises at the State College Regional Airport (SCRA), formerly the University Park Airport, located predominantly in Benner Township, a perfluoroalkyl and polyfluoroalkyl substances (“PFAS”) groundwater contaminant plume has been attributed to PSU as a Responsible Person after a HSCA investigation was conducted. Airport operations are split between the University and the Centre County Airport Authority with the University conducting the aviation operations responsibilities. The airport was built in 1950 and is a Federal Aviation Administration (“FAA”) certified commercial airport under 14 CFR Part 139 serving the community. The SCRA has an address of 2493 Fox Hill Road, State College, PA

16803. The airport property is comprised of approximately 1,105 acres. The airport property is located primarily in Benner Township, and partially in Patton and College Townships, Centre County, PA. Pursuant to Federal regulations, the FAA mandated that the SCRA, and all Part 139 Certified Airports, use AFFF for aircraft rescue and fire suppression. The AFFF required to be used by the FAA may have contained PFAS. Historically, and pursuant to FAA regulations, the AFFF required to be used could have been discharged at the Airport as part of the mandated aircraft rescue firefighting testing or training.

DEP's Hazardous Sites Cleanup Program (HSCP) staff began their investigation in 2019 following the detection of PFAS above the EPA Health Advisory Level (HAL) at a public water system located on High Tech Road across Fox Hill Road, to the north from the SCRA. Subsequent sampling identified that the plume had impacted not only businesses along the industrial park on High Tech Road, but also residential water supply wells located mainly south of the SCRA. As per DEP's Statement of Decision, published on October 12, 2022, the HSCP provided an alternative water supply, first in the form of bottled water, and then Point of Entry Treatment Systems (POETs) to any residences within the investigation area having detections above relevant State and Federal groundwater standards for PFAS.

DEP has determined that it is in the public interest to resolve its investigation and remediation cost claims against PSU. Consequently, DEP and PSU have signed a CO&A through which PSU agreed to pay DEP \$564,767.29 to resolve a portion of its environmental response cost liability. Further investigation activities fulfilling requirements under Act 2 have been stipulated as part of PSU's obligations, along with certain requirements to maintain mitigation measures. DEP has agreed to provide PSU with protections against certain future liabilities.

This notice is provided under Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that "settlement shall become final upon the filing of DEP's response to significant written comments." DEP has reserved the right to withdraw its consent to the CO&A if comments concerning the CO&A disclose facts or considerations which indicate that the CO&A is inappropriate, improper, or not in the public interest. A person adversely affected by the settlement may file an appeal with the Pennsylvania Environmental Hearing Board. A public comment period on the Agreement will extend for 60 days from the date of this notice. Persons may submit written comments regarding this CO&A within 60 days from today's date to DEP's HSCP by email at RA-EPNCECComments@pa.gov or by mail at 208 W. Third Street, Suite 101, Williamsport, PA 17701.

The CO&A is available for public review electronically on DEP's Benner Township PFAS Investigation web page using this link: (<https://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Community-Information/Pages/Benner-Township-HSCA-Investigation.aspx>) or entering the following into the Google search bar: Benner Township HSCA Investigation.

[Pa.B. Doc. No. 24-1733. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants for Voluntary School and Child Care Testing and Reduction of Lead in Drinking Water

The Department of Environmental Protection (Department) is offering grant funding to eligible public schools and public or private regulated childcare facilities located in this Commonwealth to reduce lead in drinking water. Reduction activities may include purchasing and installing hydration stations, point-of-use devices designed to remove lead or replacement of faucets. The primary goal of this grant program is to reduce children's exposure to lead in drinking water. Eligible applicants must have drinking water sample results demonstrating an exceedance of the lead remediation trigger level (5 parts per billion) within 36 months prior to the date of their application to qualify. Drinking water samples must be analyzed by a Commonwealth-accredited laboratory using an approved method for lead in drinking water to be eligible. Funding under this grant has been appropriated under section 1464(d) of the Federal Safe Drinking Water Act (42 U.S.C. § 300j-24(d)), amended by section 2107 of the Water Infrastructure Improvements for the Nation (WIIN) Act (Pub.L. No. 114-322).

The WIIN 2107 Grant Program guidelines and application instructions are available online through the Department's web site at www.dep.pa.gov (select the "Grants" icon and look for "WIIN 2107") or by contacting the Department's Safe Drinking Water Program at RA-EPWIINLEAD@pa.gov or (717) 705-4090.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site at <https://grants.pa.gov>. Hard copy applications will not be accepted. The Department will begin accepting applications Monday, December 9, 2024.

For more information regarding the WIIN 2107 Program, contact the Department of Environmental Protection, Bureau of Safe Drinking Water, Training and Technical Services Division, P.O. Box 8467, Harrisburg, PA 17105-8467, RA-EPWIINLEAD@pa.gov or (717) 705-4090.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1734. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

The Department of Environmental Protection (Department) announces the availability of the technical guidance documents (TGD) listed in this notice. TGDs are available on the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Draft TGD: Substantive Revision

DEP ID: 385-2188-006. **Title:** Manual for Land Treatment of Wastewater: A Guide to Site Selection, System Design and Permitting Requirements. **Description:** This manual contains guidance for project applicants and their consultants in the planning, siting, design, installation, operation and maintenance of wastewater land treatment systems that are not permitted by a Sewage Enforcement Officer. These systems are based either solely or in part on the use of soil for effluent renovation. This manual incorporates the Department's experience with land treatment systems and generally accepted practices. Topics covered in this manual include spray irrigation systems, drip irrigation systems and large-volume onlot sewage

systems, including at-grade beds. This manual also describes procedures regarding planning and permit applications for wastewater treatment systems based either solely or in part on the use of soils as the final treatment method. Reasonable safety factors have been built into the design criteria considering the uncertainty of estimated long-term wastewater acceptance rates. Proposals that do not meet the typical criteria provided in this manual will be reviewed on a case-by-case basis. When this manual is finalized, it will replace, in entirety, the Department's Manual for Land Application of Treated Sewage and Industrial Wastewater (362-2000-009).

Written Comments: The Department will consider all comments on this draft TGD received on or before Wednesday, February 5, 2025. Comments, including comments submitted by electronic mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Richard Wright at riwright@pa.gov or (717) 787-5017.

Effective Date: Upon final publication in the *Pennsylvania Bulletin*.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1735. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Amendments to Charges for Medical Records

In the notice published at 53 Pa.B. 7676 (December 9, 2023), the Department of Health (Department) published the guidelines and fees that a health care provider or facility may charge in response to a request for production of medical charts or records. This notice updates the notice published on December 9, 2023.

Under 42 Pa.C.S. §§ 6152, 6152.1 and 6155 (relating to subpoena of records; limit on charges; and rights of patients), a health care provider or facility is allowed to charge a fee in response to a request for medical charts or records. The Secretary of Health (Secretary), under 42 Pa.C.S. §§ 6152 and 6152.1, is directed to adjust annually the amounts which may be charged by the health care provider or facility.

The Secretary is directed to base these adjustments on the most recent changes in the Consumer Price Index reported annually by the Bureau of Labor Statistics of the United States Department of Labor. For the annual period of October 31, 2023, through October 31, 2024, the Consumer Price Index was 3.5%.

Accordingly, effective January 1, 2025, the following fees may be charged by a health care facility or health care provider in response to a request for production of medical charts or records:

<i>Amount charged per page for:</i>	<i>Not to Exceed</i>
Pages 1—20	\$1.94
Pages 21—60	\$1.44
Pages 61—end	\$0.50
Microfilm copies	\$2.86
* Search and retrieval of records (cannot be charged if requestor is requesting their own personal health record)	\$28.74
Flat fees (providers may not charge the above search and retrieval fee in addition to a flat fee)	
Production of records to support any claim under Social Security or any Federal or State financial needs-based program;	\$36.42
Supplying records requested by a district attorney	\$28.74

The previously listed fees shall apply for paper copies or reproductions on electronic media whether the records are stored on paper or in electronic format.

In addition to the amounts listed previously, charges may also be assessed for the actual cost of postage, shipping and delivery of the requested records.

The Department is not authorized to enforce these charges.

The previously listed charges are subject to the following exceptions:

(1) An insurer shall not be required to pay for copies of medical records required to validate medical services for which reimbursement is sought under an insurance contract, except as provided in:

- a. The Workers' Compensation Act (77 P.S. §§ 1—1041.4 and 2501—2506) and the regulations promulgated thereunder.
- b. 75 Pa.C.S. Chapter 17 (relating to Motor Vehicle Financial Responsibility Law) and the regulations promulgated thereunder.
- c. A contract between an insurer and any other party.

(2) The charges listed in this notice do not apply to an X-ray film or any other portion of a medical record which is not susceptible to photostatic reproduction.

(3) The charges for the production of medical records by a health care provider in response to a request made by either an individual who is the subject of the health information or the individual's personal representative is governed by the Health Insurance Portability and Accountability Act (Pub.L. No. 104-191) (HIPAA) and Federal regulations enacted under HIPAA, including 42 U.S.C. § 17935(e) and 45 CFR 164.524 (relating to access of individuals to protected health information), as follows:

a. *Electronic health record.* Under 42 U.S.C. § 17935(e), if a health care provider uses or maintains health records in an electronic format with respect to protected health information of an individual, the individual shall have a right to obtain from the health care provider a copy of the information in an electronic format. The individual also has a choice to direct the health care provider to transmit electronically a copy of the health record directly to an entity or person designated by the individual, provided that any choice is clear, conspicuous and specific. A fee that the health care provider may impose for providing the information (or a summary or explanation of the information) in an electronic format shall not be greater than the labor costs in responding to the request. The Department of Health and Human Services has stated that the labor costs may not include costs associated with searching for and retrieving the requested information.

b. *Health record used or maintained in other types of format (for example, paper).* Under 45 CFR 164.524(c)(4), if the individual requests a copy of the protected health information or agrees to a summary or explanation of the information, the covered entity may impose a reasonable, cost-based fee, provided that the fee includes only the cost of:

- (i) Labor for copying the protected health information requested by the individual, whether in paper or electronic form.
- (ii) Supplies for creating the paper copy or electronic media if the individual requests that the electronic copy be provided on portable media.
- (iii) Postage, when the individual has requested the copy, or the summary or explanation, be mailed.
- (iv) Preparing an explanation or summary of the protected health information, if the individual agrees in advance to a summary or explanation and the fees to be imposed, in accordance with 45 CFR 164.524(c)(2)(iii). Similarly, the labor costs under 45 CFR 164.524(c)(4) shall not include the cost attributable to search and retrieval of the records.

Inquiries for further clarification on this exception should be directed to the Office of Civil Rights, United States Department of Health and Human Services, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, (866) 627-7748, <http://www.hhs.gov/ocr/office/about/contactus/index.html>.

Questions or inquiries concerning this notice should be sent to the Department of Health, Office of Legal Counsel, Room 825, Health and Human Services Building, 625 Forster Street, Harrisburg, PA 17120, (717) 783-2500.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Department of Health, Office of Legal Counsel, at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1736. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

Prearrest Breath Testing Devices

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife

Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

Evidential Breath Testing Devices

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any

summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 blood alcohol content (BAC), to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The NHTSA published an additional update to the CPL at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). This current list was published at 82 FR 50940 (November 2, 2017).

Instruments marked with an asterisk (*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The

instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

The update to the CPL published at 82 FR 50940 (November 2, 2017) adds 12 new instruments that have been evaluated and found to conform to the Model Specifications, as amended on September 17, 1993 for mobile and nonmobile use. One instrument is distributed by two different companies, so it has been listed twice. One manufacturer changed their legal name. One manufacturer added a new product option for USB and Ethernet connectivity. One manufacturer added a Bluetooth keyboard accessory to two devices and a calibration accessory for seven of its devices. These devices were found to conform with or without the accessories. Another seven instruments are now being listed under a different distributor/manufacturer and those devices will be cross-referenced for legacy purposes. In alphabetical order by company, the new devices are:

(1) The "AlcoMate TS600" distributed by AK GlobalTech Corporation, Palisades Park, NJ. This device will be known as the Alcoscan ALP—1 outside of the United States. The AlcoMate TS600 is a hand-held device with an electrochemical (EC) fuel cell sensor. This device is powered by internal batteries and is intended for mobile or stationary operations.

(2) The "Intoxilyzer 500" manufactured by CMI, Inc., Owensboro, KY. This instrument is currently listed on the CPL for Alcohol Screening Devices and will be removed when that CPL is updated. Improvements to the device's sampling system allow it to conform as an Evidential Breath Tester (EBT). It is a hand-held instrument intended for use in mobile or stationary operations. It uses a fuel cell sensor and is powered by an internal battery. The Intoxilyzer 500 is also distributed as the Lion Alcolmeter 500 by Lion Laboratories outside the United States, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

(3) The "Intoxilyzer 9000" manufactured by CMI, Inc., Owensboro, KY. This is a bench-top device that is intended for use in mobile or stationary operations. This device uses an infrared (IR) sensor to measure ethanol concentration. The Intoxilyzer 9000 can be powered by either 110 volts alternate current (AC) or 12 volts direct current (DC).

(4) The "Alcotest 3820" manufactured by Draeger, Inc., Irving, TX. The Alcotest 3820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(5) The "Alcotest 5510" manufactured by Draeger, Inc., Irving, TX. The Alcotest 5510 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(6) The "Alcotest 5820" manufactured by Draeger, Inc., Irving, TX. The Alcotest 5820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(7) The "Alcotest 6820" manufactured by Draeger, Inc., Irving, TX. The Alcotest 6820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(8) The "AlcoQuant 6020 Plus" manufactured by EnviteC, Wismar, Germany and distributed by Honeywell GmbH, Fond du Lac, WI. The AlcoQuant 6020 Plus is a hand-held device with a fuel cell sensor. This device is powered by internal batteries and is intended for use in mobile and stationary operations.

(9) The "Alco-Sensor FST" manufactured by Intoximeters, Inc., Saint Louis, MO. The Alco-Sensor FST is a hand-held EBT that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(10) The "Intox DMT Dual Sensor" manufactured by Intoximeters, Inc., Saint Louis, MO. The Intox DMT Dual Sensor is a bench-top EBT that is intended for use in stationary or mobile operations. This device uses both an IR sensor and an EC fuel cell sensor. The Intox DMT Dual Sensor can be powered by either 110 volts AC or 12 volts DC.

(11) The "Intox EC/IR II.t" manufactured by Intoximeters, Inc., Saint Louis, MO. This is a bench-top device intended for use in mobile or stationary operations. This device uses both an EC fuel cell sensor and an IR sensor to measure ethanol concentrations. The Intox EC/IR II.t can be powered by either 110 volts AC or 12 volts DC.

(12) The "FC10Plus" manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO. This is a hand-held device that is intended for use in mobile or stationary operations. This device uses a fuel cell sensor and is powered by internal batteries.

This update indicates that two devices (the Phoenix 6.0 and the FC20, manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO) come with Bluetooth keyboard support and five additional fields that users can use to enter additional information. With these features, these devices will be listed on the CPL as the "Phoenix 6.0BT" and the "FC20BT." This update indicates also that seven devices manufactured by Lifeloc come with the EASYCAL calibration accessory. Those devices include the FC10, FC10Plus, FC20, FC20BT, EV30, Phoenix 6.0 and the Phoenix 6.0BT. The CPL specifies that each of these devices conforms to the model specifications "w/or without the EASYCAL accessory."

Intoximeters, Inc., Saint Louis, MO acquired the breath alcohol testing business of National Patent Analytical Systems, Inc. (NPAS). Since there have been no changes to the devices other than ownership and a device name change, all six devices previously listed under NPAS (BAC DataMaster (with or without the Delta-1 accessory), BAC Verifier DataMaster (w/or without the Delta-1 accessory), DataMaster cdm (with or without the Delta-1 accessory), DataMaster DMT w/Fuel Cell option, DataMaster DMT with Rev A Fuel Cell option, and DataMaster DMT) will now be listed under both Intoximeters and NPAS. The NPAS DataMaster DMT will

now be known as the Intoximeters Intox DMT. Accordingly, this device will be listed under Intoximeters under both names.

The CPL has been updated to reflect that Draeger Safety Diagnostics, Inc. will begin operating under the name Draeger, Inc. effective July 1, 2017, to align all sales and service operations for Draeger in the United States. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the address given as follows so that the Department has information sufficient

to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey ¹	<ul style="list-style-type: none"> AlcoScan AL-2500. SafeMate.² SafeDrive. AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). AlcoMate Accu Cell AL-9000. AlcoMate Pro.³ AlcoMate Core.⁴ AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02 ^{TM9} .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> Alco Tector Mark X. Mark X Alcohol Checker. Alcotector WAT89EC-1. Alcotector WAT90.
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> BACTRACK Select S50.¹⁰ BACTRACK Select S80.¹⁰ BACTRACK Element. BACTRACK S 75 Pro.
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.

Distributors/Manufacturers	Devices
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> PAS Vr. Alcovisor MARS.
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> AlcoHAWK Precision. AlcoHAWK Slim. AlcoHAWK Slim 2. AlcoHAWK Elite. AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). AlcoHAWK Micro. AlcoHAWK PRO (aka: AlcoMate by AK Solutions). AlcoHAWK PT 500. CA2010.
Repeco Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> AT577. AT578 (aka: AlcoCheck FC90). AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷
Varian, Inc., Lake Forest, California	On-Site Alcohol. ¹⁰

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematic, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

¹⁰ While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
AK Global/Tech Corporation, Palisades Park, New Jersey:		
AlcoMate TS600 (aka: Alcoscan ALP-1 outside the U.S.)	X	X
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF [®] IR Evolution	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
800	X	—
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
9000 (serial numbers 90-000500 and above)	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger, Inc. (aka: Draeger Safety Diagnostics, Inc. or National Draeger) Irving, Texas:		
Alcotest Model:		
3820	X	X
5510	X	X
5820	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC, Wismar, Germany, distributed by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
AlcoQuant 6020 Plus	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Auto Intoximeter*	X	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Photo Electric Intoximeter*	—	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox DMT Dual Sensor	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	—	X
Intox EC/IR II.t	X	X
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	x	x
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
(Also Listed under National Patent Analytical Systems, Inc.) BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT w/Fuel Cell option	X	X
DataMaster DMT w/Rev A Fuel Cell option	X	X
DataMaster DMT (aka: Intox MT)	X	X
Intox DMT (aka: DataMaster DMT)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
EV 30 (w/or without EASYCAL accessory)	X	X
FC 10 (w/or without EASYCAL accessory)	X	X
FC 10Plus (w/or without EASYCAL accessory)	X	X
FC 20 (w/or without EASYCAL accessory)	X	X
FC 20BT (w/or without EASYCAL accessory)	X	X
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0 (w/or without EASYCAL accessory)	X	X
Phoenix 6.0BT (w/or without EASYCAL accessory)	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
EBA*	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Lucky Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
2000*	—	X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc. (NPAS), Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT (aka: Intox DMT)	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Rev A Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Mark V Alcovisor	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemans-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
BAC Verifier Datamaster II*	X	X

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1737. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code, Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from November 1, 2024, through November 30, 2024. Future publications of decisions on exception requests will appear on a monthly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Suite 210, 2525 North 7th Street, Harrisburg, PA 17110, (717) 787-1816. Inquiries regarding home care agencies, home care registries and home health care agencies shall be addressed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Nursing Care Facilities

Facility Name	Regulation and relating to	Dec. Date	Decision
HRH Transitional Care Unit (a d/b/a entity of HRH)	28 Pa. Code § 201.18(d.1) (relating to management)	11/22/2024	Other (exception not necessary)
Saint Joseph's Manor (a d/b/a entity of HRHS)	28 Pa. Code § 201.18(d.1)	11/22/2024	Other (exception not necessary)
Rittenhouse Post Acute	28 Pa. Code § 204.3(b) (relating to building and grounds; general)	11/22/2024	Granted
	28 Pa. Code § 204.9(a) and (d) (relating to bathing facilities)	11/22/2024	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care, the Division of Nursing Care Facilities, or the Division of Home Health at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1738. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Department of Health, Division of Nursing Care Facilities v. Mountain View Care and Rehabilitation Center; Doc. No. LIC 24-016 N

A hearing will be conducted before Hearing Officer Thomas A. Blackburn, beginning at 9:30 a.m. on Thursday, December 12, 2024, to receive evidence concerning

the revocation of Mountain View Care and Rehabilitation Center's nursing home license. The hearing will be conducted in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) (GRAPP) and the Department of Health's regulations at 37 Pa. Code §§ 197.81—197.94 (relating to appeals from decisions pertaining to licensure) to the extent they supplement or supersede

inconsistent provisions of GRAPP.

The hearing will be held in Hearing Room 2 at 2400 Thea Drive, Suite 201, Harrisburg, PA. The parties shall consult the security officer to confirm the hearing room assignment. Individuals who are interested in observing a hearing or want to verify whether a hearing is still on the schedule, contact the Hearing Examiner's Office at (717) 772-2686.

For additional information, or for persons with disabilities who wish to attend the hearing and require an auxiliary aid, service or other accommodation, contact the Docket Clerk, Department of Health, Office of Chief Counsel, Room 825, Health and Human Services Building, 625 Forster Street, Harrisburg, PA 17120, (717) 783-2500. For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-988 (voice users).

This hearing is subject to cancellation, continuation or conversion from in person to virtual.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1739. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Federal Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They

should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision at 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols SB, SSe, CB and CSe indicate the following:

SB = approved for blood screening analyses
SSe = approved for serum screening analyses
CB = approved for blood confirmatory analyses
CSe = approved for serum confirmatory analyses

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SB, CB
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4800

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,
SSe, CB, CSe
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 973-0166

21613
ARUP LABORATORIES INC—SSe, CSe
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,
SSe, CB, CSe
3520 PROGRESS DRIVE, UNIT C
BENSALEM, PA 19020
(267) 525-2470

00977
DRUGSCAN INC—SB, SSe, CB, CSe
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

31400
FRANCES WARDE MEDICAL LABORATORY—SSe, CSe
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

24655
HEALTH NETWORK LABORATORIES—SB, SSe, CB,
CSe
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

29685
MAYO CLINIC LABS—ROCH SUPERIOR DR—SSe, CSe
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

05574
MEDTOX LABORATORIES INC—SB, SSe, CB, CSe
402 COUNTY ROAD, D WEST
ST PAUL, MN 55112
(651) 636-7466

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,
CB, CSe
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

29741
NORTHERN TIER RESEARCH—SB, SSe, CB, CSe
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—SB, CB
1601 RITNER HIGHWAY
CARLISLE, PA 17013
(717) 240-6526

35876
OPANS, LLC—CB
4134 S. ALSTON AVE., SUITE 100
DURHAM, NC 27713
(919) 323-4299

22533
PENNSYLVANIA DEPT. OF HEALTH—SB, CB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

40533
PHENOMICS HEALTH, INC.—SSe, CSe
46701 COMMERCE CENTER DRIVE
PLYMOUTH, MI 48170
(734) 233-3070

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,
SSe, CB, CSe
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—SSe, CSe
8407 FALLBROOK AVENUE, SUITE # 150
WEST HILLS, CA 91304
(661) 799-6543

00151
ST JOSEPH QUALITY MEDICAL LAB—SSe
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141
YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1740. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol)

as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, B, and SB indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00212

ABINGTON MEMORIAL HOSPITAL—S

1200 OLD YORK ROAD

ABINGTON, PA 19001

(215) 481-2324

00041

ACMH HOSPITAL LABORATORY—S

ONE NOLTE DRIVE

KITTANNING, PA 16201

(724) 543-8219

00061

AHN GROVE CITY—S

GROVE CITY MEDICAL CENTER

631 NORTH BROAD STREET EXT.

GROVE CITY, PA 16127

(724) 450-7128

38782

AHN WEXFORD HOSPITAL—S

12351 PERRY HIGHWAY, 1ST FLOOR LABORATORY

WEXFORD, PA 15090

(878) 231-5006

00233

ALBERT EINSTEIN MEDICAL CENTER NORTH—S

5501 OLD YORK RD

PHILADELPHIA, PA 19141-3001

(215) 456-6152

00100

ALLE-KISKI MD CTR DBA AVH—S

1301 CARLISLE STREET

NATRONA HEIGHTS, PA 15065

(724) 224-5100

00671

ALLEGHENY COUNTY MED EX DIV OF LABS—SB

1520 PENN AVENUE, 2ND FLOOR

PITTSBURGH, PA 15222

(412) 350-4800

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S

320 E NORTH AVENUE

PITTSBURGH, PA 15212

(412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S

1307 FEDERAL STREET

PITTSBURGH, PA 15212

(412) 359-6886

34874

AMERATHON LLC, DBA AHA—S

26300 EUCLID AVENUE, SUITE 910

CLEVELAND, OH 44132

(216) 472-2318

21613

ARUP LABORATORIES INC—S

500 CHIPETA WAY

SALT LAKE CITY, UT 84108

(800) 242-2787

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB

3520 PROGRESS DRIVE, UNIT C

BENSALEM, PA 19020

(267) 525-2470

00320
BARNES-KASSON COUNTY HOSPITAL—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-3114

00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00369
BUCKTAIL MED CENTER—S
1001 PINE STREET
RENOVO, PA 17764
(570) 923-1000

00301
BUTLER MEMORIAL HOSPITAL—S
ONE HOSPITAL WAY, (911 E. BRADY STREET)
BUTLER, PA 16001
(724) 284-4513

00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916

00157
CGOH LABORATORY—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 260-9955 x6181

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00228
CHILDREN'S HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

28143
CHOP KING OF PRUSSIA HOSPITAL—S
550 GODDARD BOULEVARD
KING OF PRUSSIA, PA 19406
(267) 426-8820

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399

00125
CONEMAUGH MEM MED CTR-MAIN LAB—S
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00231
CONEMAUGH MEYERSDALE MEDICAL CTR—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 972-6913

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER LAB—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232

00266
DEPT OF PATHOLOGY & LAB MED-HUP—S
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00247
DEPART. OF PATHOLOGY & LAB MED-HUP—S
5301 CEDAR AVENUE
PHILADELPHIA, PA 19143
(215) 662-7879

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2083

00977
DRUGSCAN INC—SB
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1428

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE, PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 689-1689

00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567

31400
FRANCES WARDE MEDICAL LABORATORY—SB
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169

00002
GEISINGER BLOOMSBURG HOSPITAL LABORATORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098

00005
GEISINGER COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 703-7123

00138
GEISINGER LEWISTOWN HOSPITAL LABORATORY—S
LABORATORY ADMINISTRATION
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7113

00173
GEISINGER MEDICAL CENTER—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443

38895
GEISINGER MEDICAL CENTER MUNCY—S
255 ROUTE 220 HIGHWAY
MUNCY, PA 17756
(570) 308-2536

36920
GEISINGER ST. LUKE'S HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(272) 639-0001

00019
GEISINGER WYOMING VALLEY MED CTR LAB—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845

00185
GEISINGER SHAMOKIN AREA COMMUNITY HOSPITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4281

00122
GETTYSBURG HOSPITAL LABORATORY—S
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120

00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4648

00017
GSWB A CAMPUS OF GWVMC—S
25 CHURCH STREET
WILKES-BARRE, PA 18765
(570) 808-7845

00024
GUTHRIE MEDICAL GROUP LAB TROY—S
275 GUTHRIE LANE
TROY, PA 16947
(570) 297-9289

00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-4177

00023
GUTHRIE MEDICAL GROUP LAB-TOWANDA—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 316-2150

00155
HARRISBURG HOSPITAL LABORATORY—S
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340

00022
HEALTH NETWORK LABORATORIES—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3370

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(484) 425-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259

- 24655
HEALTH NETWORK LABORATORIES—SB
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000
- 00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 749-7364
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 626-2363
- 39450
HNL-ACL-CARBON—S
2128 BLAKESLEE BLVD., DRIVE E
LEHIGHTON, PA 18235
(484) 425-8215
- 39535
HNL-ADCL-DICKSON CITY—S
330 MAIN STREET
DICKSON CITY, PA 18519
(484) 425-8215
- 38714
HNL-ACL-HECKTOWN OAKS—S
3780 HECKTOWN ROAD
EASTON, PA 18045
(484) 425-5532
- 00099
HVS, KENNEDY CAMPUS—S
25 HECKEL ROAD
MCKEES ROCKS, PA 15136
(412) 777-6161
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7160
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00192
JEFFERSON HEALTH, NE, BUCKS—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227
- 00236
JEFFERSON HEALTH-NE, FRANKFORD—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068
- 00341
JEFFERSON HEALTH-NE, TORRESDALE—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648
- 00038
JEFFERSON HOSPITAL LABORATORY—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 36342
LABCORP CENTRAL LABORATORY SERVICES—B
8211 SCICOR DRIVE
INDIANAPOLIS, IN 46214
(317) 273-1200
- 01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE, PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—B
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 00165
LANCASTER GENERAL HOSPITAL LAB—S
555 N DUKE STREET
LANCASTER, PA 17602
(717) 544-4331
- 00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623
- 00010
LEHIGH VALLEY HOSPITAL—HAZLETON LABORA-
TORY—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156
- 00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300
- 00182
LVH-SCHUYLKILL E NORWEGIAN—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768
- 00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE, 3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521
- 00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000
- 00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685
MAYO CLINIC LABS—ROCH SUPERIOR DR—SB
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

40570
MCI DIAGNOSTIC CENTER, LLC—S
1155 KAS DRIVE, SUITE 180
RICHARDSON, TX 75081
(469) 485-2382

00049
MEADVILLE MED CTR—LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 333-5514

05574
MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
1701 INNOVATION DRIVE
YORK, PA 17408
(717) 849-5371

00203
MERCY FITZGERALD HOSPITAL LABORATORY—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

29741
NORTHERN TIER RESEARCH—SB
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—B
1601 RITNER HIGHWAY
CARLISLE, PA 17013
(717) 240-6526

00053
PENN HIGHLANDS—BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312

00027
PENN HIGHLANDS DUBOIS—S
100 HOSPITAL AVENUE
DUBOIS, PA 15801
(814) 375-3239

00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00108
PENN HIGHLANDS MON VALLEY—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00124
PENN HIGHLANDS TYRONE—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST, DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

38878
PENN STATE HEALTH HAMPDEN MEDICAL CENTER
LABORATORY—S
2200 GOOD HOPE ROAD
ENOLA, PA 17025
(717) 857-0020

39750
PENN STATE HEALTH LANCASTER MEDICAL CENTER—S
2160 STATE ROAD
LANCASTER, PA 17601
(223) 287-8135

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

00026
PH DUBOIS, CLEARFIELD CAMPUS—S
809 TURNPIKE AVENUE, PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD, DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000

00221
POTTSTOWN HOSPITAL—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

00130
PSH HOLY SPIRIT MEDICAL CENTER—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1800

00669
QUEST DIAGNOSTICS INCORPORATED—B
1 INSIGHTS DRIVE
CLIFTON, NJ 07012
(201) 393-5895

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867

00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER—PATH LAB—S
1201 LANGHORNE—NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383

00064
SHARON REGIONAL LAB SERVICES—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914

00171
SLUHN SACRED HEART CAMPUS—S
421 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 776-4720

00260
ST. CHRISTOPHER'S HOSPITAL FOR CHILDREN—S
DEPT. OF PATHOLOGY & LAB MEDICINE
160 EAST ERIE AVENUE
PHILADELPHIA, PA 19134-1095
(215) 427-5272

00151
ST. JOSEPH QUALITY MEDICAL LAB—S
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00318
ST. LUKE'S HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723

32021
ST. LUKE'S HOSPITAL—ANDERSON LAB—S
1872 ST. LUKE'S BLVD.
EASTON, PA 18045
(484) 503-1075

38867
ST. LUKE'S HOSPITAL—CARBON CAMPUS—S
500 ST. LUKE'S DRIVE
LEHIGHTON, PA 18235
(610) 377-7084

00175
ST. LUKE'S HOSPITAL EASTON CAMPUS—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(484) 822-0115

00180
ST. LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET, PO BOX 67
COALDALE, PA 18218
(570) 645-8271

35019
ST. LUKE'S MONROE CAMPUS LABORATORY—S
100 ST. LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606

00195
ST. LUKE'S UPPER BUCKS CAMPUS—S
3000 ST. LUKE'S WAY
QUAKERTOWN, PA 18951
(267) 985-0038

00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075

00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232

00227
TEMPLE HEALTH-CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 707-8366

00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470

00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB MED-RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560

00240
TEMPLE UNIVERSITY HOSPITAL—JEANES CAM-
PUS—S
7600 CENTRAL AVENUE
PHILADELPHIA, PA 19111
(215) 728-2248

00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET, 204 FOERDERER PAVIL-
ION
PHILADELPHIA, PA 19107
(215) 955-3941

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00105
UPMC GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00046
UPMC HAMOT—S
201 STATE STREET, 4TH FLOOR WEST
ERIE, PA 16550
(814) 877-3131

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00054
UPMC JAMESON—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4082

00034
UPMC KANE—S
4372 ROUTE 6
KANE, PA 16735
(814) 837-4570

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7624

00035
UPMC MUNCY LABORATORY—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00084
UPMC PASSAVANT—S
9104 BABCOCK BLVD
GROUND FLOOR, T BUILDING
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
ATTN: LAB
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00131
UPMC PINNACLE CARLISLE—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 960-3336

00166
UPMC PINNACLE LITITZ—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE, GROUND FLOOR WEST
WING
PITTSBURGH, PA 15232
(412) 623-5950

00297
UPMC SOMERSET HOSPITAL—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215

00111
UPMC WASHINGTON—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00039
UPMC WELLSBORO LABORATORY—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00037
UPMC WILLIAMSPORT LABORATORY—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00030
UPMC WILLIAMSPORT OP EMERG. DEPT.—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5033

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL LABORATORY—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
1995 TECHNOLOGY PKWY
MECHANICSBURG, PA 17050
(717) 782-3128

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-3430

00299
WS GOOD SAMARITAN HOSPITAL LAB SERVICES—S
252 S. 4TH STREET
LEBANON, PA 17042
(717) 270-7500

25064
WVU HOSPITAL AT RUBY MEMORIAL HOSPITAL—S
1 MEDICAL CENTER DR, PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1741. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151-2165) and are currently approved by the Department under 28 Pa. Code § 5.50

(relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances.

This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, C, SC indicate the following:

S = approved for screening analyses

C = approved for confirmatory analyses

SC = approved for screening and confirmatory analyses

41115

1LAB DIAGNOSTICS NJ LLC—SC
107 GAITHER DRIVE, SUITE B
MOUNT LAUREL, NJ 08054
(724) 570-5882

00212

ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 481-2324

34830

ACUTIS DIAGNOSTICS—SC
400 KARIN LANE
HICKSVILLE, NY 11801
(516) 253-2171

40829

ADSCIS LLC—S
63 BROAD STREET
WATERFORD, NY 12188
(518) 955-2339

36379

ADVANCED COMPREHENSIVE LABORATORY—SC
67-71 EAST WILLOW STREET
MILLBURN, NJ 07041
(877) 355-3580

30914

ADVANCED PAIN MEDICINE—SC
1009 BEAVER GRADE ROAD
MOON TOWNSHIP, PA 15108
(724) 771-2314

34513

ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC
2 8TH STREET
HAMMONTON, NJ 08037
(888) 985-2727, x185

34867

ADVANTA GENETICS, LLC—SC
10935 CR 159, SUITE 101
TYLER, TX 75703
(903) 805-9955

31695

AEGIS SCIENCES CORPORATION—SC
515 GREAT CIRCLE ROAD
NASHVILLE, TN 37228
(615) 255-2400

38782

AHN WEXFORD HOSPITAL—S
12351 PERRY HIGHWAY, 1ST FLOOR LABORATORY
WEXFORD, PA 15090
(878) 231-5006

00233

ALBERT EINSTEIN MEDICAL CENTER NORTH—S
5501 OLD YORK RD
PHILADELPHIA, PA 19141-3001
(215) 456-6152

24496

ALERE TOXICOLOGY SERVICES—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

- 26008
ALERE TOXICOLOGY SERVICES INC—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989
- 37650
ALFA LABS INC—SC
101 WOODWINDS INDUSTRIAL CT., STE L
CARY, NC 27511
(919) 473-6298
- 00100
ALLE-KISKI, M.D., CTR DBA AVH—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100
- 00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SC
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4800
- 28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886
- 00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886
- 35214
ALLIANCE PHARMA, INC—C
17 LEE BOULEVARD
MALVERN, PA 19355
(610) 296-3152
- 34874
AMERATHON LLC, DBA AHA—S
26300 EUCLID AVENUE, SUITE 910
CLEVELAND, OH 44132
(216) 472-2318
- 31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 923-0166
- 36327
AMERICAN HEALTH ASSOCIATES—S
15712 SW 41 STREET, SUITE 16
DAVIE, FL 33331
(954) 919-5007
- 26620
AMMON ANALYTICAL LABORATORY—SC
35 BLANCKE STREET
LINDEN, NJ 07036
(908) 862-4404
- 40031
ANALYZE PATHOLOGY, INC.—C
160 SW 12TH AVENUE, UNIT 303
DEERFIELD BEACH, FL 33442
(855) 425-9428
- 40860
APC HEALTH LLC—SC
2817 MILLER RANCH ROAD, UNIT 317
PEARLAND, TX 77584
(281) 240-0974
- 34650
APEX LABS, INC—SC
6015 BENJAMIN ROAD, SUITE 315
TAMPA, FL 33634
(813) 385-7784
- 37557
ARS TREATMENT CENTERS, P.C.—SC
1360 SHARON ROAD
BEAVER, PA 15009-3156
(724) 467-2145
- 33097
ART OF PAIN MANAGEMENT—SC
9622 BUSTLETON AVENUE, SUITE 3
PHILADELPHIA, PA 19115
(610) 352-1710
- 26137
ARTHRITIS & OSTEOPOROSIS CTR INC—S
2760 CENTURY BOULEVARD
WYOMISSING, PA 19610
(610) 375-4251
- 21613
ARUP LABORATORIES INC—SC
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787
- 00047
ASSOCIATED CLINICAL LABORATORIES—S
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE, UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 38799
ATVIVO LLC—S
955 YONKERS AVENUE, STE # 19
YONKERS, NY 10704
(844) 788-1478
- 33692
AUSPICIOUS LABORATORY, INC.—SC
3707 WESTCENTER DRIVE, # 100
HOUSTON, TX 77042
(713) 266-0808
- 33067
AVERTEST LLC DBA AVERHEALTH—SC
4709 LAGUARDIA DRIVE, SUITE 100
ST. LOUIS, MO 63134
(804) 285-0413
- 00320
BARNES KASSON HOSPITAL LAB—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-3114
- 37340
BAYSIDE LABORATORIES, INC—S
4557 BELL BLVD.
BAYSIDE, NY 11361
(718) 229-8800
- 38970
BEECHTREE DIAGNOSTICS, LLP—SC
12351 GATEWAY PARK PLACE, SUITE D-700
DRAPER, UT 84020
(801) 893-2773

- 34189
BIODIAGNOSTIC LABS—S
2380 E 22 STREET
BROOKLYN, NY 11229
(718) 646-6000
- 34011
BIOGENICA LABORATORIES—SC
241 MOLNAR DR, UNIT A1
ELMWOOD PARK, NJ 07407
(201) 791-7293
- 22757
BIOREFERENCE LABORATORIES INC—SC
481 EDWARD H. ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 00472
BROOKSIDE CLINICAL LAB INC—S
2901 W. DUTTONS MILLS ROAD, SUITE 100
ASTON, PA 19014
(610) 872-6466
- 00301
BUTLER MEMORIAL HOSPITAL—S
ONE HOSPITAL WAY (911 E BRADY STREET)
BUTLER, PA 16001
(724) 284-4513
- 00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 40796
CAREPOINT LABS—SC
8601 DUNWOODY PLACE, SUITE 444
ATLANTA, GA 30350
(770) 462-2317
- 35410
CARING HEALTHCARE NETWORK LAB—SC
18 N FRONT ST
PHILIPSBURG, PA 16866
(814) 342-2333
- 35694
CAYUGA MEDICAL CENTER—S
101 DATES DRIVE
ITHACA, NY 14850
(604) 274-4474
- 36293
CENTER FOR INTERVENTIONAL PAIN & SPINE
LLC—SC
300 WELSH ROAD, BUILDING 2, SUITE 104
HORSHAM, PA 19044
(856) 701-0039
- 32471
CENTERS LAB NJ, LLC—SC
DBA CENTERS LAB
85 HORSE HILL ROAD
CEDAR KNOLLS, NJ 07927
(973) 731-2900
- 34075
CENTRAL TOX LLC—C
525 ROUND ROCK WEST DRIVE STE B200
ROUND ROCK, TX 78681
(512) 382-9710
- 38363
CERTIGEN LABORATORY—SC
9309 SOUTH TOLEDO AVENUE, SUITE A
TULSA, OK 74137
(405) 550-7935
- 00157
CGOH LABORATORY—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340
- 00132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973
- 00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 260-9955, x6181
- 35138
CHEMISYS LABORATORY—SC
17-01 POLLITT DRIVE
FAIR LAWN, NJ 07410
(210) 312-6980
- 34920
CHESAPEAKE TOXICOLOGY RESOURCES—SC
8415 PROGRESS DRIVE, SUITE V
FREDERICK, MD 21701
(240) 397-7060
- 00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182
- 00228
CHILDREN'S HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD.
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 28143
CHOP KING OF PRUSSIA HOSPITAL—S
550 GODDARD BOULEVARD
KING OF PRUSSIA, PA 19406
(267) 425-8820
- 00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399
- 36109
CLARITY LABS—SC
97 MOUNT BETHEL ROAD
WARREN, NJ 07059
(405) 266-3784

- 34259
CLEANSLATE CENTERS—SC
59 BOBALA ROAD
HOLYOKE, MA 01040
(413) 584-2173
- 33726
CLEARFIELD JEFFERSON PRIMARY CARE AS-
SOC.—S
1464 N. MAIN STREET, SUITE 15
PUNXSUTAWNEY, PA 15767
(814) 503-8070
- 27845
CLINICAL REFERENCE LABORATORY—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 693-5481
- 33142
CLINICAL REFERENCE LABORATORY, INC—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652
- 35299
CLINICAL REFERENCE LABORATORY, INC—S
1121 W. OLD 56 HIGHWAY
OLATHE, KS 66061
(913) 492-3652
- 24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106
- 31556
COMPREHENSIVE PAIN CENTER ALLENTOWN—SC
1146 CEDAR CREST BLVD.
ALLENTOWN, PA 18103
(610) 366-9000
- 32655
COMPREHENSIVE PAIN MANAGEMENT—SC
1177 HIGHWAY 315 BLVD.
WILKES-BARRE, PA 18702
(570) 270-5700
- 00125
CONEMAUGH MEM MED CTR—MAIN LAB—S
LABORATORY DEPARTMENT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787
- 00231
CONEMAUGH MEYERSDALE MEDICAL CTR—S
200 HOSPITAL DRIVE
MEYERSDALE, PA 15552
(814) 972-6913
- 00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200
- 00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641
- 00201
CROZER CHESTER MEDICAL CENTER—LAB—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232
- 35842
DELAWARE DIAGNOSTIC LABS, LLC—SC
1 CENTURIAN DRIVE, SUITE 103
NEWARK, DE 19713
(302) 407-5903
- 00266
DEPT OF PATHOLOGY & LAB MED—HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423
- 00247
DEPT. OF PATHOLOGY & LAB MED—HUP—S
5301 CEDAR AVENUE
PHILADELPHIA, PA 19143
(215) 662-7879
- 36709
DEVANSH LAB WERKS INC—SC
234 AQUARIUS DRIVE, SUITE 111
HOMEWOOD, AL 35209
(205) 994-8266
- 32240
DOMINION DIAGNOSTICS, LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(877) 734-9600
- 00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2083
- 26633
DREXEL MEDICINE DIAGNOSTICS—SC
245 N. 15TH STREET, ROOM 5106, NCB
PHILADELPHIA, PA 19102
(267) 359-2518
- 00977
DRUGSCAN INC—SC
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310
- 00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1428
- 34056
ELITE DIAGNOSTICS, LLC—SC
10996 FOUR SEASONS PLACE, 100A
CROWN POINT, IN 46307
(888) 339-7339
- 31625
EMPIRE CITY LABORATORIES—S
229 49TH STREET
BROOKLYN, NY 11220
(718) 788-3840
- 00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801

- 00164
EHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE, PO BOX 1002
EHRATA, PA 17522
(717) 733-0311
- 36981
ETHOS LABORATORIES—SC
29 E. 6TH STREET
NEWPORT, KY 41071
(877) 496-2570
- 00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510
- 00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 689-1689
- 34527
EXCELA CLINICAL LABORATORY—SC
95 DERMODY STREET
CRANFORD, NJ 07016
(732) 287-5115
- 00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567
- 32166
FORENSIC FLUIDS LABORATORIES, INC—SC
225 PARSONS STREET
KALAMAZOO, MI 49007
(269) 492-7700
- 32497
FOX CHASE PAIN MANAGEMENT ASSOCIATES—S
4979 OLD STREET ROAD, SUITE B
TREVOSSE, PA 19053
(267) 288-5601
- 31400
FRANCES WARDE MEDICAL LABORATORY—SC
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300
- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169
- 30188
GARCIA CLINICAL LABORATORY INC—S
2195 SPRING ARBOR ROAD
JACKSON, MI 49201
(517) 787-9200
- 34725
GATES PHYSICIAN SERVICES—S
2525 9TH AVENUE, SUITE 2B
ALTOONA, PA 16602
(814) 300-2273
- 00002
GEISINGER-BLOOMSBURG HOSPITAL LABORA-
TORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098
- 00005
GEISINGER COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 703-7123
- 00312
GEISINGER JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-5276
- 00138
GEISINGER-LEWISTOWN HOSPITAL LABORA-
TORY—S
400 HIGHLAND AVENUE
LABORATORY ADMINISTRATION
LEWISTOWN, PA 17044
(717) 242-7113
- 00173
GEISINGER MEDICAL CENTER—SC
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443
- 38895
GEISINGER MEDICAL CENTER MUNCY—S
255 ROUTE 220 HIGHWAY
MUNCY, PA 17756
(570) 308-2536
- 36920
GEISINGER ST. LUKE'S HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(272) 639-0001
- 00019
GEISINGER WYOMING VALLEY MC LABORATORY—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845
- 00185
GEISINGER-SHAMOKIN AREA COMMUNITY HOS-
PITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4281
- 40626
GENCO LABS—C
7 SYCAMORE WAY, UNIT 9
BRANFORD, CT 06405
(860) 303-9950
- 35154
GENE TOX WORLDWIDE, LLC DBA SCIENTIA DIAG-
NOSTIC LLC—C
136 RIDGE ROAD, SUITE 1A
LYNDHURST, NJ 07071
(201) 844-9160
- 35160
GENESIS REFERENCE LABORATORY, LLC—SC
7924 FOREST CITY ROAD, SUITE 210
ORLANDO, FL 32810
(407) 232-7130

- 37022
GENTECH LABORATORIES, LLC—SC
4403 N. BELTWOOD PKWY., STE 300
DALLAS, TX 75244
(866) 658-4485
- 00122
GETTYSBURG HOSPITAL LABORATORY—S
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120
- 40842
GH LABB LLC—SC
6302 BENJAMIN ROAD, SUITE 400
TAMPA, FL 33634
(813) 290-7326
- 35228
GRAVITY DIAGNOSTICS, LLC—SC
812 RUSSELL STREET
COVINGTON, KY 41011
(859) 757-0158
- 00017
GSWB A CAMPUS OF GWVMC—S
25 CHURCH STREET
WILKES-BARRE, PA 18765
(570) 808-7845
- 00024
GUTHRIE MEDICAL GROUP LAB TROY—S
275 GUTHRIE DRIVE
TROY, PA 16947
(570) 297-9289
- 00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-4177
- 00023
GUTHRIE MEDICAL GRP LAB-TOWANDA—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191
- 00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 316-2150
- 35815
HARMONY CARES DIAGNOSTICS—SC
500 KIRTS BLVD.
TROY, MI 48084
(248) 824-6500
- 00155
HARRISBURG HOSPITAL LABORATORY—S
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340
- 00022
HEALTH NETWORK LABORATORIES—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3370
- 00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236
- 00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD.
ALLENTOWN, PA 18103
(484) 425-8150
- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259
- 24655
HEALTH NETWORK LABORATORIES—SC
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 36670
HEALTHQUEST ESOTERICS, INC—SC
6 BENDIX
IRVINE, CA 92618
(949) 242-2260
- 38933
HELIX DIAGNOSTIX—SC
3745 PARK CENTRAL BLVD.
POMPANO BEACH, FL 33064
(754) 307-1945
- 00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000
- 00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 749-7364
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 626-2363
- 37187
HIGHLANDS HOSPITAL TOXICOLOGY LABORA-
TORY—SC
700 PARK STREET, LOWER LEVEL
CONNELLSVILLE, PA 15425
(724) 603-2741
- 39450
HNL ACL—CARBON—S
2128 BLAKESLEE BLVD., DRIVE E
LEHIGHTON, PA 18235
(484) 425-8215
- 39535
HNL ACL—DICKSON CITY—S
330 MAIN STREET
DICKSON CITY, PA 18519
(484) 425-8215
- 38714
HNL-ACL-HECKTOWN OAKS—S
3780 HECKTOWN ROAD
EASTON, PA 18045
(484) 425-5532
- 00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 938-3703

- 00099
HVS, KENNEDY CAMPUS—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161
- 36118
IDEAL OPTION—SC
8508 W. GAGE BLVD. SUITE A101
KENNEWICK, WA 99336
(877) 522-1275
- 37831
IDEAL OPTION PLLC—SC
500 SW 7TH STREET, SUITE A104
RENTON, WA 98057
(509) 290-1543
- 36818
INDIANA REGIONAL MEDICAL CENTER—SC
120 IRMC DRIVE, SUITE 150
INDIANA, PA 15701
(724) 357-7188
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7160
- 34295
INFINITI LABS INC—SC
6015 BENJAMIN ROAD, SUITE 315
TAMPA, FL 33634
(813) 886-2616
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 36232
JB PAIN FREE MD PLLC DBA THE YORK PAIN
CTR—SC
718 S. MAIN STREET
RED LION, PA 17356
(717) 244-8504
- 00192
JEFFERSON HEALTH, NE-BUCKS—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227
- 00236
JEFFERSON HEALTH, NE-FRANKFORD—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068
- 00341
JEFFERSON HEALTH, NE-TORRESDALE—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648
- 00038
JEFFERSON HOSPITAL LABORATORY—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 37360
KASHI CLINICAL LABORATORIES, INC—SC
10101 SW BARBUR BLVD., SUITE 200
PORTLAND, OR 97219
(503) 206-4989
- 34192
KEYSTONE LABORATORIES, INC—SC
3 MCDOWELL STREET
ASHEVILLE, NC 28801
(828) 255-0307
- 21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042
- 36342
LABCORP CENTRAL LABORATORY SERVICES—SC
8211 SCICOR DRIVE
INDIANAPOLIS, IN 46214
(317) 273-1200
- 20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE, PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-6900
- 01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE, PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 41076
LABS ASAP, LLC DBA NONA SCIENTIFIC—SC
1601 NE 25TH AVENUE, UNIT 103
OCALA, FL 34470
(352) 260-4700
- 00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
LANCASTER, PA 17602
(717) 544-4331
- 00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623
- 00010
LEHIGH VALLEY HOSPITAL-HAZLETON LABORA-
TORY—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156
- 00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300
- 40654
LUXOR SCIENTIFIC—SC
1327 MILLER ROAD, SUITE F
GREENVILLE, SC 29607
(864) 568-8940

00182
LVH-SCHUYLKILL E NORWEGIAN—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

37916
M1 LABS LLC—SC
1330 STATE ROUTE 14
COLUMBIANA, OH 44408
(330) 892-5191

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SC
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

33620
MCKEESPORT DRUG SCREENING LAB—S
339 FIFTH AVENUE, WANDER BLDG, ROOM 208
PITTSBURGH, PA 15132
(412) 664-8871

39021
MD TOX LABORATORY—S
1565 MCGAW AVENUE
IRVINE, CA 92614
(800) 820-8803

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 333-5514

36586
MED SCREEN LABORATORIES INC.—SC
992 CLIFTON AVE, 2ND FLOOR
CLIFTON, NJ 07013
(914) 393-3148

03298
MEDICAL GROUP OF CORRY RHC—S
315 YORK STREET
CORRY, PA 16407
(814) 664-8686

35682
MEDSCAN LABORATORY, INC—SC
1502 13TH AVE. WEST, SUITE 201
WILLISTON, ND 58801
(701) 577-0498

05574
MEDTOX LABORATORIES INC—SC
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
1701 INNOVATION DRIVE
YORK, PA 17408
(717) 849-5371

00203
MERCY FITZGERALD HOSPITAL LABORATORY—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

40861
MICROGEN HEALTH, INC—SC
14225 SULLYFIELD CIRCLE, SUITE E
CHANTILLY, VA 20151
(571) 775-1973

00045
MILLCREEK COMMUNITY HOSP LAB—S
5515 PEACH STREET
ERIE, PA 16509
(814) 864-4031

31050
MILLENUM HEALTH, LLC—SC
16981 VIA TAZON, BUILDING 1
SAN DIEGO, CA 92127
(858) 451-3535

34564
MOLECULAR TESTING LABS—SC
14401 SE 1ST STREET
VANCOUVER, WA 98684
(360) 693-8850

40179
MONARCH DIAGNOSTICS INC.—SC
17791 SKY PARK CIRCLE, SUITE A
IRVINE, CA 92614
(949) 939-2893

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

40965
MOUNTAIN VIEW MEDICAL LAB—ORANGE—SC
1594 N. MAIN STREET
ORANGE, CA 92867
(951) 658-1440

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

- 35947
NASPAC—NJ, PLLC—S
2325 MARYLAND ROAD, SUITE 100
WILLOW GROVE, PA 19090
(215) 657-1315
- 37004
NASPAC1—CHERRY HILL—C
1601 N KINGS HWY, STE 800
CHERRY HILL, NJ 08034
(856) 888-2602
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900
- 40655
NATIONAL TOXICOLOGY CENTER—SC
150 NEW SCOTLAND AVENUE, SUITE 1105, CMS
BUILDING
ALBANY, NY 12208
(518) 605-9041
- 00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245
- 29741
NORTHERN TIER RESEARCH—SC
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153
- 35679
OMNIHEALTH DIAGNOSTICS—SC
1840 N. GREENVILLE AVENUE, SUITE 176
RICHARDSON, TX 75081
(972) 887-3444
- 38883
OXFORD CLINICAL LABORATORY—S
397 HALEDON AVENUE, SUITE 4
HALEDON, NJ 07508
(201) 647-3319
- 23801
PACIFIC TOXICOLOGY LABORATORIES—SC
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110
- 34837
PAIN AND SPINE SPECIALISTS OF MARYLAND—S
2702 BACK ACRE CIRCLE, SUITE 290B
MOUNT AIRY, MD 21771
(301) 703-8767
- 36349
PARADIGM LABS, LLC—SC
1302 FOUNTAIN PARK CIRCLE
BRUNSWICK, GA 31520
(912) 342-2443
- 00250
PARKWAY CLINICAL LABORATORIES—S
3494 PROGRESS DRIVE
BENSALEM, PA 19020
(215) 245-5112
- 37287
PATIENTS CHOICE LABORATORIES OF INDIANA,
LLC—SC
7026 CORPORATE DRIVE
INDIANAPOLIS, IN 46278
(317) 299-5227
- 00053
PENN HIGHLANDS—BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312
- 00027
PENN HIGHLANDS DUBOIS—S
100 HOSPITAL AVENUE
DUBOIS, PA 15801
(814) 375-3239
- 00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525
- 00108
PENN HIGHLANDS MON VALLEY—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021
- 00124
PENN HIGHLANDS TYRONE—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384
- 00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435
- 38878
PENN STATE HEALTH HAMPDEN MED. CTR. LABO-
RATORY—S
2200 GOOD HOPE ROAD
ENOLA, PA 17025
(717) 857-0020
- 39750
PENN STATE HEALTH LANCASTER MEDICAL CEN-
TER—S
2160 STATE ROAD
LANCASTER, PA 17601
(223) 287-8135
- 00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353
- 22533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

33387
PENNSYLVANIA PAIN AND SPINE—SC
1500 HORIZON CR., SUITE 102B
CHALFONT, PA 18914
(215) 395-8888

36582
PGN LAB, LLC—SC
7847 SW ELLIPSE WAY, C-15
STUART, FL 34997
(772) 291-2629

00026
PH DUBOIS, CLEARFIELD CAMPUS—S
809 TURNPIKE AVENUE, PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

31082
PHAMATECH INC—SC
15175 INNOVATION DRIVE
SAN DIEGO, CA 92128
(858) 643-5555

40127
PHARMA GENLABS—SC
8170 SOUTH AVENUE, SUITE 3
YOUNGSTOWN, OH 44512
(330) 953-1093

40782
PHD LABORATORY, LLC—S
5104 REAGAN DRIVE, SUITE 8
CHARLOTTE, NC 28206
(704) 565-0870

32887
PHOENIX TOXICOLOGY & LAB SERVICES—SC
2432 W PEORIA AVE, # 1064
PHOENIX, AZ 85029
(602) 374-4097

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD, DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000

33621
PITTSBURGH DRUG SCREENING LAB—S
440 ROSS STREET, ROOM 207A
PITTSBURGH, PA 15219
(412) 350-5808

00221
POTTSTOWN HOSPITAL—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

33487
PRECISION TOXICOLOGY, LLC—SC
4215 SORRENTO VALLEY BLVD, SUITE 100
SAN DIEGO, CA 92121
(800) 635-6901

34191
PREMIER BIOTECH LABS, LLC—SC
723 KASOTA AVE SE
MINNEAPOLIS, MN 55414
(855) 718-6917

40536
PREMIER BRAIN AND SPINE LLC—SC
2500 MORRIS AVENUE, SUITE 220
UNION, NJ 07083
(732) 983-5150

40989
PRETORIAN LABS, LLC—SC
7650 HUB PARKWAY
VALLEY VIEW, OH 44125
(440) 659-1980

34030
PRINCIPLE LABS, LLC—SC
2550 BRODHEAD ROAD, SUITE 105
BETHLEHEM, PA 18020-8922
(484) 353-6661

35172
PROGRESSIVE DIAGNOSTICS, LLC—SC
35 NUTMEG DRIVE, SUITE 303
TRUMBULL, CT 06611
(888) 503-8803

00130
PSH HOLY SPIRIT MEDICAL CENTER—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191

21648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00255
PUBLIC HEALTH LAB CITY OF PHILADELPHIA—S
1930 SOUTH BROAD STREET, SUITE 37, 2ND FLOOR
PHILADELPHIA, PA 19145
(215) 685-6805

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1800

40322
QLABS, INC.—SC
312 MACCORKLE AVENUE, SE
CHARLESTON, WV 25314
(304) 926-0565

36980
QR DIAGNOSTICS LLC—SC
12734 KENWOOD LN., UNIT 68
FORT MYERS, FL 33907
(239) 330-4573

36012
QUALITY LABORATORY SERVICE—SC
2124 MORRIS AVE
UNION, NJ 07083
(908) 686-2300

34644
QUALITY LABORATORY SERVICES—SC
2651 EAST 14TH STREET
BROOKLYN, NY 11235
(718) 646-5100

00669
QUEST DIAGNOSTICS INCORPORATED—S
1 INSIGHTS DRIVE
CLIFTON, NJ 07012
(201) 393-5895

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
8407 FALLBROOK AVENUE, SUITE # 150
WEST HILLS, CA 91304
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867

34188
RADEAS LLC—SC
907 GATEWAY COMMONS CIRCLE, SUITE 100
WAKE FOREST, NC 27587
(919) 435-6669

00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615

34074
REALTOX LABS LLC—SC
200 BUSINESS CENTER DRIVE
REISTERSTOWN, MD 21136
(410) 833-3025

25348
REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

29015
REGIONAL TOXICOLOGY SERVICES—SC
2617 EAST L STREET # A
TACOMA, WA 98421-2205
(253) 552-1551

32372
REGIONAL WOMENS HEALTH—S
450 CRESSON BLVD.
SUITE 305-307
OAKS, PA 19456
(484) 842-0717

40758
RHB LABORATORIES, INC.—SC
575 E. MAPLE ROAD
TROY, MI 48083
(248) 557-0411

35000
RIDGWOOD DIAGNOSTIC LABORATORY—SC
126 STATE STREET, 2ND FLOOR
HACKENSACK, NJ 07601
(973) 542-2343

27779
RNJ SERVICES—S
35-37 PROGRESS STREET, SUITE B6
EDISON, NJ 08820
(908) 754-4300

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

30821
RXTOX INC—SC
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300
PITTSBURGH, PA 15236
(412) 460-1310

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800

00174
SAINT LUKE'S HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER—PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

29838
SAN DIEGO REFERENCE LABORATORY—SC
6565 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995

35681
SCHUYLER HOSPITAL—S
220 STEUBEN ST
MONTAUR FALLS, NY 14856
(604) 274-4474

36007
SCIENTIFIC LABORATORY COMPANY LLC—SC
3395 LAKE WORTH ROAD, SUITES 1 & 2
PALM SPRINGS, FL 33461
(561) 855-2479

40748
SCOTT ROSENTHAL, PC—S
2201 RIDGWOOD ROAD, SUITE 200
WYOMISSING, PA 19610
(215) 338-1811

36741
SE PA PAIN MANAGEMENT, LTD—SC
508 PRUDENTIAL RD, SUITE 500
HORSHAM, PA 19044
(855) 235-7246

29038
SECON OF NEW ENGLAND LLC—S
415 MAIN STREET, 4TH FLOOR
WORCESTER, MA 01608
(508) 471-3340

00064
SHARON REGIONAL LAB SERVICES—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914

8000

40697
SIGMUND NJ LLP—SC
78 JOHN MILLER WAY, SUITE 300
KEARNY, NJ 07032
(210) 299-5366

00171
SLUHN SACRED HEART CAMPUS—S
421 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 776-4720

27649
SMA MEDICAL LABORATORIES—SC
940 PENNSYLVANIA BOULEVARD, UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

40747
SMR PAIN MANAGEMENT—S
2201 RIDGEWOOD ROAD, SUITE 200
WYOMISSING, PA 19610
(215) 338-1811

34171
SONIC REFERENCE LABORATORY, INC—C
3800 QUICK HILL ROAD, BUILDING 3, SUITE 101
AUSTIN, TX 78728
(512) 531-2100

35875
SPECTOR SCIENTIFIC LAB—C
160 SW 12TH AVE, UNIT 103B
DEERFIELD BEACH, FL 33442
(561) 507-0522

35762
ST. ANTHONY MEDICAL LABORATORIES—S
654 AVENUE C, SUITE # 303
BAYONNE, NJ 07002
(201) 455-8940

00260
ST CHRISTOPHER'S HOSPITAL FOR CHILDREN—S
160 EAST ERIE AVENUE
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134-1095
(215) 427-5272

00151
ST JOSEPH QUALITY MEDICAL LAB—S
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00318
ST LUKE'S HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723

32021
ST. LUKE'S HOSPITAL-ANDERSON LAB—S
1872 ST. LUKE'S BLVD.
EASTON, PA 18045
(484) 503-1075

38867
ST. LUKE'S HOSPITAL CARBON CAMPUS—S
500 ST. LUKE'S DRIVE
LEHIGHTON, PA 18235
(610) 377-7084

00175
ST. LUKE'S HOSPITAL EASTON CAMPUS—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(484) 822-0115

NOTICES

00180
ST LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET, PO BOX 67
COALDALE, PA 18218
(570) 645-8271

35019
ST LUKE'S MONROE CAMPUS LABORATORY—S
100 ST LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606

00195
ST. LUKE'S UPPER BUCKS CAMPUS—S
3000 ST. LUKE'S WAY
QUAKERTOWN, PA 18951
(267) 985-0038

37359
STAR LABORATORY CORPORATION—SC
125 FLEMING STREET
PISCATAWAY, NJ 08854
(732) 529-5100

00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075

36199
SUNRISE CLINICAL LAB LLC—SC
22 BALL STREET, SECOND FLOOR
IRVINGTON, NJ 07111
(973) 877-8358

33368
SYNERGY MEDICAL LABORATORIES, PC—C
152 STATE ROUTE 35
KEYPORT, NJ 07735
(732) 792-3609

00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232

27246
TECHNICAL RESOURCE MGMT—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011

00227
TEMPLE HEALTH-CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 707-8366

00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470

00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB MED—RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560

00240
 TEMPLE UNIVERSITY HOSPITAL—JEANES CAM-
 PUS—S
 7600 CENTRAL AVE
 PHILADELPHIA, PA 19111
 (215) 728-2248

36013
 TESTING MATTERS, INC—SC
 14001 NW 4TH ST.
 SUNRISE, FL 33325
 (954) 268-1470, x1003

35318
 THE OCCUPATIONAL HEALTH CENTER—SAINT VIN-
 CENT—S
 2501 W. 12TH STREET, SUITE C7
 ERIE, PA 16505
 (814) 452-7879

00104
 THE UNIONTOWN HOSPITAL LABORATORY—S
 500 WEST BERKELEY STREET
 UNIONTOWN, PA 15401
 (724) 430-5143

00241
 THOMAS JEFFERSON UNIVERSITY HOSP—S
 125 S 11TH STREET, 204 FOERDERER PAVILION
 PHILADELPHIA, PA 19107
 (215) 955-3941

34652
 THREE RIVERS DIAGNOSTICS—SC
 115 TECHNOLOGY DRIVE
 PITTSBURGH, PA 15275
 (412) 326-8570

34847
 THREE RIVERS PAIN MANAGEMENT—SC
 8628 INDUSTRIAL PARKWAY, UNIT E, SUITE 104
 PLAIN CITY, OH 43064
 (724) 812-5580

34314
 THYROID SPECIALTY LABORATORY, INC—C
 1636 HEADLAND DRIVE
 FENTON, MO 63026
 (314) 200-3040

00051
 TITUSVILLE AREA HOSPITAL—S
 406 WEST OAK STREET
 TITUSVILLE, PA 16354
 (814) 827-1851

40464
 TOTAL LAB SOLUTIONS, LLC—SC
 1250 STEPHENSON HIGHWAY, SUITE 200
 TROY, MI 48083
 (248) 800-6626

36731
 TRINITY MEDICAL LABORATORIES LLC—SC
 3 EVES DRIVE, SUITE 300
 MARLTON, NJ 08053
 (856) 334-9496

34997
 UNITED CLINICAL LABORATORY LLC—SC
 2257 VISTA PARKWAY, SUITE 2
 WEST PALM BEACH, FL 33411
 (844) 291-4292

00119
 UPMC ALTOONA LAB—S
 620 HOWARD AVENUE
 ALTOONA, PA 16601-4899
 (814) 889-2340

00121
 UPMC BEDFORD MEMORIAL—S
 10455 LINCOLN HIGHWAY
 EVERETT, PA 15537
 (814) 623-3506

32389
 UPMC EAST PATHOLOGY LABORATORY—S
 2775 MOSSIDE BLVD
 GROUND FLOOR, ROOM 0304
 MONROEVILLE, PA 15146
 (412) 357-3682

00105
 UPMC GREENE—S
 350 BONAR AVENUE
 WAYNESBURG, PA 15370
 (724) 627-2640

00046
 UPMC HAMOT—S
 201 STATE STREET, 4TH FLOOR WEST
 ERIE, PA 16550
 (814) 877-3131

00059
 UPMC HORIZON GREENVILLE—S
 110 NORTH MAIN STREET
 GREENVILLE, PA 16125
 (724) 588-2100

00057
 UPMC HORIZON SHENANGO—S
 2200 MEMORIAL DRIVE
 FARRELL, PA 16121
 (724) 981-3500

00054
 UPMC JAMESON—S
 1211 WILMINGTON AVENUE
 NEW CASTLE, PA 16105
 (724) 656-4082

00098
 UPMC MCKEESPORT LABORATORY—S
 1500 FIFTH AVENUE
 MCKEESPORT, PA 15132
 (412) 664-2233

00082
 UPMC MERCY DEPT OF LAB MEDICINE—S
 1400 LOCUST STREET
 PITTSBURGH, PA 15219
 (412) 232-7624

00035
 UPMC MUNCY LABORATORY—S
 215 EAST WATER ST
 MUNCY, PA 17756
 (570) 546-8282

00058
 UPMC NORTHWEST—S
 100 FAIRFIELD DRIVE
 SENECA, PA 16346
 (814) 676-7120

00084
 UPMC PASSAVANT—S
 9104 BABCOCK BLVD, GROUND FLOOR, T BUILDING
 PITTSBURGH, PA 15237
 (412) 367-6700

8002

NOTICES

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00131
UPMC PINNACLE CARLISLE—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 960-3336

00166
UPMC PINNACLE LITITZ—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL LABORATORY—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE, GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00297
UPMC SOMERSET HOSPITAL—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215

00111
UPMC WASHINGTON—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00039
UPMC WELLSBORO LABORATORY—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00037
UPMC WILLIAMSPORT LABORATORY—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00030
UPMC WILLIAMSPORT OP EMERG DEPT.—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5033

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

36977
VERO DIAGNOSTICS—SC
3216 S. ALSTON AVENUE
DURHAM, NC 27713
(919) 341-1255

34702
VISION LABORATORIES LLC—SC
6130 SHALLOWFORD ROAD, SUITE 100
CHATTANOOGA, TN 37421
(844) 484-3522

34864
VITAE DIAGNOSTICS—SC
3848 DEL AMO BLVD, SUITE 303
TORRANCE, CA 90503
(310) 376-5812

39537
VITAL PAIN CENTER, LLC—S
363 VANADIUM ROAD, SUITE 106
PITTSBURGH, PA 15243
(412) 279-1231

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL LABORATORY—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
1995 TECHNOLOGY PKWY
MECHANICSBURG, PA 17050
(717) 782-3128

34586
WESTERN SLOPE LABORATORY, LLC—SC
1197 ROCHESTER ROAD, SUITE K
TROY, MI 48083
(248) 307-1168

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

00299
WS GOOD SAMARITAN HOSPITAL LAB SERVICES—S
252 S. 4TH STREET
LEBANON, PA 17042
(717) 270-7500

36227
 XERON CLINICAL LABORATORIES, INC.—SC
 629 SPRINGFIELD ROAD
 KENILWORTH, NJ 07033
 (844) 762-9522

00141
 YORK HOSPITAL—S
 1001 SOUTH GEORGE STREET
 YORK, PA 17405
 (717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1742. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g}/\text{dL}$) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 $\mu\text{g}/\text{dL}$ or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 $\mu\text{g}/\text{dL}$.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and

Toxicology, Department of Health, Bureau of Laboratories,
P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols L and P indicate the following:

L = approved for blood lead analyses

P = approved for erythrocyte protoporphyrin analyses

LP = approved for blood lead and erythrocyte protoporphyrin analyses

20978

ABW ST. LUKE'S PEDIATRICS—L
834 EATON AVE. SUITE # 201
BETHLEHEM, PA 18018
(484) 526-7722

27431

ABW ST. LUKE'S PEDIATRICS—L
487 EAST MOORESTOWN ROAD
SUITE 105
WIND GAP, PA 18091
(601) 863-8200

34235

ABW ST. LUKE'S PEDIATRICS—L
6651 SILVER CREST ROAD, SUITE 103
BATH, PA 18014
(484) 526-7360

31609

ACCU REFERENCE MEDICAL LABORATORY—L
1901 EAST LINDEN AVENUE
SUITE 4
LINDEN, NJ 07036
(908) 474-1004

10174

ADVOCARE BROOMALL PEDIATRIC ASSOCIATES—L
1991 SPROUL ROAD, SUITE 40A
BROOMALL, PA 19008
(610) 325-1400

21605

ADVOCARE BROOMALL PEDIATRIC ASSOCIATES—L
1246 WEST CHESTER PIKE
PHOENIX BUILDING, SUITE 303
WEST CHESTER, PA 19382
(610) 692-2605

10298

ADVOCARE BROOMALL PEDIATRICS KING OF
PRUSSIA—L
491 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406
(610) 265-9290

04439

AHN HEALTH & WELLNESS PAVILION E—L
4950 BUFFALO ROAD
ERIE, PA 16510
(814) 899-7000

28416

AHN PEDIATRICS, ARCADIA—L
9795 PERRY HIGHWAY, SUITE 100
WEXFORD, PA 15090
(412) 358-9548

10167

AHN PEDIATRICS CHARTIERS—L

1370 WASHINGTON PIKE, SUITE 107
BRIDGEVILLE, PA 15017
(412) 221-0160

30286

AHN PEDIATRICS FOX CHAPEL—L
3394 SAXONBURG BLVD, SUITE 600
GLENSHAW, PA 15116
(412) 767-0707

34549

AHN PEDIATRICS JEFFERSON—L
1200 BROOKS LANE, SUITE 130
JEFFERSON MEDICAL ARTS BLDG
CLAIRTON, PA 15025
(412) 460-8111

28764

AHN PEDIATRICS MCMURRAY—L
3001 WATERDAM PLAZA, SUITE 220
MCMURRAY, PA 15317
(724) 941-2747

39940

AHN PEDIATRICS—MONTOUR—L
2419 STATE AVENUE (ROUTE 51)
CORAPOLIS, PA 15108
(412) 625-2630

22712

AHN PEDS PAL GREENTREE—L
969 GREENTREE ROAD
PRIMARY CARE CENTER OF GREENTREE
PITTSBURGH, PA 15220
(412) 922-5250

26609

AHN PEDS PAL NORTHLAND 7 FIELDS—L
100 NORTH POINTE CIRCLE, STE 101
SEVEN FIELDS, PA 16046
(724) 772-0777

24516

AHN PEDS PAL NORTHLAND CRANBERRY—L
TWO LANDMARK NORTH
SUITE 136 20397 ROUTE 19 NORTH
CRANBERRY TOWNSHIP, PA 16066
(724) 776-6030

01543

AHN PEDS/ALLEGHENY CLINIC PEDS—L
4721 MCKNIGHT RD, SUITE 209N
PITTSBURGH, PA 15237
(412) 366-5550

02125

AHN, PEDIATRICS, ST. CLAIR—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS, SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121

22604

ALLEGHENY HEALTH & WELLNESS PAVILION—L
4247 WEST RIDGE ROAD, SUITE 105
ERIE, PA 16506
(814) 838-2468

00016

ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278

- 21613
ARUP LABORATORIES INC—LP
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE, UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 20364
BEITTEL-BECKER LABORATORY—L
2150 NOLL DRIVE, SUITE 100
LANCASTER, PA 17603
(717) 299-8933
- 22757
BIOREFERENCE LABORATORIES INC—L
481 EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 36638
BTAMC PEDIATRIC & FAMILY HEALTH CARE—L
6311 MARGY DRIVE.
HUNTINGDON, PA 16652
(814) 506-8490
- 30248
CARING HANDS PEDIATRICS—L
300 CEDAR RIDGE DRIVE, SUITE 309
PITTSBURGH, PA 15205
(412) 921-2345
- 30249
CARING HANDS PEDIATRICS—L
105 BRAUNLICH DRIVE, SUITE 102
PITTSBURGH, PA 15237
(412) 369-7720
- 02526
CARLISLE PEDIATRIC ASSOCS LAB—L
804 BELVEDERE STREET
CARLISLE, PA 17013
(717) 243-1943
- 22669
CHESPENN HEALTH SERVICES—L
125 EAST 9TH STREET
CHESTER, PA 19013
(610) 485-3800
- 29386
CHESPENN HEALTH SERVICES—L
5 SOUTH STATE ROAD, SUITE A
UPPER DARBY, PA 19082
(610) 352-6585
- 00228
CHILDREN'S HOSPITAL OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD.
MAIN BLDG., 5TH FLOOR, ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 27845
CLINICAL REFERENCE LABORTORY—LP
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 693-5481
- 39945
CONYNGHAMN PRIMARY HEALTH CARE CEN-
TER—L
335 SOUTH FRANKLIN STREET
WILKES-BARRE, PA 18702
(570) 301-0924
- 35189
CORNERSTONE CARE FAMILY PRACTICE CTR. OF
WASHINGTON—L
351 WEST BEAU STREET, SUITE 200
WASHINGTON, PA 15301
(724) 728-7400
- 27598
CORNERSTONE CARE PEDS & FAMILY MED. OF
WAYNESBURG—L
236 ELM DRIVE, SUITE 101
WAYNESBURG, PA 15370
(724) 943-3308
- 39478
DELAWARE COUNTY HEALTH DEPARTMENT—L
125 CHESTER AVENUE
YEADON, PA 19050
(484) 787-2633
- 31847
DOCTOR'S DATA, INC—L
3755 ILLINOIS AVENUE
ST. CHARLES, IL 60174-2420
(630) 377-8139
- 25658
EAST LIBERTY FAMILY HEALTH CARE CENTER—L
7157 MARY PECK BOND PLACE
PITTSBURGH, PA 15206
(412) 361-8284
- 20306
EAST LIBERTY FAMILY HEALTH CTR—L
6023 HARVARD STREET
PITTSBURGH, PA 15206
(412) 661-2802
- 00561
EAST PENN MFG CO INC—LP
DEKA RD. KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361
- 25549
EAST SUBURBAN PEDIATRICS—L
40 LINCOLN WAY, SUITE 400
NORTH HUNTINGDON, PA 15642
(724) 863-8811
- 29302
EAST SUBURBAN PEDIATRICS—L
2566 HAYMAKER ROAD, SUITE 106
MONROEVILLE, PA 15146
(412) 858-2777
- 10390
EAST SUBURBAN PEDIATRICS LTD—L
4262 OLD WILLIAM PENN HWY, SUITE 208
MURRYSVILLE, PA 15668
(724) 325-2133
- 29462
EDEN PARK PEDIATRIC ASSOCIATES—L
4221 OREGON PIKE
EPHRATA, PA 17522
(717) 569-8518

8006

32339
EDEN PARK PEDIATRIC ASSOCIATES MOUNT
JOY—L
779 E MAIN STREET
MOUNT JOY, PA 17552
(717) 569-8518

10266
EDEN PARK PEDIATRIC-LANCASTER—L
1725A OREGON PIKE
LANCASTER, PA 17601
(717) 569-8518

10324
FORBES FAMILY MEDICINE—L
2550 MOSSIDE BLVD, SUITE 500
MONROEVILLE, PA 15146
(412) 457-1077

31400
FRANCES WARDE MEDICAL LABORATORY—LP
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

00173
GEISINGER MEDICAL CENTER—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443

25914
GENOVA DIAGNOSTICS—L
63 ZILLICOA STREET
ASHEVILLE, NC 28801
(828) 253-0621

10395
GETTYSBURG PEDIATRICS—L
11 HUNTERS TRAIL
GETTYSBURG, PA 17325
(717) 334-7681

01170
GRAHAM MEDICAL CLINIC—L
100 SOUTH HIGH STREET
NEWVILLE, PA 17241
(717) 776-3114

31348
GREENVILLE COMMUNITY HEALTH CENTER—L
348 MAIN STREET
GREENVILLE, PA 16125
(724) 588-5250

01711
HANOVER PEDIATRICS—L
217 BROADWAY
HANOVER, PA 17331
(717) 632-3911

24655
HEALTH NETWORK LABORATORIES—L
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

01933
HERITAGE VALLEY PEDIATRICS—L
250 COLLEGE AVENUE
BEAVER, PA 15009
(724) 774-4070

02115
HERITAGE VALLEY PEDIATRICS—L
301 OHIO RIVER BLVD., SUITE 200
SEWICKLEY, PA 15143
(412) 417-2622

NOTICES

20999
HERITAGE VALLEY PEDIATRICS—L
2032 BROADHEAD ROAD
ALTIQUIPPA, PA 15001
(724) 375-6161

21628
HERITAGE VALLEY PEDIATRICS—L
2580 CONSTITUTION BLVD.
BEAVER FALLS, PA 15010
(724) 773-6842

29054
HILLTOP COMMUNITY HEALTHCARE CENTER—L
151 RUTH STREET
PITTSBURGH, PA 15211
(412) 431-3520

40969
KANE DENTAL & PRIMARY CARE CENTER—L
118 N. FRALEY STREET
KANE, PA 16735
(814) 837-6313

29136
KIDS CARE PEDIATRICS—L
108 HORNER LANE
LATROBE, PA 15650
(724) 537-2131

33090
KIDS PLUS PEDIATRICS—L
671 CASTLE CREEK DRIVE
SEVEN FIELDS, PA 16046
(724) 761-2020

28267
KIDS PLUS PEDIATRICS PC—L
4070 BEECHWOOD BLVD
PITTSBURGH, PA 15217
(412) 521-6511

10158
KIDS PLUS PEDIATRICS PC—L
810 CLAIRTON BLVD, SUITE 100
PITTSBURGH, PA 15236
(412) 466-5004

05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300

21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(336) 436-2153

01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE, PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

33653
LANCASTER GENERAL DOWNTOWN FAMILY MEDI-
CINE—L
540 N. DUKE STREET, 3RD FLOOR
LANCASTER, PA 17602
(717) 544-4142

23380
LANCASTER PEDIATRIC ASSOC LTD—L
222 WILLOW VALLEY LAKES DRIVE, SUITE 100
WILLOW STREET, PA 17584-9463
(717) 464-9555

- 10270
LANCASTER PEDIATRIC ASSOCIATES—L
2106 HARRISBURG PIKE
SUITE 1 MED OFFICE, PO BOX 3200
LANCASTER, PA 17601
(717) 291-5931
- 27107
LAUREL PEDIATRIC ASSOCIATES, INC.—L
323 BUDFIELD STREET
JOHNSTOWN, PA 15904
(814) 262-9500
- 02555
LEHIGH VALLEY PEDIATRIC ASSOC—L
1251 S. CEDAR CREST BLVD., SUITE 109
ALLENTOWN, PA 18103
(610) 434-2162
- 25678
LEHIGH VALLEY PEDIATRIC ASSOC INC—L
612 ELM ST
BETHLEHEM, PA 18018
(610) 865-3151
- 37668
LUZ MEDICINE, PC—L
29 CLOISTER AVENUE
EPHRATA, PA 17522
(717) 844-9003
- 01163
LVPG—FAMILY MEDICINE—SOUTHSIDE—L
1648 S. 4TH STREET
ALLENTOWN, PA 18103
(610) 791-5930
- 10180
LVPG PEDIATRICS—BROAD ST—L
564 W BROAD STREET
HAZLETON, PA 18201
(570) 501-6400
- 23799
LVPG PEDIATRICS—CENTER VALLEY—L
3800 SIERRA CIRCLE, SUITE 100
HEALTH CENTER AT SAUCON VALLEY
CENTER VALLEY, PA 18034
(484) 664-2090
- 37009
LVPG PEDIATRICS—EASTON—L
2401 NORTHAMPTON ST., SUITE 210
EASTON, PA 18045
(484) 591-7470
- 04053
LVPG PEDIATRICS—FOGELSVILLE—L
1431 NURSERY STREET, SUITE 102
FOGELSVILLE, PA 18051
(610) 821-4920
- 23471
LVPG PEDIATRICS—LAURYS STATION—L
5649 WYNNEWOOD DRIVE, SUITE 104
RIVERSIDE PROFESSIONAL BUILDING
LAURYS STATION, PA 18059
(610) 262-6641
- 20350
LVPG PEDIATRICS—LEHIGHTON—L
363 N. 1ST STREET
LEHIGHTON, PA 18235
(610) 377-6969
- 36106
LVPG PEDIATRICS—MACUNGIE—L
3371 ROUTE 100, SUITE 205
MACUNGIE, PA 18062
(835) 215-5504
- 32891
LVPG—PEDIATRICS—MADISON FARMS—L
4807 FREEMANSBURG AVENUE, SUITE 100
EASTON, PA 18045
(484) 591-7620
- 35574
LVPG PEDIATRICS—PALMER TOWNSHIP—L
3701 CORRIERE ROAD, SUITE 10
EASTON, PA 18045
(484) 591-7060
- 39286
LVPG PEDIATRICS—PENNSBURG—L
101 W. 7TH STREET, SUITE 2C
PENNSBURG, PA 18073
(484) 763-5275
- 31930
LVPG PEDIATRICS—PLAZA COURT—L
500 PLAZA CT., SUITE A
EAST STROUDSBURG, PA 18301
(570) 476-3585
- 23472
LVPG PEDIATRICS—POND ROAD—L
PARAGON CENTER BLDG.
1611 POND ROAD, SUITE 400
ALLENTOWN, PA 18104
(610) 395-4300
- 35624
LVPG PEDIATRICS—RICHLAND TOWNSHIP—L
320 W. PUMPING STATION ROAD
QUAKERTOWN, PA 18951
(215) 529-4270
- 37144
LVPG PEDIATRICS—STROUDWEST—L
205 APPELEGATE RD., SUITE 101
STROUDSBURG, PA 18360
(570) 476-3585
- 36865
LVPG PEDIATRICS—TOBYHANNA—L
100 COMMUNITY DRIVE, SUITE 202
TOBYHANNA, PA 18466
(570) 476-3585
- 28292
LVPG PEDIATRICS—TREXLERTOWN—L
6900 HAMILTON BLVD., P.O. BOX 60
TREXLERTOWN, PA 18087
(610) 402-2600
- 33419
LVPG PEDIATRICS—WEST BROAD—L
325 W. BROAD STREET, 2ND FLOOR
BETHLEHEM, PA 18018
(484) 626-9222
- 37210
LVPG PEDIATRICS—WEST END—L
120 BURRUS BLVD.
BRODHEADSVILLE, PA 18322
(570) 476-3585
- 36481
LVPG PEDIATRICS—WHITEHALL—L
3691 CRESCENT COURT EAST, SUITE 100
WHITEHALL, PA 18052
(610) 262-6641

8008

40887
LVPG PEDIATRICS GILBERTSVILLE—L
1107 GROSSER ROAD
GILBERTSVILLE, PA 19525
(835) 215-5504

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—L
3050 SUPERIOR DRIVE, NW
ROCHESTER, MN 55901
(507) 538-3458

09003
MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—P
200 FIRST STREET, SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

24668
MCMURRAY PEDIATRIC & ADOLESCENT MEDI-
CINE—L
6000 WATERDAM PLAZA DRIVE # 280
MCMURRAY, PA 15317
(724) 941-8199

05574
MEDTOX LABORATORIES INC—LP
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

26760
METRO COMMUNITY HEALTH CENTER—L
1789 S. BRADDOCK AVENUE, SUITE 410
PITTSBURGH, PA 15218
(412) 247-2310

40082
METRO COMMUNITY HEALTH CENTER—L
1789 S. BRADDOCK AVENUE, SUITE 395
PITTSBURGH, PA 15218
(412) 941-2310

10233
MNPG DEPT OF PEDIATRICS—L
3901 SOUTH AHERTON STREET, SUITE 5
STATE COLLEGE, PA 16801
(814) 466-7921

22325
MNPG DEPT. OF PEDIATRICS—L
129 MEDICAL PARK LANE
BELLEFONTE, PA 16823
(814) 466-7921

40885
MNPG TOFTREES—L
164 GREENVIEW DRIVE
STATE COLLEGE, PA 16803
(814) 466-7921

00504
NATIONAL MED SVCS INC-DBA/NMS LABS—LP
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

30553
NATIONWIDE CHILDREN'S HOSPITAL—L
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDREN'S DRIVE
COLUMBUS, OH 43205
(614) 722-5335

NOTICES

37445
NHCLV—BROAD ST—L
635 E. BROAD ST
BETHLEHEM, PA 18018
(610) 820-7605

31166
NHCLV—CASA—L
218 NORTH SECOND STREET
ALLENTOWN, PA 18102
(610) 841-8400

30162
NHCLV—DONEGAN—L
1210 E 4TH STREET
BETHLEHEM, PA 18015
(610) 820-7605

39725
NHCLV—HAMILTON—L
160 HAMILTON STREET
ALLENTOWN, PA 18101
(610) 820-7605

35491
NHCLV—TWO RIVERS—L
1101 NORTHAMPTON ST.
EASTON, PA 18042
(610) 841-9400

23205
NORTHSIDE CHRISTIAN HEALTH CENTER—L
816 MIDDLE STREET
PITTSBURGH, PA 15212
(412) 321-4001

30505
NORTHSIDE CHRISTIAN HEALTH CENTER—NVH—L
525 MOUNT PLEASANT ROAD, NORTHVIEW
HEIGHTS
PITTSBURGH, PA 15214
(412) 321-4001

40980
PA DOH—STATE HEALTH CENTERS—L
100 LACKAWANNA AVENUE
SCRANTON STATE OFFICE BLDG., ROOM 110
SCRANTON, PA 18503
(570) 963-4567

40982
PA DOH—STATE HEALTH CENTERS—L
625 CHERRY STREET, ROOM 401
READING, PA 19602
(610) 378-4377

23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

35190
PEDIATRIC ALLIANCE PC WITH AHN ALLE-
GHENY—L
1307 FEDERAL STREET, SUITE B200
PITTSBURGH, PA 15212
(412) 930-0908

28784
PEDIATRIC ASSOCIATES OF KINGSTON LLC—L
451 3RD AVENUE
KINGSTON, PA 18704
(570) 288-6543

- 39602
PEDIATRIC ASSOCIATES OF KINGSTON IN CLARKS
SUMMIT—L
1212 S. ABINGTON BLVD.
CLARKS SUMMIT, PA 18411
(570) 288-6543
- 39457
PEDIATRIC ASSOCIATES OF KINGSTON IN MTN
TOP—L
239 S. MOUNTAINTOP BLVD., SUITE 600
MOUNTAIN TOP, PA 18707
(570) 288-6543
- 35918
PEDIATRIC ASSOCIATES OF KINGSTON IN
PITTSTON—L
1081 OAK STREET, SUITE 1
PITTSTON, PA 18640
(570) 288-6543
- 25436
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L
27 VISTA DRIVE, UNIT 3
WAYNESBORO, PA 17268
(717) 765-6621
- 10184
PEDIATRICS OF NORTHEASTERN PA—L
920 VIEWMONT DRIVE
DICKSON CITY, PA 18519
(570) 346-1464
- 27931
PENN CARE FOR KIDS—L
420 WEST LINFIELD TRAPPE ROAD, SUITE 1000A
LIMERICK, PA 19468
(610) 495-2310
- 27935
PENN CARE FOR KIDS—L
824 MAIN STREET, SUITE 100A
PHOENIXVILLE, PA 19460
(610) 935-1330
- 10248
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L
1570 FRUITVILLE PIKE
LANCASTER, PA 17601
(717) 569-6481
- 29898
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L
51 PETERS ROAD, SUITE 202
LITITZ, PA 17543
(717) 569-6481
- 23864
PENN STATE HERSHEY MED. GROUP MIDDLE-
TOWN—L
3100 SCHOOLHOUSE ROAD
MIDDLETOWN, PA 17057
(717) 948-5180
- 01518
PENN STATE HERSHEY MEDICAL GROUP—L
941 PARK DRIVE
PALMYRA, PA 17078
(717) 838-6305
- 22533
PENNSYLVANIA DEPT OF HEALTH—L
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 34168
PHILADELPHIA FIGHT CHC—L
1207 CHESTNUT STREET
PHILADELPHIA, PA 19107
(267) 985-4448
- 22972
PMA—PENN HILLS PEDS—L
310 RODI ROAD, SUITE 140
PITTSBURGH, PA 15235
(412) 317-6414
- 22973
PMA—IRWIN PEDS—L
4044 ROUTE 130, SUITE 240
IRWIN, PA 15642
(724) 744-7337
- 37694
PRIVA PATH LABS, INC.—L
222 E. HUNTINGTON DRIVE, SUITE 100
MONROVIA, CA 91016
(626) 479-8489
- 40978
PSH CAMP HILL FCM—L
3025 MARKET STREET, ENTRANCE B
CAMP HILL, PA 17011
(717) 691-1212
- 23778
PSH MEDICAL GROUP—ELIZABETHTOWN—L
ONE CONTINENTAL DRIVE
ELIZABETHTOWN, PA 17022
(717) 361-0666
- 40979
PSH NYES ROAD FCM & PEDIATRICS—L
121 NYES ROAD, SUITE A
HARRISBURG, PA 17112
(717) 657-4040
- 34675
PSH SJMG—MUHLENBERG—L
4301 N. 5TH STREET HIGHWAY, SUITE 100
TEMPLE, PA 19560
(610) 208-8800
- 29610
PSHMG ALL ABOUT CHILDREN—L
145 N. 6TH STREET, 2ND FLOOR
READING, PA 19601
(610) 372-9222
- 30676
PSHMG COLONIAL PARK—L
4230 CRUMS MILL ROAD, SUITE 100
HARRISBURG, PA 17112
(717) 233-6171
- 21982
PSHMG—CORNERSTONE—L
6 WEST NEWPORT ROAD
LITITZ, PA 17543
(717) 627-2108
- 20314
PSHMG DUNCANNON—L
51 BUSINESS CAMPUS WAY, SUITE 200
DUNCANNON, PA 17020
(717) 834-3108
- 38406
PSHMG FAM. MEDICINE EAST PENNSBORO—L
1800 CENTER STREET, SUITE 1A110
CAMP HILL, PA 17011
(717) 775-8093

8010

35899
PSHMG FAM MED/PEDS ENOLA—L
310 EAST PENN DRIVE
ENOLA, PA 17025
(717) 857-2490

04521
PSHMG HARRISBURG—L
2626 NORTH THIRD STREET
HARRISBURG, PA 17110
(717) 232-5443

39579
PSHMG LANCASTER PEDIATRICS—L
1430 HARRISBURG PIKE
LANCASTER, PA 17601
(717) 327-4680

35397
PSHMG—MECHANICSBURG—L
140 OLD WILLOW MILL ROAD
MECHANICSBURG, PA 17050
(717) 766-4635

32841
PSHMG—MOUNT JOY—L
201 LEFEVER ROAD
MOUNT JOY, PA 17552
(717) 653-2900

23938
PSHMG UPPER ALLEN—L
1819 SOUTH MARKET STREET, BUILDING A
MECHANICSBURG, PA 17055
(717) 691-9683

31648
PSHMG WINDMERE CENTER—L
476 ROLLING RIDGE DRIVE
STATE COLLEGE, PA 16801
(814) 689-4980

09620
QUEST DIAGNOSTICS CLINICAL LABS, INC.—P
8401 FALLBROOK AVENUE
WEST HILLS, CA 91304
(818) 737-6183

00669
QUEST DIAGNOSTICS INCORPORATED—L
1 INSIGHTS DRIVE
CLIFTON, NJ 07012
(201) 393-5895

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867

01216
READING PEDIATRICS INC—L
40 BERKSHIRE COURT, SUITE 1
WYOMISSING, PA 19610
(610) 374-7400

NOTICES

29871
READING PEDIATRICS INC—L
5101 ALLENTOWN PIKE
TEMPLE, PA 19560
(610) 374-7400

29873
READING PEDIATRICS INC—L
25 LORANE ROAD
READING, PA 19606
(610) 374-7400

32983
READING PEDIATRICS INC—L
541 W. PENN AVE
ROBESONIA, PA 19551
(610) 374-7400

22143
SAINT VINCENT FAMILY MEDICINE—L
311 WEST 24TH STREET, SUITE 305
ERIE, PA 16502
(814) 452-5096

24657
SANDY LAKE COMMUNITY HEALTH CENTER—L
3205 SOUTH MAIN STREET
SANDY LAKE, PA 16145
(724) 342-3002

22196
SHARON MEDICAL GROUP—L
63 PITT STREET
SHARON, PA 16146
(724) 342-6604

24508
SHEAKLEYVILLE HEALTH CENTER—L
3339 PERRY HIGHWAY
SHEAKLEYVILLE, PA 16151
(724) 253-3428

27649
SMA MEDICAL LABORATORIES—L
940 PENNSYLVANIA BOULEVARD, UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

37151
SOUTHERN TIER COMMUNITY HEALTH CENTER—L
159 INTERSTATE PARKWAY
BRADFORD, PA 16701
(814) 369-2848

00151
ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

34494
ST LUKE'S ALLENTOWN PEDIATRICS—L
501 CETRONIA ROAD, SUITE 115
ALLENTOWN, PA 18104
(484) 426-2468

35321
ST. LUKE'S CHILDREN'S CHOICE PEDIATRICS—L
514 DELAWARE AVENUE
BETHLEHEM, PA 18015
(610) 865-6545

33310
ST LUKE'S COOPERSBURG PEDIATRICS—L
5425 LANARK ROAD, 1ST FLOOR, SUITE 101
CENTER VALLEY, PA 18034
(484) 822-6112

- 39668
ST. LUKE'S HARLEYSVILLE PEDIATRICS—L
142 CLEMENS ROAD, SUITE 100
HARLEYSVILLE, PA 19438
(267) 985-5150
- 33636
ST. LUKE'S PALMERTON PEDIATRICS—L
555 DELAWARE AVENUE
PALMERTON, PA 18071
(272) 639-5340
- 23134
ST LUKES POCONO PEDIATRIC ASSOC—L
125 SMITHFIELD LANE, 1ST FLOOR
EAST STROUDSBURG, PA 18301
(272) 639-6020
- 23136
ST LUKE'S POCONO PEDIATRIC ASSOC—L
208 LIFELINE ROAD, SUITE 201
STROUDSBURG, PA 18360
(570) 664-8750
- 36017
ST. LUKE'S ANDERSON PEDIATRICS—L
1700 ST. LUKE'S BLVD., SUITE 403
EASTON, PA 18045
(484) 503-0060
- 10346
ST. LUKE'S QUAKERTOWN PEDIATRICS—L
237 N WEST END BLVD.
QUAKERTOWN, PA 18951
(215) 536-1915
- 28786
STAR COMMUNITY HEALTH KC BETHLEHEM—L
511 E. 3RD STREET, SUITE 201
BETHLEHEM, PA 18015
(484) 526-3060
- 34279
STAR COMMUNITY HEALTH KIDS CARE EASTON—L
220 FERRY STREET
EASTON, PA 18042
(484) 503-8160
- 27304
STAR COMMUNITY HEATHLH KIDS CARE SIGAL—L
450 CHEW STREET, SECOND FLOOR
ALLENTOWN, PA 18102
(484) 822-7850
- 37359
STAR LABORATORY CORPORATION—L
125 FLEMING STREET
PISCATAWAY, NJ 08854
(732) 529-5100
- 01683
STO-ROX FAMILY HEALTH CENTER—L
710 THOMPSON AVE
MCKEES ROCKS, PA 15136
(412) 771-6460
- 22718
SUNRISE MEDICAL LABORATORIES, INC.—L
250 MILLER PLACE
HICKSVILLE, NY 11801
(800) 782-0282
- 25258
TAMAQUA PRIMARY CARE—L
143 NORTH RAILROAD STREET
TAMAQUA, PA 18252
(570) 645-1540
- 22134
TAN & GARCIA PEDIATRICS PC—L
4700 UNION DEPOSIT RD, SUITE 120
HARRISBURG, PA 17111
(717) 540-1743
- 10296
TAN & GARCIA PEDIATRICS PC—L
2020 GOOD HOPE ROAD, SUITE 120
ENOLA, PA 17025
(717) 761-7901
- 21698
THE WRIGHT CENTER MEDICAL GROUP—L
5 SOUTH WASHINGTON AVENUE
JERMYN, PA 18433
(570) 343-2383
- 27248
THE WRIGHT CENTER MEDICAL GROUP—L
1721 NORTH MAIN AVENUE
SCRANTON, PA 18508
(570) 346-8417
- 32537
THE WRIGHT CENER MEDICAL GROUP—L
1145 NORTHERN BLVD.
SOUTH ABINGTON TOWNSHIP, PA 18411
(570) 343-2383
- 36990
THE WRIGHT CENTER MEDICAL GROUP—L
501 S. WASHINGTON AVE.
SCRANTON, PA 18505
(570) 491-0125
- 37454
THE WRIGHT CENTER MEDICAL GROUP—L
103 SPRUCE STREET
HAWLEY, PA 18428
(570) 230-0019
- 39649
THE WRIGHT CENTER MEDICAL GROUP—L
260 DALEVILLE HIGHWAY, SUITE 103
COVINGTON TOWNSHIP, PA 18444
(570) 343-2383
- 40108
THE WRIGHT CENTER MEDICAL GROUP—L
169 N. PENNSYLVANIA AVENUE
WILKES-BARRE, PA 18701
(570) 491-0126
- 35522
THE WRIGHT CENTER MEDICAL GROUP PC—L
1401 FELLOW STREET
SCRANTON, PA 18504
(570) 343-2383
- 30006
THMG FAMILY MEDICINE-PHOENIXVILLE—L
300 SCHUYLKILL ROAD
PHOENIXVILLE, PA 19460
(610) 935-3929
- 20407
THMG PEDIATRICS-WYOMISSING—L
2101 STATE HILL ROAD, SUITE # 6
WYOMISSING, PA 19610
(484) 628-7540
- 29554
TRAPPE PEDIATRIC CARE—L
17 IRON BRIDGE DRIVE, SUITE 100
COLLEGEVILLE, PA 19426
(610) 489-5782

- 04159
TRI COUNTY PEDIATRICS, INC—L
205 NEWTOWN ROAD, SUITE 210
WARMINSTER, PA 18974
(215) 884-5715
- 04575
TRI COUNTY PEDIATRICS, INC—L
1939 CHELTENHAM AVENUE
ELKINS PARK, PA 19027
(215) 884-5715
- 27432
TRI COUNTY PEDIATRICS INC—L
140 EAST BUTLER AVENUE
CHALFONT, PA 18914
(215) 822-1770
- 29164
TRI COUNTY PEDIATRICS INC—L
9121 E ROOSEVELT BLVD
PHILADELPHIA, PA 19114
(215) 884-5715
- 30336
TRI COUNTY PEDIATRICS—L
821 HUNTINGDON PIKE, SUITE 207
HUNTINGDON VALLEY, PA 19006
(215) 884-5715
- 30337
TRI COUNTY PEDIATRICS, INC—L
729 GROVE AVENUE, SUITE 1
SOUTHAMPTON, PA 18966
(215) 884-5715
- 03829
TWIN ROSE FAMILY MEDICINE—L
6415 LINCOLN HIGHWAY
WRIGHTSVILLE, PA 17368
(717) 252-1200
- 25150
TWIN ROSE FAMILY MEDICINE—L
306 NORTH 7TH STREET
COLUMBIA, PA 17512
(717) 684-9106
- 26910
UHA-WAYNESBURG OUTPATIENT CLINIC—L
451 MURTHA DRIVE, SUITE 101
WAYNESBURG, PA 15370
(304) 974-3044
- 40281
UNION COMMUNITY AT CARTER MACRAE—L
251 S. PRINCE STREET
LANCASTER, PA 17603
(717) 945-1568
- 40282
UNION COMMUNITY AT MCCASKEY—L
445 S. RESEVOIR STREET
LANCASTER, PA 17602
(717) 945-1568
- 40283
UNION COMMUNITY AT WASHINGTON—L
545 S. ANN STREET
LANCASTER, PA 17602
(717) 945-1568
- 29855
UNION COMMUNITY CARE AT BRIGHTSIDE—L
515 B HERSHEY AVENUE
LANCASTER, PA 17603
(717) 299-6372
- 31959
UNION COMMUNITY CARE AT CHURCH STREET—L
920 CHURCH STREET
LEBANON, PA 17046
(717) 354-4711
- 10289
UNION COMMUNITY CARE AT DUKE ST.—L
625 SOUTH DUKE STREET
LANCASTER, PA 17062
(717) 299-6372
- 40069
UNION COMMUNITY CARE AT FULTON ELEMEN-
TARY—L
225 WEST ORANGE STREET
LANCASTER, PA 17603
(717) 945-1568
- 35866
UNION COMMUNITY CARE AT NHA—L
802 NEW HOLLAND AVENUE, SUITE # 200
LANCASTER, PA 17062
(717) 299-6371
- 34598
UNION COMMUNITY CARE AT REYNOLDS—L
605 W. WALNUT STREET
LANCASTER, PA 17603-3383
(717) 945-1567
- 29218
UNION COMMUNITY CARE AT SPRINGVILLE—L
584 SPRINGVILLE ROAD
NEW HOLLAND, PA 17557
(717) 354-4711
- 31622
UNION COMMUNITY CARE AT WATER STREET—L
304 N. WATER STREET
LANCASTER, PA 17603
(717) 299-6372
- 25506
UNIVERSITY PHYSICIAN GROUP—L
35 HOPE DRIVE
HERSHEY, PA 17033
(717) 531-0003
- 22200
UNIVERSITY PHYSICIAN GROUP-FISHBURN—L
845 FISHBURN ROAD
HERSHEY, PA 17033
(717) 531-8181
- 00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855
- 29860
UPP CHILDREN'S AT TURTLE CREEK—L
108 PENN PLAZA
TURTLE CREEK, PA 15145
(412) 823-3121
- 29864
UPP CHILDREN'S PRIMARY CARE CENTER—L
3420 FIFTH AVENUE, 1ST FLOOR
OAKLAND MEDICAL BUILDING
PITTSBURGH, PA 15213
(412) 692-6000

30816
VHP-CHILDREN'S CLINIC—L
1627 CHEW STREET, 6TH FLOOR
ALLENTOWN, PA 18102
(610) 969-4300

40846
VHP CHILDREN'S CLINIC AT 6TH STREET—L
101 N. 6TH STREET, SUITE 330
ALLENTOWN, PA 18101
(610) 969-4300

39888
VHP CHILDREN'S CLINIC AT HAYS—L
1227 WEST GORDON STREET
ALLENTOWN, PA 18102
(610) 969-4301

00539
WASHINGTON PED & ADOLESCENT MED—L
100 WELLNESS WAY, BLDG 2
WASHINGTON, PA 15301
(724) 250-6001

39903
WMC PHYSICIAN PRACTICES, IMP.—L
400 MARKET PLACE DRIVE
OAKDALE, PA 15071
(724) 227-3075

29437
WVUHS FIRST STEPS PEDIATRICS—L
ROUTE 60 & PARK MANOR DRIVE
ROBINSON PLAZA THREE—SUITE 100
PITTSBURGH, PA 15205
(304) 723-4003

34515
ZERO PEDIATRICS, PLLC—L
1000 MEADE ST, SUITE 204
DUNMORE, PA 18512
(570) 871-4445

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1743. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 204.1(a) (relating to application of *Guidelines for Design and Construction of Residential Health, Care and Support Facilities*):

Elk Haven Nursing Home
785 Johnsonburg Road
Saint Marys, PA 15857
FAC ID # 051502

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 204.15(b) (relating to windows):

Souderton Mennonite Homes
207 West Summit Street
Souderton, PA 18964
FAC ID # 050202

These requests are on file with the Department of Health (Department). Persons may receive a copy of a

request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Suite 210, 2525 North 7th Street, Harrisburg, PA 17110, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1744. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC State Advisory Board—Notice of December 10, 2024, Regular Meeting

The WIC State Advisory Board (Board), established under the WIC State Advisory Board Act (act of June 10, 2024, P.L. 387, No. 22), gives notice that the next regular meeting of the Board will be held on December 10, 2024, from 11 a.m. to 12 p.m. The purpose of this meeting is to collaborate to gather suggestions of strategies for increasing participation and improving the WIC program to better support participants.

This meeting is subject to cancellation without notice.

In-Person and Virtual Meeting Attendance:

Board meetings will be held in person and virtually.

In-person meetings will be held in the Willow Oak Conference Room 114A, COPA HUB Building, 2525 North 7th Street, Harrisburg, PA 17110, unless otherwise noted. Individuals should RSVP to Tracey Zeigler Michelsen by close of business at 4 p.m., 1 business day prior to the meeting at tzeiglermi@pa.gov, (717) 836-3574. Upon arrival at the meeting, public attendees should sign in at the front desk in the lobby of the building and await an escort to the meeting room.

Virtual meetings will be held through Microsoft Teams or by telephonic call in. Connection information for the December 10, 2024, regular meeting is as follows:

Individuals can join at <https://bit.ly/3Zdck4L>. The meeting ID is 226 769 439 054. The passcode is yicL5z.

Note: The previously listed link to access the meeting does not include a period; the link ends at 3Zdck4L with no period. If copying/pasting the link, do not copy the period at the end if there is one.

Individuals can join by calling (267) 332-8737. The phone conference ID is 188 143 609#.

Meeting Recording:

The meeting will be recorded, so if individuals choose to attend, they are consenting to being recorded. Individuals should not attend the meeting if they do not wish to be recorded.

Meeting Agenda:

The Department of Health (Department) will post the meeting agenda on the Pennsylvania Special Supplemental Nutrition Program for Women, Infants and Children (PA WIC) web site at <https://wic.health.pa.gov/pawic/> and distribute by e-mail no later than 24 hours before the meeting. Individuals interested in receiving a copy of the agenda may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Meeting Minutes:

The Department will post meeting minutes on the PA WIC web site at <https://wic.health.pa.gov/pawic/> and distribute by e-mail once the Board votes on and adopts the proposed final meeting minutes at the next Board meeting. Individuals interested in receiving a copy of the meeting minutes may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Questions:

Questions about the WIC Advisory may be submitted by e-mail to the Department at ra-dhwicadvisory@pa.gov.

Alternative Format Requests:

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The PA WIC program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

USDA Nondiscrimination Statement:

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age, or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotope, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://bit.ly/3TRbubk>, from any USDA office, by calling (866) 632-9992 or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1745. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P.S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P.S. § 165-11(e)), no contracts for public work shall be awarded to these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, for 3 years after the date of publication in the *Pennsylvania Bulletin*.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Trio Siteworks, LLC Paul Verna, individually FEIN No. 81-5277801	600 Crum Creek Road Media, PA 19063	December 7, 2024

NANCY WALKER,
Secretary

[Pa.B. Doc. No. 24-1746. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$1,000,000 Winnings Instant Lottery Game 1718

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$1,000,000 Winnings (“\$1,000,000 Winnings”). The game number is PA-1718.

2. *Price:* The price of a \$1,000,000 Winnings instant lottery game ticket is \$20.

3. *Play symbols:* Each \$1,000,000 Winnings ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BONUS” area containing three “BONUS” spots. Each “BONUS” spot contains two prize amounts. The “BONUS” area is played separately. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Money Roll (MNYRL) symbol, Stack of Cash (WIN400) symbol and a Vault (WINALL) symbol. The prize amounts and their captions located in the “BONUS” spots are: \$20 (TWENTY), \$30 (THIRTY), \$50 (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO) and \$4,000 (FOR THO).

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO), \$4,000 (FOR THO), \$50,000 (FTY THO) and \$1MILL (ONE MIL).

5. *Prizes:* The prizes that can be won in this game are: \$20, \$30, \$50, \$100, \$200, \$400, \$1,000, \$4,000, \$50,000 and \$1,000,000. The prizes that can be won in the “BONUS” area are: \$20, \$30, \$50, \$100, \$200, \$400, \$1,000 and \$4,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 23 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the \$1,000,000 Winnings instant lottery game.

7. Determination of prize winners:

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1MILL (ONE MIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50,000 (FTY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(c) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4,000 (FOR THO) appears in ten of the “prize” areas and a prize symbol of \$200 (TWO HUN) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$42,000.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$4,000 (FOR THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4,000.

(e) Holders of tickets upon which a Money Roll (MNYRL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4,000 (FOR THO) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$4,000.

(f) Holders of tickets upon which two matching prize amounts of \$4,000 (FOR THO) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$4,000.

(g) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in ten of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$3,000.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which a Money Roll (MNYRL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which two matching prize amounts of \$1,000 (ONE THO) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$30⁰⁰ (THIRTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$600.

(m) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(n) Holders of tickets upon which a Stack of Cash (WIN400) symbol appears in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$400.

(o) Holders of tickets upon which two matching prize amounts of \$400 (FOR HUN) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$400.

(p) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(r) Holders of tickets upon which a Money Roll (MNYRL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$200.

(s) Holders of tickets upon which two matching prize amounts of \$200 (TWO HUN) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$200.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(u) Holders of tickets upon which a Money Roll (MNYRL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets upon which two matching prize amounts of \$100 (ONE HUN) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$100.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which a Money Roll (MNYRL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$50.

(y) Holders of tickets upon which two matching prize amounts of \$50 (FIFTY) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$50.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(aa) Holders of tickets upon which a Money Roll (MNYRL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$30.

(bb) Holders of tickets upon which two matching prize amounts of \$30 (THIRTY) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$30.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(dd) Holders of tickets upon which a Money Roll (MNYRL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$20.

(ee) Holders of tickets upon which two matching prize amounts of \$20 (TWENTY) appear in the same “BONUS” spot, on a single ticket, shall be entitled to a prize of \$20.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
	2—\$20s	\$20	20	420,000
\$20 w/ MONEY ROLL		\$20	20	420,000
\$20		\$20	300	28,000
	2—\$30s	\$30	30	280,000
\$30 w/ MONEY ROLL		\$30	30	280,000

NOTICES

8017

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$30		\$30	50	168,000
\$30 + \$20		\$50	300	28,000
\$30 w/ MONEY ROLL	2—\$20s	\$50	100	84,000
	(2—\$30s) + (2—\$20s)	\$50	100	84,000
	2—\$50s	\$50	75	112,000
\$50 w/ MONEY ROLL		\$50	75	112,000
\$50		\$50	300	28,000
\$20 × 5		\$100	300	28,000
(\$50 w/ MONEY ROLL) + \$30	2—\$20s	\$100	300	28,000
	(2—\$50s) + (2—\$30s) + (2—\$20s)	\$100	300	28,000
	2—\$100s	\$100	300	28,000
\$100 w/ MONEY ROLL		\$100	300	28,000
\$100		\$100	300	28,000
\$50 × 4		\$200	12,000	700
(((\$30 w/ MONEY ROLL) × 2) + (\$20 × 5))	(2—\$20s) × 2	\$200	1,200	7,000
(\$50 w/ MONEY ROLL) + (\$30 w/ MONEY ROLL) + \$20	2—\$100s	\$200	1,200	7,000
	((2—\$50s) × 2) + (2—\$100s)	\$200	1,714	4,900
	2—\$200s	\$200	3,000	2,800
\$200 w/ MONEY ROLL		\$200	6,000	1,400
\$200		\$200	9,231	910
VAULT w/ (\$20 × 20)		\$400	480	17,500
\$50 × 8		\$400	12,000	700
\$100 × 4		\$400	6,000	1,400
(\$20 w/ MONEY ROLL) × 10	(2—\$100s) × 2	\$400	1,500	5,600
(\$200 w/ MONEY ROLL) + (\$20 × 5)	(2—\$50s) × 2	\$400	1,500	5,600
	((2—\$100s) × 2) + (2—\$200s)	\$400	1,200	7,000
	2—\$400s	\$400	2,400	3,500
\$400 w/ STACK OF CASH		\$400	240	35,000
\$400		\$400	12,000	700
VAULT w/ (\$20 × 20)	(2—\$200s) × 3	\$1,000	6,000	1,400
VAULT w/ (\$30 × 20)	2—\$400s	\$1,000	6,000	1,400
VAULT w/ (\$50 × 20)		\$1,000	6,000	1,400
\$200 × 5		\$1,000	24,000	350
(\$400 w/ STACK OF CASH) × 2	((2—\$50s) × 2) + (2—\$100s)	\$1,000	12,000	700
	2—\$1,000s	\$1,000	24,000	350
\$1,000 w/ MONEY ROLL		\$1,000	40,000	210
\$1,000		\$1,000	60,000	140
VAULT w/ ((\$200 × 10) + (\$100 × 10))	((2—\$400s) × 2) + (2—\$200s)	\$4,000	840,000	10

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$1,000 × 4		\$4,000	840,000	10
(\$400 w/ STACK OF CASH) × 8	((2—\$200s) × 2) + (2—\$400s)	\$4,000	840,000	10
	2—\$4,000s	\$4,000	840,000	10
\$4,000 w/ MONEY ROLL		\$4,000	840,000	10
\$4,000		\$4,000	840,000	10
VAULT w/ ((\$4,000 × 10) + (\$200 × 10))	(2—\$4,000s) × 2	\$50,000	840,000	10
(((\$400 w/ STACK OF CASH) × 10) + (\$4,000 × 10))	((2—\$1,000s) × 2) + (2—\$4,000s)	\$50,000	840,000	10
\$50,000		\$50,000	840,000	10
\$1,000,000		\$1,000,000	1,680,000	5

Reveal a “Money Roll” (MNYRL) symbol to win prize shown under that symbol automatically.

Reveal a “Stack of Cash” (WIN400) symbol to win \$400 instantly.

Reveal a “Vault” (WINALL) symbol to win ALL 20 prizes shown in the YOUR NUMBERS area!

BONUS: Match two like prize amounts in the same BONUS spot to win that amount! Each BONUS spot is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$1,000,000 Winnings instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$1,000,000 Winnings, prize money from winning \$1,000,000 Winnings instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$1,000,000 Winnings instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and

the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$1,000,000 Winnings or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1747. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$5,000,000 Lion’s Share Instant Lottery Game 1717

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$5,000,000 Lion’s Share (“\$5,000,000 Lion’s Share”). The game number is PA-1717.

2. *Price:* The price of a \$5,000,000 Lion’s Share instant lottery game ticket is \$50.

3. *Play symbols:* Each \$5,000,000 Lion’s Share instant lottery game ticket will contain one play area featuring a

“WINNING NUMBERS” area, a “YOUR NUMBERS” area, a “CASH KING” area containing four “CASH KING” spots and a “\$5,000,000 CROWN” area. The “CASH KING” area is played separately. The “\$5,000,000 CROWN” area is played separately. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), 41 (FRYONE), 42 (FRYTWO), 43 (FRYTHR), 44 (FRYFOR), 45 (FRYFIV), 46 (FRYSIX), 47 (FRYSVN), 48 (FRYEGT), 49 (FRYNIN), and 50 (FIFT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), 41 (FRYONE), 42 (FRYTWO), 43 (FRYTHR), 44 (FRYFOR), 45 (FRYFIV), 46 (FRYSIX), 47 (FRYSVN), 48 (FRYEGT), 49 (FRYNIN), 50 (FIFT), Paw (PAW) symbol, 5X (5TIMES) symbol and a ROAR (WINALL) symbol. The play symbols and prize amounts and their captions located in the “CASH KING” area are: TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol, \$75⁰⁰ (SVY FIV), \$125 (ONHNTWYFV), \$250 (TWOHUNFTY), \$450 (FORHUNFTY), \$1,000 (ONE THO), and \$5,000 (FIV THO). The play symbols and their captions located in the “\$5,000,000 CROWN” area are: Elephant (NOBONUS) symbol, Zebra (TRYAGAIN) symbol, Bird (NOBONUS) symbol, Wildebeest (TRYAGAIN) symbol, Hyena (NOBONUS) symbol, Gazelle (TRYAGAIN) symbol, and a Lion (WIN5MIL) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$75⁰⁰ (SVY FIV), \$125 (ONHNTWYFV), \$250 (TWOHUNFTY), \$450 (FORHUNFTY), \$1,000 (ONE THO), \$5,000 (FIV THO), \$25,000 (TWYFIVTHO), \$75,000 (SVYFIVTHO), \$250,000 (TWHNFYTHO) and \$500,000 (FIVHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$75, \$125, \$250, \$450, \$1,000, \$5,000, \$25,000, \$75,000, \$250,000 and \$500,000. The prizes that can be won in the “CASH KING” area are: \$75, \$125, \$250, \$450, \$1,000 and \$5,000. The prize that can be won in the “\$5,000,000 CROWN” area is \$5,000,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 34 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 6,600,000 tickets will be printed for the \$5,000,000 Lion’s Share instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which a Lion (WIN5MIL) symbol appears in the “\$5,000,000 CROWN” area, on a

single ticket, shall be entitled to a prize of \$5,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500,000 (FIVHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(c) Holders of tickets upon which a ROAR (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75,000 (SVYFIVTHO) appears in two of the “prize” areas, a prize symbol of \$25,000 (TWYFIVTHO) appears in ten of the “prize” areas and a prize symbol of \$5,000 (FIV THO) appears in 18 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$490,000.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$250,000 (TWHNFYTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$250,000.

(e) Holders of tickets upon which a ROAR (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75,000 (SVYFIVTHO) appears in two of the “prize” areas, a prize symbol of \$25,000 (TWYFIVTHO) appears in two of the “prize” areas, a prize symbol of \$1,000 (ONE THO) appears in 25 of the “prize” areas and a prize symbol of \$5,000 (FIV THO) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$230,000.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$75,000 (SVYFIVTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$75,000.

(g) Holders of tickets upon which a ROAR (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$25,000 (TWYFIVTHO) appears in two of the “prize” areas, a prize symbol of \$1,000 (ONE THO) appears in 20 of the “prize” areas and a prize symbol of \$125 (ONHNTWYFV) appears in eight of the “prize” areas, on a single ticket, shall be entitled to a prize of \$71,000.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25,000 (TWYFIVTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(i) Holders of tickets upon which a 5X (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(j) Holders of tickets upon which a ROAR (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5,000 (FIV THO) appears in two of the “prize” areas, a prize symbol of \$1,000 (ONE THO) appears in 11 of the “prize” areas, a prize symbol of \$250 (TWOHUNFTY) appears in 12 of the “prize” areas and a prize symbol of \$125 (ONHNTWYFV) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$24,625.

(k) Holders of tickets upon which a ROAR (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in 20 of the “prize” areas and a prize symbol of \$450 (FORHUNFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$24,500.

(l) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(m) Holders of tickets upon which a Paw (PAW) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under that Paw (PAW) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(n) Holders of tickets upon which a prize amount of \$5,000 (FIV THO) appears in any one of the “CASH KING” spots, on a single ticket, shall be entitled to a prize of \$5,000.

(o) Holders of tickets upon which a 5X (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(p) Holders of tickets upon which a ROAR (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$250 (TWOHUNFTY) appears in ten of the “prize” areas and a prize symbol of \$125 (ONHNTWYFV) appears in 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$5,000.

(q) Holders of tickets upon which a ROAR (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$125 (ONHNTWYFV) appears in ten of the “prize” areas and a prize symbol of \$75⁰⁰ (SVY FIV) appears in 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$2,750.

(r) Holders of tickets upon which a 5X (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$450 (FORHUNFTY) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$2,250.

(s) Holders of tickets upon which a 5X (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$250 (TWOHUNFTY) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,250.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(u) Holders of tickets upon which a Paw (PAW) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Paw (PAW) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(v) Holders of tickets upon which a prize amount of \$1,000 (ONE THO) appears in any one of the “CASH KING” spots, on a single ticket, shall be entitled to a prize of \$1,000.

(w) Holders of tickets upon which a 5X (5TIMES) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$125 (ONHNTWYFV) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$625.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$450 (FORHUNFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$450.

(y) Holders of tickets upon which a Paw (PAW) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$450 (FORHUNFTY) appears in the “prize” area under that Paw (PAW) symbol, on a single ticket, shall be entitled to a prize of \$450.

(z) Holders of tickets upon which a prize amount of \$450 (FORHUNFTY) appears in any one of the “CASH KING” spots, on a single ticket, shall be entitled to a prize of \$450.

(aa) Holders of tickets upon which a 5X (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75⁰⁰ (SVY FIV) appears in the “prize” area under that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$375.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$250 (TWOHUNFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$250.

(cc) Holders of tickets upon which a Paw (PAW) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$250 (TWOHUNFTY) appears in the “prize” area under that Paw (PAW) symbol, on a single ticket, shall be entitled to a prize of \$250.

(dd) Holders of tickets upon which a prize amount of \$250 (TWOHUNFTY) appears in any one of the “CASH KING” spots, on a single ticket, shall be entitled to a prize of \$250.

(ee) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$125 (ONHNTWYFV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$125.

(ff) Holders of tickets upon which a Paw (PAW) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$125 (ONHNTWYFV) appears in the “prize” area under that Paw (PAW) symbol, on a single ticket, shall be entitled to a prize of \$125.

(gg) Holders of tickets upon which a prize amount of \$125 (ONHNTWYFV) appears in any one of the “CASH KING” spots, on a single ticket, shall be entitled to a prize of \$125.

(hh) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$75⁰⁰ (SVY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$75.

(ii) Holders of tickets upon which a Paw (PAW) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75⁰⁰ (SVY FIV) appears in the “prize” area under that Paw (PAW) symbol, on a single ticket, shall be entitled to a prize of \$75.

NOTICES

8021

(j) Holders of tickets upon which a prize amount of \$75⁰⁰ (SVY FIV) appears in any one of the “CASH KING” spots, on a single ticket, shall be entitled to a prize of \$75.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>CASH KING:</i>	<i>\$5,000,000 CROWN:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,600,000 Tickets:</i>
	\$75		\$75	25	264,000
\$75 w/ PAW			\$75	13.89	475,200
\$75			\$75	55.56	118,800
	\$125		\$125	50	132,000
\$125 w/ PAW			\$125	25	264,000
\$125			\$125	500	13,200
\$125 × 2			\$250	500	13,200
(\$125 w/ PAW) + \$125			\$250	500	13,200
\$125 w/ PAW	\$125		\$250	100	66,000
	\$125 × 2		\$250	166.67	39,600
	\$250		\$250	166.67	39,600
\$250 w/ PAW			\$250	166.67	39,600
\$250			\$250	500	13,200
\$75 × 6			\$450	6,000	1,100
(\$125 × 3) + \$75			\$450	6,000	1,100
(\$75 w/ 5X) + \$75			\$450	1,200	5,500
\$75 w/ 5X	\$75		\$450	103.45	63,800
(\$125 w/ PAW) + \$75	\$250		\$450	1,200	5,500
\$250 w/ PAW	\$125 + \$75		\$450	1,200	5,500
	\$450		\$450	1,200	5,500
\$450 w/ PAW			\$450	6,000	1,100
\$450			\$450	6,000	1,100
\$125 × 8			\$1,000	120,000	55
\$250 × 4			\$1,000	120,000	55
(\$125 × 2) + (\$75 × 4)	\$450		\$1,000	120,000	55
(\$75 w/ 5X) + (\$125 w/ PAW) + \$125 + \$75	\$75 × 4		\$1,000	10,909	605
(((\$75 w/ 5X) × 2) + \$125	\$125		\$1,000	8,000	825
(\$125 w/ 5X) + \$250	\$125		\$1,000	10,909	605
(\$125 w/ 5X) + (\$75 w/ 5X)			\$1,000	10,909	605
	\$1,000		\$1,000	30,000	220
\$1,000 w/ PAW			\$1,000	120,000	55
\$1,000			\$1,000	60,000	110
ROAR w/ ((\$125 × 10) + (\$75 × 20))	(\$1,000 × 2) + (\$125 × 2)		\$5,000	8,000	825
ROAR w/ ((\$250 × 10) + (\$125 × 20))			\$5,000	8,000	825
(\$450 w/ 5X) + (\$250 w/ 5X) + ((\$125 w/ PAW) × 6) + \$250	\$125 × 4		\$5,000	60,000	110
\$1,000 w/ 5X			\$5,000	30,000	220
	\$5,000		\$5,000	120,000	55

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>CASH KING:</i>	<i>\$5,000,000 CROWN:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,600,000 Tickets:</i>
\$5,000 w/ PAW			\$5,000	120,000	55
\$5,000			\$5,000	120,000	55
ROAR w/ (((\$1,000 × 20) + (\$450 × 10))	\$250 × 2		\$25,000	660,000	10
ROAR w/ (((\$5,000 × 2) + (\$1,000 × 11) + (\$250 × 12) + (\$125 × 5))	\$125 × 3		\$25,000	660,000	10
\$5,000 w/ 5X			\$25,000	1,320,000	5
\$25,000			\$25,000	1,320,000	5
ROAR w/ (((\$25,000 × 2) + (\$1,000 × 20) + (\$125 × 8))	\$1,000 × 4		\$75,000	660,000	10
\$75,000			\$75,000	1,320,000	5
ROAR w/ (((\$75,000 × 2) + (\$25,000 × 2) + (\$1,000 × 25) + \$5,000)	\$5,000 × 4		\$250,000	660,000	10
\$250,000			\$250,000	1,320,000	5
ROAR w/ (((\$75,000 × 2) + (\$25,000 × 10) + (\$5,000 × 18))	\$5,000 × 2		\$500,000	660,000	10
\$500,000			\$500,000	1,320,000	5
		\$5,000,000 w/ LION SYMBOL	\$5,000,000	1,320,000	5

Reveal a “Paw” (PAW) symbol to win prize shown under that symbol automatically.

Reveal a “5X” (5TIMES) symbol to win 5 TIMES the prize shown under that symbol.

Reveal a “ROAR” (WINALL) symbol to win ALL 30 prizes shown in the YOUR NUMBERS area!

CASH KING: Reveal a cash prize amount in any CASH KING spot to win that amount automatically! CASH KING is played separately.

\$5,000,000 CROWN: Reveal a “Lion” (WIN5MIL) symbol to win \$5,000,000 instantly! \$5,000,000 CROWN is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$5,000,000 Lion’s Share instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a

winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$5,000,000 Lion’s Share, prize money from winning \$5,000,000 Lion’s Share instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$5,000,000 Lion’s Share instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote \$5,000,000 Lion's Share or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1748. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania BETTY BOOP™ Instant Lottery Game 1721

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania BETTY BOOP™ (“BETTY BOOP™”). The game number is PA-1721.

2. *Price:* The price of a BETTY BOOP™ instant lottery game ticket is \$2.

3. *Play symbols:* Each BETTY BOOP™ instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BOOP-OOP-A-DOOP™ BONUS” area. The play symbols and their captions located in the “WINNING NUMBERS” area and the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the “BOOP-OOP-A-DOOP™ BONUS” area are: HEART (TRYAGAIN) symbol, PUDGY (NOBONUS) symbol, BIMBO (TRYAGAIN) symbol, LIPS (NOBONUS) symbol and an XO (2XWINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$2.00 (TWO DOL), \$4.00 (FOR DOL), \$5.00 (FIV DOL), \$10.00 (TEN DOL), \$14.00 (FOURTEEN), \$20.00 (TWENTY), \$40.00 (FORTY), \$50.00 (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$1,400 (FORTNHUN) and \$14,000 (FRTN THO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$14, \$20, \$40, \$50, \$100, \$400, \$1,400 and \$14,000. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to eight times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 4,800,000 tickets will be printed for the BETTY BOOP™ instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery (“Lottery”) will conduct one All You Need is Love Second-Chance Drawing (“Drawing”) for which non-winning BETTY BOOP™ instant lottery game tickets may be eligible as provided for in section 10 (relating to second-chance drawing).

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$14,000

(FRTN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$14,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,400 (FORTNHUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,400.

(c) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$100 (ONE HUN) appears in six of the “prize” areas and a prize symbol of \$50.00 (FIFTY) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,400.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(e) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$50.00 (FIFTY) appears in three of the “prize” areas and a prize symbol of \$10.00 (TEN DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(f) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$40.00 (FORTY) appears in two of the “prize” areas and a prize symbol of \$20.00 (TWENTY) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$14.00 (FOURTEEN) appears in two of the “prize” areas, a prize symbol of \$5.00 (FIV DOL) appears in two of the “prize” areas, a prize symbol of \$4.00 (FOR DOL) appears in two of the “prize” areas and a prize symbol of \$2.00 (TWO DOL) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$10.00 (TEN DOL) appears in three of the “prize” areas and a prize symbol of \$4.00 (FOR DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$10.00 (TEN DOL) appears in two of the “prize” areas and a prize symbol of \$5.00 (FIV DOL) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$50.00 (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$5.00 (FIV DOL) appears in three of the “prize” areas and a prize symbol of \$2.00 (TWO DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$4.00 (FOR DOL) appears in three of the “prize” areas, a prize symbol of \$2.00 (TWO DOL) appears in four of the “prize” areas and a prize symbol of \$5.00 (FIV DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$40.00 (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(o) Holders of tickets upon which an XO (2XWINALL) symbol appears in the “BOOP-OOP-A-DOOP™ BONUS” area and a prize symbol of \$4.00 (FOR DOL) appears in two of the “prize” areas and a prize symbol of \$2.00 (TWO DOL) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$40.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$20.00 (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING

NUMBERS” play symbols and a prize symbol of \$14.00 (FOURTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$14.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10.00 (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.00 (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4.00 (FOR DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2.00 (TWO DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Either Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>BOOP-OOP-A-DOOP™ BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$2		\$2	9.43	508,800
\$2 × 2		\$4	150	32,000
\$4		\$4	20.83	230,400
\$5		\$5	75	64,000
\$2 × 5		\$10	187.5	25,600
\$5 × 2		\$10	187.5	25,600
(\$4 × 2) + \$2		\$10	187.5	25,600
\$10		\$10	300	16,000
\$2 × 7		\$14	500	9,600
(\$5 × 2) + (\$2 × 2)		\$14	500	9,600
\$10 + \$4		\$14	150	32,000
\$14		\$14	150	32,000
\$4 × 5		\$20	1,500	3,200
\$5 × 4		\$20	1,500	3,200
\$10 × 2		\$20	1,500	3,200
\$14 + \$4 + \$2		\$20	1,500	3,200

NOTICES

8025

<i>Match Any Of YOUR NUMBERS To Either Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>BOOP-OOP-A-DOOP™ BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$20		\$20	1,500	3,200
	XO SYMBOL w/ ((\$4 × 2) + (\$2 × 6))	\$40	184.62	26,000
\$5 × 8		\$40	40,000	120
\$10 × 4		\$40	60,000	80
\$20 × 2		\$40	40,000	120
(\$14 × 2) + (\$4 × 3)		\$40	60,000	80
\$40		\$40	24,000	200
	XO SYMBOL w/ ((\$4 × 3) + (\$2 × 4) + \$5)	\$50	4,286	1,120
	XO SYMBOL w/ ((\$5 × 3) + (\$2 × 5))	\$50	4,444	1,080
\$10 × 5		\$50	60,000	80
(\$14 × 3) + (\$4 × 2)		\$50	60,000	80
(\$20 × 2) + (\$4 × 2) + \$2		\$50	60,000	80
\$40 + \$10		\$50	60,000	80
\$50		\$50	60,000	80
	XO SYMBOL w/ ((\$10 × 2) + (\$5 × 6))	\$100	17,143	280
	XO SYMBOL w/ ((\$10 × 3) + (\$4 × 5))	\$100	17,143	280
	XO SYMBOL w/ ((\$14 × 2) + (\$5 × 2) + (\$4 × 2) + (\$2 × 2))	\$100	17,143	280
\$20 × 5		\$100	120,000	40
\$50 × 2		\$100	120,000	40
(\$40 × 2) + \$14 + \$4 + \$2		\$100	120,000	40
\$100		\$100	120,000	40
	XO SYMBOL w/ ((\$40 × 2) + (\$20 × 6))	\$400	120,000	40
	XO SYMBOL w/ ((\$50 × 3) + (\$10 × 5))	\$400	120,000	40
\$50 × 8		\$400	120,000	40
\$400		\$400	120,000	40
	XO SYMBOL w/ ((\$100 × 6) + (\$50 × 2))	\$1,400	480,000	10
\$1,400		\$1,400	480,000	10
\$14,000		\$14,000	480,000	10

BOOP-OOP-A-DOOP™ BONUS: Reveal an “XO” (2XWINALL) symbol to DOUBLE and win ALL 8 prizes shown in the YOUR NUMBERS area!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The Lottery's All You Need is Love Second-Chance Drawing for qualifying instant lottery game tickets:

(a) *Qualifying Tickets:* Non-winning PA-1720 Call Me (\$5), PA-1721 BETTY BOOP™ (\$2) and PA-1722 Love Note (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one All You Need is Love Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. December 8, 2024, through 11:59:59 p.m. February 14, 2025, will be entered into the Drawing tentatively scheduled to be held between February 15, 2025 and March 5, 2025.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1720 Call Me (\$5) = five entries, PA-1721 BETTY BOOP™ (\$2) = two entries and PA-1722 Love Note (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$20,000, less required income tax withholding.

(ii) The fifth through the fourteenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$4,000.

(iii) The fifteenth through the sixty-fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet brows-

ers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms & conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 30 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play

through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell BETTY BOOP™ instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of BETTY BOOP™, prize money from winning BETTY BOOP™ instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the BETTY BOOP™ instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote BETTY BOOP™ or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1749. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Call Me Instant Lottery Game 1720

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Call Me (“Call Me”). The game number is PA-1720.

2. *Price:* The price of a Call Me instant lottery game ticket is \$5.

3. *Play symbols:* Each Call Me instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “CALL ME CASH NUMBER” area containing one play symbol. The play symbols and their captions located in the “WINNING NUMBERS” area and the “CALL ME CASH NUMBER” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Phone (PHONE) symbol and an XO XO Text (WIN14) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$5⁰⁰ (FIV DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$14⁰⁰ (FOURTEEN), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$140 (ONEHNFRTY), \$500 (FIV HUN), \$1,400 (FORTNHUN), \$14,000 (FRTN THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$7, \$10, \$14, \$30, \$50, \$100, \$140, \$500, \$1,400, \$14,000 and \$100,000. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 4,800,000 tickets will be printed for the Call Me instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery (“Lottery”) will conduct one All You Need is Love Second-Chance Drawing (“Drawing”) for which non-winning Call Me instant lottery game tickets may be eligible as provided for in section 10 (relating to second-chance drawing).

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$14,000 (FRTN THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$14,000.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,400 (FORTNHUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,400.

(d) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,400 (FORTNHUN) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$1,400.

(e) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in two of the “Prize” areas, a prize symbol of \$100 (ONE HUN) appears in two of the “Prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in six of the “Prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$1,400.

(f) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$140 (ONEHNFRTY) appears in eight of the “Prize” areas, a prize symbol of \$100 (ONE HUN) appears in two of the “Prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the “Prize” areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$1,400.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$140 (ONEHNFRTY) appears in three of the “Prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in seven of the “Prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in eight of the “Prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in three of the “Prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$140 (ONEHNFRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$140.

(l) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$140 (ONEHNFRTY) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$140.

(m) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$14⁰⁰ (FORTEEN) appears in eight of the “Prize” areas and a prize symbol of \$7⁰⁰ (SVN DOL) appears in four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$140.

(n) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in 11 of the “Prize” areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$140.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the “Prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which the “CALL ME CASH NUMBER” play symbol matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in three of the “Prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the “Prize” areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area

under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(v) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$30.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$14⁰⁰ (FORTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$14.

(x) Holders of tickets upon which an XOXO Text (WIN14) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$14⁰⁰ (FORTEEN) appears in the “Prize” area under that XOXO Text (WIN14) symbol, on a single ticket, shall be entitled to a prize of \$14.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(z) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$7⁰⁰ (SVN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$7.

(bb) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$7⁰⁰ (SVN DOL) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$7.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(dd) Holders of tickets upon which a Phone (PHONE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under that Phone (PHONE) symbol, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS Win PRIZE Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$5 w/ PHONE	\$5	20	240,000
\$5	\$5	33.33	144,000
\$7 w/ PHONE	\$7	50	96,000
\$7	\$7	60	80,000
\$5 × 2	\$10	300	16,000
(\$5 w/ PHONE) + \$5	\$10	200	24,000
\$10 w/ PHONE	\$10	60	80,000
\$10	\$10	600	8,000
\$7 × 2	\$14	600	8,000
(\$7 w/ PHONE) + \$7	\$14	300	16,000
\$14 w/ XOXO TEXT	\$14	20	240,000
\$14	\$14	600	8,000
\$5 × 6	\$30	600	8,000
(\$10 w/ PHONE) + ((\$5 w/ PHONE) × 2) + (\$5 × 2)	\$30	600	8,000
\$30 w/ PHONE	\$30	600	8,000
\$30	\$30	600	8,000
\$5 × 10	\$50	600	8,000
\$10 × 5	\$50	600	8,000
((\$14 w/ XOXO TEXT) × 2) + (\$10 w/ PHONE) + \$7 + \$5	\$50	200	24,000
\$50 w/ PHONE	\$50	600	8,000
\$50	\$50	600	8,000
CALL ME CASH NUMBER MATCH w/ ((\$10 × 3) + (\$5 × 8) + \$30)	\$100	2,400	2,000
CALL ME CASH NUMBER MATCH w/ ((\$10 × 8) + (\$5 × 4))	\$100	2,400	2,000
\$50 × 2	\$100	24,000	200
((\$14 w/ XOXO TEXT) × 4) + (\$10 × 3) + \$14	\$100	12,000	400
((\$14 w/ XOXO TEXT) × 5) + \$30	\$100	12,000	400
\$100 w/ PHONE	\$100	17,143	280
\$100	\$100	24,000	200
CALL ME CASH NUMBER MATCH w/ ((\$10 × 11) + \$30)	\$140	685.71	7,000
CALL ME CASH NUMBER MATCH w/ ((\$14 × 8) + (\$7 × 4))	\$140	685.71	7,000
\$14 × 10	\$140	24,000	200
((\$14 w/ XOXO TEXT) × 5) + ((\$7 w/ PHONE) × 5) + \$30 + \$5	\$140	2,000	2,400
(\$14 w/ XOXO TEXT) × 10	\$140	2,000	2,400
\$140 w/ PHONE	\$140	12,000	400
\$140	\$140	15,000	320
CALL ME CASH NUMBER MATCH w/ ((\$50 × 8) + (\$30 × 3) + \$10)	\$500	17,143	280
CALL ME CASH NUMBER MATCH w/ ((\$140 × 3) + (\$10 × 7) + (\$5 × 2))	\$500	17,143	280
\$100 × 5	\$500	120,000	40
((\$140 w/ PHONE) × 2) + \$140 + \$50 + \$30	\$500	30,000	160

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS Win PRIZE Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$500 w/ PHONE	\$500	120,000	40
\$500	\$500	120,000	40
CALL ME CASH NUMBER MATCH w/ ((\$140 × 8) + (\$100 × 2) + \$50 + \$30)	\$1,400	320,000	15
CALL ME CASH NUMBER MATCH w/ ((\$500 × 2) + (\$100 × 2) + (\$30 × 6) + (\$10 × 2))	\$1,400	320,000	15
\$140 × 10	\$1,400	480,000	10
\$1,400 w/ PHONE	\$1,400	480,000	10
\$1,400	\$1,400	480,000	10
\$1,400 × 10	\$14,000	480,000	10
\$14,000	\$14,000	480,000	10
\$100,000	\$100,000	480,000	10

Reveal a “Phone” (PHONE) symbol to win PRIZE shown under that symbol automatically.

Reveal an “XOXO Text” (WIN14) symbol to win \$14 instantly!

CALL ME CASH NUMBER: Match the CALL ME CASH NUMBER to any of the WINNING NUMBERS to win ALL 12 prizes shown in the YOUR NUMBERS area!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The Lottery’s All You Need is Love Second-Chance Drawing for qualifying instant lottery game tickets:

(a) *Qualifying Tickets:* Non-winning PA-1720 Call Me (\$5), PA-1721 BETTY BOOP™ (\$2) and PA-1722 Love Note (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player’s name as it appears on a valid government-issued identification or tax documents;

(ii) The player’s date of birth;

(iii) The entire or last four digits of the player’s Social Security Number, or comparable equivalent;

(iv) The player’s address;

(v) The player’s telephone number;

(vi) The player’s email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery

terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing’s promotional web site, available at <https://www.palottery.com>, or the Lottery’s official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one All You Need is Love Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. December 8, 2024, through 11:59:59 p.m. February 14, 2025, will be entered into the Drawing tentatively scheduled to be held between February 15, 2025 and March 5, 2025.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1720 Call Me (\$5) = five entries, PA-1721 BETTY BOOP™ (\$2) = two entries and PA-1722 Love Note (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$20,000, less required income tax withholding.

(ii) The fifth through the fourteenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$4,000.

(iii) The fifteenth through the sixty-fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9RoofTops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms & conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 30 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Call Me instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of Call Me, prize money from winning Call Me instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Call Me instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101–3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Call Me or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1750. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Fast \$1,000 Instant Lottery Game 1719

Under the State Lottery Law (72 P.S. §§ 3761-101–3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Fast \$1,000 (“Fast \$1,000”). The game number is PA-1719.

2. *Price:* The price of a Fast \$1,000 instant lottery game ticket is \$10.

3. *Play symbols:* Each Fast \$1,000 instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area, and one “PIT ROW PAYOUT” area containing three “FAST” spots. The “FAST” spots are played separately. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Medal (MEDAL) symbol, 100X (100TIMES) symbol and a Racecar (WINALL) symbol. The play symbols and their captions located in the three “FAST” spots in the “PIT ROW PAYOUT” area are: TRY AGAIN (NOBONUS), NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol and a Stopwatch (WIN1K) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$20, \$50, \$100, \$150, \$1,000, \$5,000 and \$100,000. The prize that can be won in each of the three “FAST” spots within the “PIT ROW PAYOUT” area is \$1,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 17 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 14,400,000 tickets will be printed for the Fast \$1,000 instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a 100X (100TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 100X (100TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which a Racecar (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in two of the “prize” areas, a prize symbol of \$150 (ONEHUNFTY) appears in five of the “prize” areas, a prize symbol of \$50^{.00} (FIFTY) appears in four of the “prize” areas, a prize symbol of \$10^{.00} (TEN DOL) appears in three of the “prize” areas and a prize symbol of \$20^{.00} (TWENTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$3,000.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a Medal (MEDAL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Medal (MEDAL) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which a 100X (100TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10^{.00} (TEN DOL) appears in the “prize” area under that 100X (100TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which a Stopwatch (WIN1K) symbol appears in any “FAST” spot within the “PIT ROW PAYOUT” area, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which a Racecar (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$150 (ONEHUNFTY) appears in five of the “prize” areas, a prize symbol of \$50^{.00} (FIFTY) appears in three of the “prize” areas, a prize symbol of \$20^{.00} (TWENTY) appears in three of the “prize” areas and a prize symbol of \$10^{.00} (TEN DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which a Racecar (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas and a prize symbol of \$50^{.00} (FIFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$150.

(l) Holders of tickets upon which a Medal (MEDAL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$150 (ONEHUNFTY) appears in the

“prize” area under that Medal (MEDAL) symbol, on a single ticket, shall be entitled to a prize of \$150.

(m) Holders of tickets upon which a Racecar (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10^{.00} (TEN DOL) appears in all 15 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$150.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which a Medal (MEDAL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Medal (MEDAL) symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50^{.00} (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which a Medal (MEDAL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50^{.00} (FIFTY) appears in the “prize” area under that Medal (MEDAL) symbol, on a single ticket, shall be entitled to a prize of \$50.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20^{.00} (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(s) Holders of tickets upon which a Medal (MEDAL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20^{.00} (TWENTY) appears in the “prize” area under that Medal (MEDAL) symbol, on a single ticket, shall be entitled to a prize of \$20.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10^{.00} (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(u) Holders of tickets upon which a Medal (MEDAL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10^{.00} (TEN DOL) appears in the “prize” area under that Medal (MEDAL) symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>PIT ROW PAYOUT:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
\$10 w/ MEDAL		\$10	10	1,440,000
\$10		\$10	18.18	792,000
\$10 × 2		\$20	120	120,000

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>PIT ROW PAYOUT:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
(\$10 w/ MEDAL) + \$10		\$20	37.5	384,000
\$20 w/ MEDAL		\$20	30	480,000
\$20		\$20	120	120,000
\$10 × 5		\$50	600	24,000
(((\$10 w/ MEDAL) × 3) + \$20		\$50	600	24,000
(((\$20 w/ MEDAL) × 2) + \$10		\$50	600	24,000
\$50 w/ MEDAL		\$50	600	24,000
\$50		\$50	600	24,000
\$10 × 10		\$100	600	24,000
\$100 w/ MEDAL		\$100	600	24,000
\$100		\$100	600	24,000
RACECAR w/ (\$10 × 15)		\$150	4,800	3,000
\$50 × 3		\$150	24,000	600
\$150 w/ MEDAL		\$150	24,000	600
\$150		\$150	24,000	600
RACECAR w/ ((\$100 × 5) + (\$50 × 10))		\$1,000	2,400	6,000
RACECAR w/ ((\$150 × 5) + (\$50 × 3) + (\$20 × 3) + (\$10 × 4))		\$1,000	2,400	6,000
\$100 × 10		\$1,000	24,000	600
(((\$100 w/ MEDAL) × 5) + (\$100 × 5)		\$1,000	24,000	600
	\$1,000 w/ STOPWATCH	\$1,000	1,043	13,800
\$10 w/ 100X		\$1,000	1,000	14,400
\$1,000 w/ MEDAL		\$1,000	24,000	600
\$1,000		\$1,000	24,000	600
RACECAR w/ ((\$1,000 × 2) + (\$150 × 5) + (\$50 × 4) + (\$10 × 3) + \$20)	(\$1,000 w/ STOPWATCH) × 2	\$5,000	1,440,000	10
(\$10 w/ 100X) + (\$1,000 w/ MEDAL)	(\$1,000 w/ STOPWATCH) × 3	\$5,000	1,440,000	10
\$50 w/ 100X		\$5,000	2,880,000	5
\$5,000		\$5,000	2,880,000	5
\$100,000		\$100,000	288,000	50

Reveal a “Medal” (MEDAL) symbol to win prize shown under that symbol automatically.

Reveal a “100X” (100TIMES) symbol to win 100 TIMES the prize shown under that symbol.

Reveal a “Racecar” (WINALL) symbol to win ALL 15 prizes shown in the YOUR NUMBERS area!

PIT ROW PAYOUT: Reveal a “Stopwatch” (WIN1K) symbol in any FAST spot to win \$1,000 instantly! FAST spots are played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Fast \$1,000 instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in

a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled

only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Fast \$1,000, prize money from winning Fast \$1,000 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Fast \$1,000 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Fast \$1,000 or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1751. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Love Note Instant Lottery Game 1722

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Love Note (“Love Note”). The game number is PA-1722.

2. *Price:* The price of a Love Note instant lottery game ticket is \$1.

3. *Play symbols:* Each Love Note instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and an XO Heart (DOUBLE) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: FREE

(TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$14⁰⁰ (FOURTEEN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$200 (TWO HUN) and \$1,400 (FORTN HUN).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$2, \$4, \$5, \$10, \$14, \$20, \$40, \$100, \$200 and \$1,400. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to five times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 4,800,000 tickets will be printed for the Love Note instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery (“Lottery”) will conduct an All You Need is Love Second-Chance Drawing (“Drawing”) for which non-winning Love Note tickets may be eligible as provided for in section 10 (relating to second-chance drawing).

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,400 (FORTN HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,400.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(c) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$200.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$80.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(g) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$40.

(h) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$14⁰⁰ (FOURTEEN) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$28.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$14.⁰⁰ (FOURTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$14.

(l) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$8.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(q) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$4.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(s) Holders of tickets upon which an XO Heart (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the “prize” area under that XO Heart (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$2.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of FREE (TICKET) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one Love Note instant ticket or one Pennsylvania Lottery instant ticket of equivalent sale price which is currently on sale.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Either Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
FREE	FREE \$1 TICKET	9.09	528,000
\$1 × 2	\$2	200	24,000
\$1 w/ XO HEART	\$2	40	120,000
\$2	\$2	250	19,200
\$1 × 4	\$4	500	9,600
(\$1 w/ XO HEART) + \$2	\$4	200	24,000
(\$1 w/ XO HEART) × 2	\$4	100	48,000
\$2 w/ XO HEART	\$4	52.63	91,200
\$4	\$4	500	9,600
\$1 × 5	\$5	1,000	4,800
(\$2 × 2) + \$1	\$5	1,000	4,800
\$4 + \$1	\$5	1,000	4,800
(((\$1 w/ XO HEART) × 2) + \$1	\$5	200	24,000
(\$2 w/ XO HEART) + \$1	\$5	200	24,000

<i>Match Any Of YOUR NUMBERS To Either Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$5	\$5	1,000	4,800
\$2 × 5	\$10	1,000	4,800
\$5 × 2	\$10	1,000	4,800
(((\$2 w/ XO HEART) × 2) + (\$1 w/ XO HEART))	\$10	1,000	4,800
(\$4 w/ XO HEART) + (\$1 w/ XO HEART)	\$10	1,000	4,800
\$5 w/ XO HEART	\$10	500	9,600
\$10	\$10	1,000	4,800
(\$4 × 3) + \$2	\$14	2,400	2,000
\$10 + \$4	\$14	2,400	2,000
(((\$2 w/ XO HEART) × 2) + (\$2 × 3))	\$14	600	8,000
(\$4 w/ XO HEART) + (\$2 w/ XO HEART) + (\$1 w/ XO HEART)	\$14	392.16	12,240
(\$5 w/ XO HEART) + (\$2 w/ XO HEART)	\$14	385.85	12,440
\$14	\$14	1,200	4,000
\$4 × 5	\$20	12,000	400
\$10 × 2	\$20	12,000	400
(\$2 w/ XO HEART) × 5	\$20	6,000	800
(((\$4 w/ XO HEART) × 2) + (\$2 × 3))	\$20	6,000	800
(\$5 w/ XO HEART) × 2	\$20	6,000	800
\$10 w/ XO HEART	\$20	6,000	800
\$20	\$20	24,000	200
\$20 × 2	\$40	12,000	400
(\$14 w/ XO HEART) + (\$4 × 3)	\$40	12,000	400
\$20 w/ XO HEART	\$40	12,000	400
\$40	\$40	12,000	400
\$20 × 5	\$100	12,000	400
(\$40 w/ XO HEART) + (((\$4 w/ XO HEART) × 2) + (\$2 × 2))	\$100	12,000	400
\$100	\$100	12,000	400
(\$20 w/ XO HEART) × 5	\$200	240,000	20
\$100 w/ XO HEART	\$200	240,000	20
\$200	\$200	240,000	20
\$1,400	\$1,400	480,000	10

Reveal an "XO Heart" (DOUBLE) symbol to DOUBLE the prize shown under that symbol!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The Lottery's All You Need is Love Second-Chance Drawing for qualifying instant lottery game tickets:

(a) *Qualifying Tickets:* Non-winning PA-1720 Call Me (\$5), PA-1721 BETTY BOOP™ (\$2) and PA-1722 Love Note (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one All You Need is Love Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. December 8, 2024, through 11:59:59 p.m. February 14, 2025, will be entered into the Drawing tentatively scheduled to be held between February 15, 2025 and March 5, 2025.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1720 Call Me (\$5) = five entries, PA-1721 BETTY BOOP™ (\$2) = two entries and PA-1722 Love Note (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$20,000, less required income tax withholding.

(ii) The fifth through the fourteenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$4,000.

(iii) The fifteenth through the sixty-fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms & conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 30 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Love Note instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize,

either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of Love Note, prize money from winning Love Note instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Love Note instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Love Note or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1752. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

State Route 0015-013, Tax ID 38G12-0075-000, Lots A and B, Straban Township, Adams County. Zoned: EC-1 economic development—commercial. This parcel contains approximately 0.8085 acre of unimproved land situated on York Road, SR 0030, Gettysburg, PA.

This property will be sold in as-is condition. The estimated fair market value is \$520,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the property within 30 calendar

days from the date of publication of this notice to Edward Hartman, Property Manager, PennDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, edhartman@pa.gov, (717) 783-5149.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1753. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department. The following list of properties is available for sale by the Department:

1. State Route 100, Section VAN, Parcel No. 9, Exton, Chester County. This parcel contains approximately 1.364 acres of unimproved land situated along Pottstown Pike, Exton, PA. The property will be sold in as-is condition. The estimated fair market value of the parcel is \$62,000.

2. State Route 100, Section VAN, Parcel No. 23, Exton, Chester County. This parcel contains approximately 0.166 acre of unimproved land situated along Pottstown Pike, Exton, PA. The property will be sold in as-is condition. The estimated fair market value of the parcel is \$12,000.

3. State Route 100, Section VAN, Parcel No. 7, Exton, Chester County. This parcel contains approximately 0.789 acre of unimproved land situated along Pottstown Pike, Exton, PA. The property will be sold in as-is condition. The estimated fair market value of the parcel is \$38,000.

4. State Route 100, Section VAN, Parcel No. 6, Exton, Chester County. This parcel contains approximately 1.978 acres of unimproved land situated along Pottstown Pike, Exton, PA. The property will be sold in as-is condition. The estimated fair market value of the parcel is \$82,000.

5. State Route 100, Section VAN, Parcel No. 7, Exton, Chester County. This parcel contains approximately 1.722 acres of unimproved land situated along Pottstown Pike, Exton, PA. The property will be sold in as-is condition. The estimated fair market value of the parcel is \$74,000.

It has been determined that these lands are no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the properties within 30 calendar days from the date of publication of this notice to Barbara DiCianno, Right-of-Way Administrator, Department of Transportation, Engineering District 6.0, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1525, (610) 205-6504.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1754. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

State Route Project 0083-043, Tax ID 35-058-074 and 35-058-170—Uneconomic Remnant, Lower Paxton Township, Dauphin County, Zoned R-2 Medium Density Residential. These parcels contain a combined area of approximately 8,563 square feet of unimproved land situated at the corner of South Arlington Avenue and Locust Lane in Harrisburg, PA 17109.

This property will be sold in as-is condition. The estimated fair market value of the parcel is \$3,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the property within 30 calendar days from the date of publication of this notice to Edward Hartman, Property Manager, PennDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, (717) 783-5149, edhartman@pa.gov.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1755. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Highly Automated Vehicle Advisory Committee Meeting

The Highly Automated Vehicle Advisory Committee (Committee) will hold a meeting to review and consult with the Department of Transportation regarding recently published Committee guidelines and related projects by means of a Microsoft Teams teleconference on Thursday, December 19, 2024, between 1 p.m. and 3 p.m. Public attendees should RSVP to the e-mail address as follows to receive call-in information. For more information or to RSVP, contact Kevin Tobias, Administrative Specialist, Transformational Technology, (717) 710-2086, kevtobias@pa.gov.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1756. Filed for public inspection December 6, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Advisory Committee Meeting

The State Transportation Advisory Committee will hold a meeting on Wednesday, December 11, 2024, from

10 a.m. to 12 p.m. This meeting will be held in the Keystone Building, 8N1, 400 North Street, Harrisburg, PA and by means of Microsoft Teams. The meeting information, including the agenda, is available at <https://bit.ly/TACDec2024>.

Individuals may join the meeting remotely at https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZTUwNzhkMjYtZmZjNy00Y2UwLWlyNTAtOGRmMmY0YjRmNDIw%40thread.v2/0?context=%7b%22tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22oid%22%3a%225254d3e7-0194-4a47-999f-79cb74a9b0ae%22%7d. The meeting ID is 292 959 595 195. The passcode is pMfYLM.

To download Microsoft Teams, go to <https://www.microsoft.com/en-us/microsoft-teams/download-app>. To join on the web, go to <https://www.microsoft.com/en-us/microsoft-teams/join-a-meeting>.

To call into the meeting, dial (267) 332-8737 and enter 10519759# as the conference ID. To find a local number, go to <https://dialin.teams.microsoft.com/783683fb-6d69-4e8b-aa52-814e500ad7b8?id=10519759>. To reset the PIN number, go to <https://dialin.teams.microsoft.com/usp/voicemail>.

For more information, contact the Office of the State Transportation Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1757. Filed for public inspection December 6, 2024, 9:00 a.m.]

GAME COMMISSION

Rescission of Statewide State Game Lands Fire Ban

Order

Whereas, On November 6, 2024, the Pennsylvania Game Commission (Commission) issued public notice of its full prohibition of the kindling, use, or maintenance of open fires on any lands within the Commonwealth designated as State game lands; and

Whereas, This temporary restriction was designed and intended to reduce risks associated with wildfires on lands designated as State game lands; and

Whereas, The Commission anticipates that this executive order will be published in the *Pennsylvania Bulletin* on November 23, 2024 at 54 Pa.B. 7636; and

Whereas, The dry environmental conditions precipitating the November 6, 2024 order have since improved as a result of recent precipitation and cooler temperatures; and

Whereas, On November 21, 2024, the Department of Conservation and Natural Resources (Department) issued public notice that it has lifted its previous prohibition on campfires on State park and forest lands; and

Whereas, Section 135.2(2) of Title 58 of the *Pennsylvania Code* (58 Pa. Code § 135.2(2) (relating to unlawful actions)) generally prohibits the kindling, use, or maintenance of open fires on any lands under the ownership, lease, agreement, control, or jurisdiction of the Pennsylvania Commission, including lands designated as State game lands; and

Whereas, Section 135.41(a)(2) of Title 58 of the *Pennsylvania Code* (58 Pa. Code § 135.41(a)(2) (relating to state game lands)) exempts from the above-described fire restriction small open fires used for cooking or warming purposes by persons exercising the privileges of a valid hunting, furtaking, or fishing license and through hikers within the corridor of the Appalachian Trail; and

Whereas, Section 135.41(a)(2) also closes the availability of the above-described open fire ban exemption when the fire index rating used by the Department is high, very high, or extreme for that area; and

Whereas, As of November 21, 2024, the Department listed the observed fire index rating for the entirety of the Commonwealth as “low”; and

Whereas, the Commission has determined that the current risk of wildfire within the Commonwealth is now below the threshold necessary to retain a Statewide ban on the kindling, use, or maintenance of open fires on any lands designated as State game lands.

Now Therefore, it is hereby ordered that the November 6, 2024 order prohibiting persons exercising the privileges of a valid hunting, furtaking, or fishing license and through hikers within the corridor of the Appalachian Trail from kindling, using, or maintaining open fires on any lands designated as State game lands within the Commonwealth is rescinded in its entirety.

Given under my hand and seal of the Pennsylvania Game Commission on this 22nd day of November 2024.

STEPHEN SMITH,
Executive Director

[Pa.B. Doc. No. 24-1758. Filed for public inspection December 6, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Kevin Alan Kirsch; License Denial Appeal; Doc. No. AG24-11-009

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Kevin Alan Kirsch has appealed the denial of an application for an insurance producer’s license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for January 7, 2025, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before January 3, 2025. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before December 13, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before January 3, 2025.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Nicole Sites Heaton at (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1759. Filed for public inspection December 6, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Harrisburg, PA at the following address. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for December 19, 2024, at 2 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before December 17, 2024.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Sweta P. Peifer; State Farm Mutual Automobile Insurance Company; File No. 24-121-302668; Doc. No. P24-10-023; January 8, 2025, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1760. Filed for public inspection December 6, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8), in connection with the termination of the insured's homeowners policy. The proceedings will be governed in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for December 16, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before December 12, 2024.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Erie Insurance Exchange; H. Edwin Rodrock; File Nos. 24-114-301847 and 24-114-301848; Doc. No. P24-11-010; January 7, 2025, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1761. Filed for public inspection December 6, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Roger E. Schaeffer; Order to Show Cause; Doc. No. SC24-10-005

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and

Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for January 7, 2025, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before January 3, 2025. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before December 13, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before January 3, 2025.

Persons with a disability who wish to attend the previously referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton at (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1762. Filed for public inspection December 6, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 23, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by December 23, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number or by searching the applicant's web site.

Application of the following for approval to begin operating as common carriers for transportation of persons as described under the application.

A-2024-3052175. Popular Medical Services, LLC (4647 Saucon Creek Road, Suite 201, Center Valley,

Lehigh County, PA 18034) to transport, by motor vehicle, persons in nonemergency medical paratransit service, between points in the Counties of Lehigh, Northampton and Philadelphia.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.

A-2024-3052186. CHHJ PA Pittsburgh, LLC, t/a College Hunks Hauling Junk & Moving (1101 William Flinn Highway, Glenshaw, Allegheny County, PA 15116) for the approval of the transfer of the rights of BLL Charles, Inc., t/a College Hunks Hauling Junk & Moving, to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania, as originally Docketed at A-8919262/A-2016-2570920, to CHHJ PA Pittsburgh, LLC, t/a College Hunks Hauling Junk & Moving. *Attorney:* Andrew J. Horowitz, 525 William Penn Place, Suite 1710, Pittsburgh, PA 15219.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2024-3052189. Lock Haven Taxi, Inc. (17 Corning Road, Lock Haven, Clinton County, PA 17745) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons upon call or demand, as more thoroughly described in the original ordering paragraphs at A-00112993.

A-2024-3052255. Horizon Health Care, LLC (19509 Windsor Circle, Unit B, Hagerstown, MD 21742) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-2023-3039941, persons in paratransit service, from points in the Counties of Adams, Bedford, Cumberland, Franklin, Fulton, Huntingdon, Juniata, Perry and York, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1763. Filed for public inspection December 6, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due December 23, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. United Cab, LLC; Docket No. C-2024-3051154

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That United Cab, LLC, Respondent, maintains its principal place of business at 2304 Walnut Street, Harrisburg, PA 17103.

2. That Respondent was issued a certificate of public convenience to transport, as a common carrier, by motor vehicle, persons in call or demand service on July 20, 2012, at PUC number A-6312947.

3. That on September 12, 2024, PUC Enforcement Supervisor Timothy Troxell, Officers' Travis Griffith, Matthew Ohlinger and David Drago, conducted a patrol operation in the city of Harrisburg.

4. That PUC Enforcement Officer Travis Griffith conducted a Driver/Vehicle Compliance report (DVCR) on that date at 3695 Paxton Street, Harrisburg, Dauphin County, PA. The vehicle was a 2013 Dodge Caravan, registration number TX51421 the last 4 digits of the vehicle identification number being 2519, being driven by Jose Vega. Multiple violations were noted as follows:

- a. The vehicle was marked incorrectly.
- b. Vehicle moves on a level surface when parking brake is fully applied.
- c. Dent greater than 4 inches on lower left rear door.
- d. Inspection decal dated 6/24.

5. That following these inspections, Respondent was advised to submit criminal history and driver history reports. Officer Griffith did not receive those reports.

6. That Respondent allowed a vehicle to operate with a vehicle marked as PUC-A-6412947, rather than PA.P.U.C. No. A-6412947 on both sides of the vehicle, has violated 52 PA 29 § 71(a). The penalty for this violation is \$50.

7. That Respondent allowed a vehicle to operate with a vehicle that moves on a level surface when parking brake is fully applied, has violated 52 PA § 29.402(1), 67 § 175.64(c)(1). The penalty for this violation is \$50.

8. That Respondent allowed a vehicle to operate a vehicle with a dent greater than 4 inches, has violated 52 PA § 29.403(6). The penalty for this violation is \$100.

9. That Respondent allowed a vehicle to operate with an expired inspection sticker has violated 52 PA 29.405. The penalty for this violation is \$100.

10. That Respondent failed to provide criminal history and driver records has violated 52 PA § 29 504. The penalty for this violation is \$100.

11. That Respondent failed to provide driver records has violated 52 PA § 505. The penalty for this violation is \$100.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine United Cab, LLC, the amount five hundred dollars (\$500.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
 Brian B. Mehus, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 15 October 2024

Brian B. Mehus, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 3rd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and

desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of
Investigation and Enforcement v. EZ Taxi, LLC;
Docket No. C-2024-3051153**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That EZ Taxi, LLC, Respondent, maintains its principal place of business at 2304 Walnut Street, Harrisburg, PA 17103.

2. That Respondent was issued a certificate of public convenience to transport, as a common carrier, by motor vehicle, persons in call or demand service on July 7, 2004, at PUC number A-706158.

3. That on September 12, 2024, PUC Enforcement Supervisor Timothy Troxell, Officers' Travis Griffith, Matthew Ohlinger and David Drago, conducted a patrol operation in the city of Harrisburg.

4. That PUC Enforcement Supervisor Timothy Troxell conducted a Driver/Vehicle Compliance report (DVCR) on that date at 21st and Berryhill Street, Harrisburg, Dauphin County, PA. The vehicle was a 2013 Chevrolet Malibu, registration number TX51576 the last 4 digits of the vehicle identification number being 5571, being driven by Johnnie Turner. A violation was noted: The vehicle age was greater than 11 years and not an alternative fuel vehicle:

5. That following these inspections, Respondent was advised to submit criminal history and driver history reports. Supervisor Troxell did not receive those reports.

6. That Respondent allowed a vehicle to operate with a vehicle aged over 10 years has violated 52 PA § 29.314(c). The penalty for this violation is \$500.

7. That Respondent failed to provide criminal history records has violated 52 PA § 29 504. The penalty for this violation is \$100.

8. That Respondent failed to provide driver records has violated 52 PA § 505. The penalty for this violation is \$100.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine EZ Taxi,

LLC, the amount of seven hundred dollars (700.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 15 October 2024

Brian B. Mehus, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 3rd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Country Star Equine Transport, LLC; Docket No. C-2024-3047991

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Country Star Equine Transport, LLC, Respondent, maintains a mailing address at 257 Hill Road, New Holland, PA 17557.

2. That on February 26, 2024, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8926887 at A-2024-3046517.

3. That PA PUC Enforcement Officer David Drago attempted to reach the Respondent by phone, email and text. On August 13, 2024, a certified letter was mailed. No contact has been received.

4. That Respondent, by failing to respond to and achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa § 501(c) & § 504. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8926887:

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to Country Star Equine Transport, LLC, at PUC utility code number 8926887.

Respectfully submitted,
Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
100 Lackawanna Avenue
Room 320 Scranton, PA 18503

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are

made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 22 October 2024

Brian B. Mehus, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 3rd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1764. Filed for public inspection December 6, 2024, 9:00 a.m.]

**PHILADELPHIA
PARKING AUTHORITY**

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal

protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than December 23, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-24-11-04. Charger Taxi, LLC (2534 South 7th Street, Philadelphia, PA 19148): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia

and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 12301 Church Street, Philadelphia, PA 19124.

Doc. No. A-24-11-05. On Time Car Service, LLC (1755 Dewberry Lane, Cherry Hill, NJ 08003): An application for a limousine CPC to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-1765. Filed for public inspection December 6, 2024, 9:00 a.m.]

END OF ISSUE

